	•	MEXICO OIL	CONSERVATIONAL ACREAGE			FORM C-128 Revised 5/1/57
	SEE INSTRU	TIONS FOR COMP	LETING THIS FO	RM ON THE R	EVERSE SIDE	6 4 11 PM 4
perator			Lease			
-	. ANTWEIL			MBLE ST	ATE	Vell No. 1
ait Letter Sect		aship	Range	County		•
ctual Footage Locatio	16 16 • of Vell:	SOUTH	32 EAST		LEA	
		UTH line and	2310	feet from the		iae
4340, 25	Producing Formation Queen		Pool Mesa	Zuce	Dedic	ated Acreage: 40 Acrea
who has the right to another. (65-3-29 If the answer to que	drill into and to pro (a) NMSA 1935 Con Mion one is "an,"	oduce from any pool (p.) have the interests o	and to appropriate	the production	eilber for bimself of	_
wise? YES N If the answer to quest	O If anyweition two is "no,"	er is ''yes,'' Type (list all the owners (of Consolidation and their respective Land De	e interests belo	.	
						· · · · ·
-	S I	CTION &			CERT	FICATION
	 				in SECTION A e plete to the best belief.	that the information bove is true and com- of my knowledge and
					Agent	. Antweil
			e ¹		shown on the pla plotted from field surveys made by supervision, and	
Stratigen and		- 310-		·	Date Surveyed APMI Registered Profe and/or Land Surv	







Job separation sheet

COUNTY LEA	FIELDMe	<u>sa-Queen</u>	ST	ATE N.M.	
OPR ANTWEIL, MO	<u>RRIS R.</u>			МА	P
<u>1 Humble-S</u>	tate				
Sec. 16, T-	16-S, R-32	- E		CO-0F	20
2310' fr S	& E Lines d	of Sec.			,
Spud 4-7-64			CLASS	E	43492
Comp 4-16-6	4	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING		LOG:			
		Queen 3398			
8 5/8" 375'	200				
5 1/2" 3503'	150				
				······································	
LOGS EL GR RA IN	ID HC A				
		TD 3503', P	<u>BD 3486'</u>		
IP Queen Perfs	3412-16' F	lwd 47 BOPD	+ 32 BW.	Pot. Based	on

•

-_

24 hr test thru 26/64" chk., TP 250#, CP 600#, gravity 34.

Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.					
<u>сомт.</u> Gackle	Drlg.	Co.	PROP DEPTH	35001	TYPE
DATE					

	F.R. 4-9-64
	PD 3500' - Queen
	Contractor - Gackle Drlg. Co.
4-14-64	TD 3503', WOC.
4-20-64	TD 3503', prep to perf.
4-27-64	TD 3503', SI for Storage
	Perf 3412-16' W/2 SPF
	Ac. 250 gals.
	Flwd 4-7 BNOPH for 3 hrs.
5-5 - 64	TD 3503', WO Pot.
	Flwd 31.5 BF/9 ¹ / ₂ hrs (20% wtr), thru 26/64" chk.
5-11-64	TD 3503', WO Pot.
5-18-64	TD 3503', PBD 3486', COMPLETED.

•