

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

| |
|---|
| WELL API NO. |
| 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No. G5489 |
| 7. Lease Name or Unit Agreement Name Maljamar North Unit |
| 8. Well No. #2 |
| 9. Pool name or Wildcat Kemnitz-Wolfcamp, West |
| 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4243' GR |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

| | |
|---|---|
| 1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> | 2. Name of Operator Snyder Oil Corporation |
| 3. Address of Operator 777 Main Street, Suite 2500 Ft. Worth, TX 76102 | 4. Well Location Unit Letter K : 1988 Feet From The West Line and 1780 Feet From The South Line Section 31 Township 16S Range 33E NM/M Lea County |
| 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4243' GR | |

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Set cmt ret @ \pm 9600'. Pump 200 sx cmt. Squeeze if possible, displace to retainer otherwise. (Junk in hole, TOF @ 9691').
2. Load hole w/salt gel.
3. Set 100' plug from 7180'-7080' (across Tubbs). Tag plug.
4. Cut 4 1/2" csg @ 4480'. Set 100' plug from 4480-4380'. TOH w/csg.
5. Perf 8 5/8" @ 1500' and 413'.
6. Set 100' plug from 1500'-1400' in and out of csg.
7. Set 100' plug from 413'-313' in and out of csg.
8. Set 10 sx surface plug.

THIS DOCUMENT MUST BE NOTICED 24
HOURS BEFORE THE MONTH END OF
THE MONTH FOR THE YEAR
1992.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Matt Eagleston TITLE Petroleum Engineer DATE May 12, 1992
TYPE OR PRINT NAME Matt Eagleston TELEPHONE NO. (817) 882-5932

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____

CONTINUED ON REVERSE IF ANY

JUN 03 '92