## UNY O STATES SUBMIT IN TRIPLIT Other instructions DEPARTMEN JF THE INTERIOR verse side) Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

. •	1
LOGICAL SURVEY	IC-029410B

GEOLOGICAL SURVEY	IC-029410B		
SUNDRY NOTICES AND REPORTS ON WELLS OF THE COMMENT OF THE PROPERTY OF THE COMMENT OF THE COMMENT OF THE PROPERTY OF THE COMMENT OF THE COMMEN	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME	
OIL X CAN TO OTHER APR 1 1977	7. UNIT AGREEMENT NA	ME	
The state of the s	H, FARM OR LEADE NAM	1 KE	
Harvey E. Yates Company, Inc.	South Maljama	ar Deep	
ADDRESS OF OPERATOR	9. WELL NO.		
Suite 1000, Security Nat'l. Bank BldgRoswell, New Mex. 88201	1	-	
Location of well (Report location clearly and in accordance with any State requirements.*  See also space 17 below.)	10. FIELD AND POOL, OF	R WILDCAT	
At surface 330' from the South line and 1650' from	Wildcat		
the East line of Section 30-T17S-R32E.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		
one Bady Time of Bootson ye 12/2 19/21	Section 30-T	17S-R32E	
4. PERMIT NO.   15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH	1 13. STATE	
T. Innels and	Lea	N.M.	
TEST WATER SHUT-OFF  FRACTURE TREAT  SHOOT OR ACIDIZE  REPAIR WELL  (Other)  PULL OR ALTER CASING  MULTIPLE COMPLETE  SHOOTING OR ACIDIZING  (Other)  (Note: Report results  Completion or Recompl	ALTERING C ABANDONME  of multiple completion Report and Log fo	NT* XX	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.)  2277  8 plugs of Class H Cement  Plug 1 - 8900 to 8530 ft. = 320 ft. cement 25 sks. (No fill Plug 2 - 8810 to 8134 ft. = 674 ft. cement 50 sks.  Plug 3 - 7800 to 7530 ft. = 320 ft. cement 25 sks.  Plug 4 - 5600 to 5280 ft. = 320 ft. cement 25 sks.  Plug 5 - 4400 to 3950 ft. = 450 ft. cement 35 sks.  Plug 6 - 2200 to 1978 ft. = 221 ft. cement 50 sks.(Over cut Plug 7 - 900 to 782 ft. = 118 ft. cement 25 sks.  Plug 8 - 0 to 60 ft. = 60 ft. cement 15 sks.  Set marker.	including estimated da al depths for all marker in Perfs.)	te of starting any 's and zones perti-	

SIGNED Land the foregoing is true and correct	TITLE Ag	ent	VED DATE ME	ar. 29, 1977
(This space for Federal or State office use)  APPROVED BY	TITLE	APPRO	1979	
CONDITIONS OF APPROVAL, IF ANY:	<i>.</i> `	JUN 1 V	TENGINEER	
*Se	e Instructions on	Reverended		