

HOBBS OFFICE D. C. C.  
JUN 29 3 50 PM '64

NEW MEXICO OIL CONSERVATION COMMISSION

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	

Santa Fe, New Mexico

6-CCC  
1-Houston  
1-Midland  
1-File

WELL RECORD


Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

Tidewater Oil Company

State "P" Unit

AREA 640 ACRES  
LOCATE WELL CORRECTLY

(Company or Operator)

(Lease)

Well No. 8, in SE 1/4 of NW 1/4, of Sec. 32, T. 16 S, R. 37 E, NMPM.

Levington Paddeck

Pool, Lea

County.

Well is 1980 feet from West line and 1980 feet from North line

of Section 32. If State Land the Oil and Gas Lease No. is B-7897

Drilling Commenced May 7, 1964 Drilling was Completed June 8, 1964

Name of Drilling Contractor Leatherwood Drilling Co.

Address Drawer "H", Kernit, Texas

Elevation above sea level at Top of Tubing Head 3812. The information given is to be kept confidential until Not confidential, 19.

OIL SANDS OR ZONES

No. 1, from 6171 to 6293 No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	22.7	New	368	Tex. Pat.	-	-	Surface
5-1/2	15.5	New	6153	Float	-	6171-6293	Oil String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
14-1/4	8-5/8	368	250	Pump		
7-7/8	5-1/2	6153	660	Pump		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Treated w/2000 gal. Dowell M-38, 10,000 gal. gelled acid and 10,000# sand.

Result of Production Stimulation On 24 hour potential, pumped 68 BO, no water.

Depth Cleaned Out

# RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.  
Cable tools were used from.....feet to.....feet, and from.....feet to.....feet.

## PRODUCTION

Put to Producing....., 1964

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was  
was oil; .....% was emulsion; .....% water; and.....% was sediment. A.P.I.  
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of  
liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

### Southeastern New Mexico

### Northwestern New Mexico

T. Anhy.....	2087	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....		T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....		T. Montoya.....	T. Farmington.....
T. Yates.....	3120	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....		T. McKee.....	T. Menefee.....
T. Queen.....		T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....		T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	4704	T. Granite.....	T. Dakota.....
T. Glorieta.....	6072	T. Pad, 6164	T. Morrison.....
T. Drinkard.....			T. Penn.....
T. Tubbs.....			
T. Abo.....			
T. Penn.....			
T. Miss.....			

## FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	347	347	Sand & red bed	6129	6129	11	Dolo
347	1769	1422	Red bed	6140	6189	49	Dolo - lime
1769	1979	210	Red bed and anhy	6189	6238	49	Cora #1
1979	3500	1521	Anhy and salt	6238	6272	34	Cora #2
3500	3628	128	Anhy	6272	6288	16	Cora #3
3628	3808	180	Anhy and salt stks.	6288	6292	4	Dolo
3808	3901	93	Anhy and sand stks.	6292	6340	48	Lime
3901	3994	93	Anhy				
3994	4303	309	Anhy and lime				
4303	5472	1169	Lime				
5472	5566	94	Lime and sand				
5566	5626	60	Lime				
5626	5708	82	Lime and sand				
5708	5746	38	Lime				
5746	5876	130	Lime and sand				
5876	5897	21	Lime				
5897	5948	51	Lime and sand				
5948	6034	86	Lime				
6034	6106	72	Lime and sand				
6106	6129	23	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Original Signed By

C. L. WADE

6-26-64  
(Date)

Company or Operator.....Tidewater Oil Company.....

Address.....Box 249, Hobbs, New Mexico

Name.....C. L. Wade

Position or Title.....Area Supt.