								Я.		
		NEW ME	XICO OIL COI	SERVATIO	N COMMISSIO) na	1			Ī
NUMBER OF COP				, New Mexic	0	ľ				
SANTA FE	DISTRIBUTION			,	JUL	21 1			╶┼╌┽╴	+-
FILE U.S.G.S.						=' II	45 AH .	65	┽╴╉╴	+-
TRANSPORTER	OIL		WELL	RECOR	D			83		
PROBATION OF	GAS				_	Г				
OPERATOR						F		-++	+-+-	+
later the	han twenty di Commission.	ays after comple Submit in QUI		instructions in If State Lar	Rules and Regula ad submit 6 Copi	itions es		AREA 640 A	CRES	
AOLISO	n 011 Co	(Company or Oper	ntor)			State a	Lea.se)			
Well No	1	, inN2		14, of Sec20	, т. <u>1</u>	<u>.</u>	, R		, N	IMP

Nell is	330	feet from	North	line and.		fe	et from	5ast		1
			tate Land the Oil ar							
			·····,							
										~
		at Top of Tubin	g Head431	¥.8	The inf	ormation	given is to	be kept o	confidentia	el un
			OI	L SANDS OR	ZONES					
lo. 1, from.	Nome	tc)	No.	4, from		to		********	
o. 2, from.		to		No.	5, from	••••••••••	to			
o. 3, from.		to		No.	6, from		to			
				TANT WATE						
			elevation to which							
lo. 1, from.	N one		to	••••••		feet	••••••		•••••••••••••••••	
o. 2, from.	••••••	••••	to	•••••••••••••••••••••••••••••••••••••••		.feet				
o. 3, from.		•••••••••••••••••••••••••••••••••••••••	to	•••••				····		
o. 4, from.			to	••••••			•••••			
	1			CASING BECC						
SIZE	WEIGI PER FO			KIND OF SHOE	CUT AND PULLED FROM	PERFO	BATIONS	I	URPOSE	
8 5/8-	- 28	used	- 3851	Bell	none	······································		Sur	face	
			MUDDING .	AND CEMENT	ING RECORD					
BIZE OF	SIZE OF	WHERE	NO. SACKS	METHOD		MUD	<u> </u>	AMOU	NT OF	
HOLE	CASING	BET	OF CEMENT	USED	an	RAVITY		MIID	TIGOT	

HOLE	CABING	BET	OF CEMENT	USED	MUD GRAVITY	AMOUNT OF MUD USED
-10 }	3 5/9	385	175			
				form th		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation.....

RECORD OF DRILL-STEM AND SPECI. TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

		TOOL	S USED		
Rotary tools w	ere used fromQ	feet to	feet, and from	feet to	fe e t.
Cable tools were used from		feet to	feet, and from	feet to	feet.
		PROD	UCTION		
Put to Produc	ing N one	, 19			
OIL WELL:	The production during th	e first 24 hours was	barrels of	liquid of which	
	was oil;	% was emulsion;	% water; and	% was se	diment. A.P.I.
	Gravity				
GAS WELL:	The production during th	e first 24 hours was	M.C.F. plus		barrels of
	liquid Hydrocarbon. Shut	in Pressurelbs	i.		

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE): Southeastern New Mexico Northwestern New Mexico

Т.	Anhy. 1230	Т.	Devonian	T.	Ojo Alamo
T.	Salt 1410	Т.	Silurian	T.	Kirtland-Fruitland
	2330 Salt		Montoya		
Т.	Yates	Т.	Simpson	Т.	Pictured Cliffs
Т.	7 Rivers	Т.	McKee	Т.	Menefee
Т.	Queen 3403	Т.	Ellenburger	Т.	Point Lookout
	Grayburg				
Т.	San Andres	Т.	Granite	Τ.	Dakota
	Glorieta				
Т.	Drinkard	Т.		т.	Penn
	Tubbs				
Т.	Аьо	Т.		Т.	
Т.	Penn	Т.		T.	
Т.	Miss	Т.		Т.	

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
1410	318 1230 1410 2330 3403 3440	318 912 180 920 1073 37	Red beds, caliche Shale and shells anhydrite and gyp salt & anhydrite sand, shale and lime Sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Ju.	Ly	2	0	,	1	9	C	5	,

Company or Operator Wolfson Oil Co.	Address. 3206 Republic Bank Tower	
Name. H.G.Freedman	Ballas, Texas Position of Title	