

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico OFFICE O. C. C.

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PERFORATION OFFICE	
OPERATOR	

WELL RECORD

6-OCC
1-Houston
1-Midland 1-File

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY.

Tidewater Oil Company

State AU

(Company or Operator)

(Lease)

Well No. 1, in SW 1/4 of NW 1/4, of Sec. 19, T. 16 S, R. 37 E, NMPM.

Pool, Country.

Well is 1980 feet from North line and 1300 feet from West line

of Section 19. If State Land the Oil and Gas Lease No. is E-10070

Drilling Commenced 3-25, 1966 Drilling was Completed 4-11, 1966

Name of Drilling Contractor Moran Oil Producing and Drilling Company

Address Box 1919, Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 3849.4 Gr. The information given is to be kept confidential until Not confidential, 19

OIL SANDS OR ZONES

No. 1, from Dry to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24	New	2102	Float	-	None	Surface

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8	2102	1000	Pump		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

NONE

Result of Production Stimulation NONE

Depth Cleaned Out.

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.
Cable tools were used from.....feet to.....feet, and from.....feet to.....feet.

Put to Producing.....**Dry**..... 19.....

OIL WELL: The production during the first 24 hours was.....no fluid.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

Southeastern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates..... 3210	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres..... 4860	T. Granite.....	T. Dakota.....
T. Glorieta..... 6293	T. Paddock..... 6398	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

Northwestern New Mexico

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	150	150	Surface sand & caliche				
150	555	405	Red bed				
555	1570	1015	Red bed and anhy				
1570	2102	532	Anhy				
2102	3250	1148	Salt and anhy				
3250	4044	794	Anhy				
4044	4487	443	Anhy and lime				
4487	6650	2163	Lime				

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

4-13-66

Company or Operator.....Tidewater Oil Company

Address..... Box 249, Hobbs, New Mexico

Original Signed By: B. M. BREINING

Title: Area Engineer



TIDEWATER OIL COMPANY

P. O. Box 249
Hobbs, New Mexico

HOBBS OFFICE O. C. C.

APR 19 3 30 PM '66


April 19, 1966

STATE "AU" NO. 1

DEVIATIONS

<u>DEPTH</u>	<u>DEG. OFF</u>	<u>DEPTH</u>	<u>DEG. OFF</u>
350	3/4	4390	3/4
847	3/4	4860	1/2
1215	1	5080	3/4
1700	1-1/4	5337	1
2100	1	5730	1/4
2600	1-1/2	6020	1/2
3098	1-1/4	6193	1/2
3400	1	6390	1
3852	1/2	6650	1-1/4
4306	1/2		


The above information is correct and complete to the best of my knowledge.


B. M. Breining, Area Engineer

STATE OF NEW MEXICO
COUNTY OF LEA

SWORN TO BEFORE ME, the undersigned, on this the 19th day of April, 1966.

My commission expires 12/2/67


Notary Public in and for the
County of Lea, State of New Mex.



U.S. COAST GUARD

APR 13 3 30 PM '88

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD

U.S. COAST GUARD