

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

3 - NMOCC
1 - File

Form C-103
Supersedes Old
6-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	State <input type="checkbox"/> Page <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No. <u>7</u>	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dry Hole	7. Unit Agreement Name
2. Name of Operator GETTY OIL COMPANY	8. Farm or Lease Name H. T. Montieth "D"
3. Address of Operator P. O. BOX 249, HOBBS, NEW MEXICO	9. Well No. <u>1</u>
4. Location of Well UNIT LETTER N , 2333.8 FEET FROM THE West LINE AND 660 FEET FROM THE South LINE, SECTION 18 TOWNSHIP 16S RANGE 37E NMPM.	10. Field and Pool, or Wildcat Undesignated
15. Elevation (Show whether DF, RT, GR, etc.) 3857 RDB	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

We propose to plug and abandon this well as follows:

Lay 25 sack cement plug at TD.
Spot 25 sack cement plug in and out of 5-1/2" stub. (5-1/2" to be cut-off at approx. 8000'.)
Lay 25 sack cement plug over Glorieta
Lay 25 sack cement plug over top of Abe if not behind pipe.
25 sack cement plug in and out 8-5/8" casing.
10 sack cement plug at surface with marker.
Mud to be left between plugs.

Verbal approval secured by James Ellebracht from Mr. John Runyan 12-20-68.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed By

SIGNED C. L. WADE TITLE Area Supt. DATE 12-20-68

APPROVED BY John W. Runyan TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

3-NMOCC

1-File

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator GETTY OIL COMPANY	8. Farm or Lease Name H. T. Montieth "D"
3. Address of Operator P. O. BOX 249, ROBBS, NEW MEXICO	9. Well No. 1
4. Location of Well UNIT LETTER N , 2333.8 FEET FROM THE West LINE AND 660 FEET FROM THE South LINE, SECTION 18 TOWNSHIP 16S RANGE 37E NMPM.	10. Field and Pool, or Wildcat Undesignated
15. Elevation (Show whether DF, RT, GR, etc.) 3857 HOB	12. County Lea

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
OTHER ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOB ☒
OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled 7-7/8" hole to 11,443'. Ran 5-1/2" (114 joints 15.5# J-55 and 229 joints of 17# N-80) casing and set at 11,441'. Cemented with 380 sacks 50-50 Incor/Dismix and 200 sacks reg. Incor. Top of cement by temperature survey at 8200'. WOC 24 hours. Tagged FBTD at 11,373 with tubing. Tested 5-1/2" casing with 1500# for 30 minutes, no drop in pressure.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

ORIGINAL SIGNED BY:

SIGNED E. L. Wade

TITLE Area Superintendent

DATE 10-15-68

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Orig & 2cc: NMOC

SEP 11 1968

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator GIFTY OIL COMPANY	8. Farm or Lease Name H. T. Montleth "D"
3. Address of Operator P. O. BOX 249, MORRIS, NEW MEXICO 88240	9. Well No. 1
4. Location of Well UNIT LETTER N 2333.8 FEET FROM THE West LINE AND 660 FEET FROM THE South LINE, SECTION 18 TOWNSHIP 16S RANGE 37E NMPM.	10. Field and Pool, or Wildcat Undesignated
15. Elevation (Show whether DF, RT, GR, etc.) 3841 GR, est.	12. County Lea

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐

OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOB ☒

ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled to 4450'. Set 8-5/8" 32# J-55 casing at 4445'. Cemented w/1220 sacks Incor Pommix (50-50) 4% gel and 200 sacks reg. Incor. Circulated estimated 120 sacks cement. WOC 18 hours. Tested 8-5/8" casing w/1500# for 30 minutes, no drop in pressure.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

ORIGINAL SIGNED BY
SIGNED HAROLD G. VEST TITLE Area Engineer DATE 9-6-68
APPROVED BY [Signature] TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

3-1840CC
2-Pennsoil United, Inc., Midland
1-File

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator GETTY OIL COMPANY	8. Farm or Lease Name H. T. Montieith "D"
3. Address of Operator P. O. BOX 249, HOBBS, NEW MEXICO 88240	9. Well No. 1
4. Location of Well UNIT LETTER N 2333.8 FEET FROM THE West LINE AND 660 FEET FROM THE South LINE, SECTION 18 TOWNSHIP 16S RANGE 37E NMPM.	10. Field and Pool, or Wildcat Undesignated
15. Elevation (Show whether DF, RT, GR, etc.)	12. County Lee

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Brahmney Drilling Company spudded at 12:30 AM CDT 8-22-68. Drilled 17-1/2" hole to 447'. Set 13-3/8" 48# H-40 8R Casing at 441'. Cemented with 475 sacks Incon w/2% Cael with 1/4# floccle in first 250 sacks. WOC 24 hours. Tested 13-3/8" casing with 950# for 30 minutes, no drop in pressure. (Cement Circulated)

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

ORIGINAL SIGNED BY:	TITLE	DATE
C. L. Wade	Area Superintendent	8-29-68
APPROVED BY: <i>Leslie A. Clements</i>	TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:		