

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

DEC 23 10 30 AM '69

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
<b>K-3412</b>

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <b>Dry Hole</b>	7. Unit Agreement Name
2. Name of Operator <b>Great Western Drilling Company</b>	8. Farm or Lease Name <b>Great Western - State</b>
3. Address of Operator <b>Box 1659, Midland, Texas 79701</b>	9. Well No. <b>1</b>
4. Location of Well UNIT LETTER <b>F</b> , <b>2310</b> FEET FROM THE <b>North</b> LINE AND <b>1980</b> FEET FROM THE <b>West</b> LINE, SECTION <b>27</b> TOWNSHIP <b>15-S</b> RANGE <b>32-E</b> NMPM.	10. Field and Pool, or Wildcat <b>Anderson Ranch, North</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>4289 GR</b>	12. County <b>Lea</b>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

It is proposed to set a cast iron bridging plug at approximately 9,950' (above the Bough "B" casing perforations from 10,007' to 10,013') and place 10 sacks of cement on top of the plug. The hole will then be filled with a mud-laden fluid and an estimated 8,500' of 4-1/2" casing and 1,400' of 8-5/8" casing will be pulled. 25 sack plugs will be set as follows: 8,500' (top of 4-1/2" casing stub), 7,600' (T/Abo), 6,900' (T/Tubb), 5,700' (T/Glorieta), 4,180' (bottom of 8-5/8" casing), 1,400' (top of 8-5/8" casing stub), 445' (bottom of 13-3/8" casing), and at the surface.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u><i>P. L. Lomax</i></u>	TITLE <u>Chief Engineer</u>	DATE <u>December 23, 1969</u>
APPROVED BY <u><i>J. R. Lomax</i></u>	TITLE <u></u>	DATE <u>DEC 23 1969</u>
CONDITIONS OF APPROVAL, IF ANY:		