

NO. OF COPIES RECEIVED	
DISTRIBUTION	
ANTA FE	
ILE	
.S.G.S.	
AND OFFICE	
PERATOR	

Form C-105  
Revised 1-1-65

NEW MEXICO OIL CONSERVATION COMMISSION  
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. <b>K 6234</b>

TYPE OF WELL

TYPE OF COMPLETION

NEW WELL ☐ WORK OVER ☐ DEEPEN ☐

Name of Operator

**W. A. Moncrief, Jr.**

Address of Operator

**817 Midland Tower Bldg., Midland, Texas 79701**

Location of Well

NIT LETTER **B** LOCATED **2310** FEET FROM THE **East** LINE AND **330** FEET FROM

HE **North** LINE OF SEC. **34** TWP. **16S** RGE. **33E** NMFM

5. Date Spudded

**9-25-69**

16. Date T.D. Reached

**11-13-69**

17. Date Compl. (Ready to Prod.)

18. Elevations (DF, RKB, RT, GR, etc.)

**4194 Ground**

19. Elev. Casinghead

20. Total Depth

**11,650**

21. Plug Back T.D.

22. If Multiple Compl., How Many

23. Intervals Drilled By

Rotary Tools

**X (All)**

Cable Tools

24. Producing Interval(s), of this completion - Top, Bottom, Name

25. Was Directional Survey Made

**No**

26. Type Electric and Other Logs Run

**Acoustilog O-4218; S.N.P. 4220-11,659; D.I.L. 4220-11,654.**

27. Was Well Cored

**No**

CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
11-3/4"	42#	395	13-3/4"	375 sx Incor C w/2% c.c.	0
8-5/8"	32# (42#)	4218	10-5/8"	300 sx C Neat + 200 sx C	0
	24# (2488')			Neat w/2% c.c.	0
	32# (1688')				0

LINER RECORD					TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

31. Perforation Record (Interval, size and number)

ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED

33. PRODUCTION		Well Status (Prod. or Shut-in)	
Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)		
Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.
34. Disposition of Gas (Sold, used for fuel, vented, etc.)		Test Witnessed By	

35. List of Attachments

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED

*Richard C. Mendenhall*

TITLE

**District Geologist**

DATE

**12-10-69**

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

### Southeastern New Mexico

### Northwestern New Mexico

T. Anhy	1505	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	1620	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	2625	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	2815	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers		T. Devonian	T. Menefee	T. Madison
T. Queen	3727	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg		T. Montoya	T. Mancos	T. McCracken
T. San Andres	4470	T. Simpson	T. Gallup	T. Ignacio Qtzte
T. Glorieta	5963	T. McKee	Base Greenhorn	T. Granite
T. Paddock		T. Ellenburger	T. Dakota	
T. Blinberry		T. Gr. Wash	T. Morrison	
T. Tubb	7220	T. Granite	T. Todilto	
T. Drinkard		T. Delaware Sand	T. Entrada	
T. Abo	7990	T. Bone Springs	T. Wingate	
T. Wolfcamp	9760		T. Chinle	
T. Penn.	11248		T. Permian	
T. Cisco (Bough C)			T. Penn. "A"	

### FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2625		Shale, sand, anhydrite & salt				
2625	4470		Anhydrite, sand & dolomite				
4470	9760		Dolomite, sand & shale				
9760	11248		Limestone & shale				
11248	11650		Shale & limestone				