

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

**OIL CONSERVATION DIVISION**

DISTRICT I  
P.O. Box 1980, Hobbs NM 88240

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO. <b>30-025-23457</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. <b>B-2229</b>
7. Lease Name or Unit Agreement Name <b>PHILLIPS "E" STATE</b>
8. Well No. <b>12</b>
9. Pool name or Wildcat <b>MALJAMAR GB/SA</b>

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <b>WATER INJECTION</b>
2. Name of Operator <b>Phillips Petroleum Company</b>
3. Address of Operator <b>4001 Penbrook Street, Odessa, TX 79762</b>
4. Well Location Unit Letter <b>M</b> : <b>990'</b> Feet From The <b>SOUTH</b> Line and <b>990'</b> Feet From The <b>WEST</b> Line Section <b>10</b> Township <b>17-S</b> Range <b>33-E</b> NMPM <b>LEA</b> County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) <b>4184' RKB; 4172' GL</b>

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL  
WELL ☐

GAS  
WELL ☐

OTHER **WATER INJECTION**

2. Name of Operator

**Phillips Petroleum Company**

3. Address of Operator

**4001 Penbrook Street, Odessa, TX 79762**

4. Well Location

Unit Letter **M** : **990'** Feet From The **SOUTH** Line and **990'** Feet From The **WEST** Line

Section **10** Township **17-S** Range **33-E** NMPM **LEA** County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

**4184' RKB; 4172' GL**

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: **ADD PERFS, ACIDIZE, RET T/INJECTION** ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

06/17/96 FRAC TK SET, SI WELL DUE T/PRESSURE ON ANNULUS.  
06/18/96 RU TATUM WS, REL PKR & INSTALL BOP, PULL & LD 137 JTS 2-3/8" SALTA LINED TBG,  
HOLE IN TBG 96TH JT, SDON.  
06/19/96 PU 4-1/2" CSG, SCRAPER ON 2-3/8", TAG FILL @ 4305' (138 JTS F/SURF) 220' FILL IN  
HOLE, POOH W/BIT & SCRAPER, SDON.  
06/20/96 RU STAR TOOL, WIH W/6 3" DRL COLLARS ON 2-3/8" WS & BIT T/CO, TAG FILL @  
4300', CO T/4502' & CIRC CLN, POOH W/DRL COLLARS, BIT ON WS, SDON.  
06/21/96 CLOSED IN 24 HRS.  
06/22/96 CLOSED IN 24 HRS.  
06/23/96 RU HALLIBURTON, RU LUBRICATOR, CORRELATE T/SCHLUMBERGER PDC LOG 4/17/70,  
RE-PERF'D 4378'-4386' (32 HOLES) 4433'-4440' (28 HOLES) 4473'-4480' (28 HOLES),  
CONTINUED ON BACK

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE **Senior Regulation Analyst**

DATE **7-10-96**

TYPE OR PRINT NAME **Larry M. Sanders**

TELEPHONE NO. **(915) 368-1488**

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

**JUL 12 1996**

PHILLIPS STATE E #12

(CONTINUED)

06/23/96 (CONTINUED)  
RD HALLIBURTON, WITH W/4-1/2" PKR ON 2-3/8" WS, TST TBG T/5000#, SET PKR @ 4236', SWAB T/CLEAN UP PERFS, REC 37 BW, FL @ 3700' F/SURF, WELL OPEN T/FRAC TK, SD.

06/24/96 ACIDIZE PERFS 4378'-4480' W/2000 GAL FERCHECK 15% HCL ACID & XLINK 25# GEL W/ BRKER & RS IN 3 STGS OF ACID & 2 STGS OF BLK, FL W/21 BBL FR WTR, AVG INJ PSI 3800#, AVG INJ RATE 4.2 BPM, ISIP 2200# 5 MIN 2649# 10 MIN 2399# 15 MIN 2200#, RD HALLIBURTON, CI F/1 HR, LD T/REC 81 BBLs, RU T/SWAB, REC 95 BBLs ACID & LD WTR, FL 3500' F/SURF, SDON.

06/25/96 REL TR PKR & PULL PKR & WS, RUN 4-1/2" AD-1 PKR ON 135 JTS 2-3/8" PLSTC LINED TBG, REMOVE BOP, CIRC W/PKR FL, SET PKR @ 4309', PRESS TST TBG-CSG ANNUL T/500# F/30 MIN OK, CHART SENT T/PRORATION OFFICE ODESSA, RD TATUM WS.

06/26/96 INJECT 107 BBL @ 2200#.

06/27/96 INJ 157 BBLs @ 2200#.

06/28/96 INJ 167 BBLs @ 2200#, PROCEDURE COMPLETED.

**COMPLETE DROP FROM REPORT**





