

COUNTY LEA FIELD Maljamar STATE NM 30-025-23673

OPR CONTINENTAL OIL CO. MAP

264 MCA Unit

Sec 19, T-17-S, R-32-E

CO-ORD

1345' FSL, 25' FEL of Sec

Spd 1-22-71

CLASS

EL 39498

Cmp 2-15-71

FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING			
8 5/8" at 680' w/350 sx			
5 1/2" at 4060' w/250 sx			
LOGS EL GR RA IND HC A			

TD 4060'

IP (San Andres) Perfs 3949-4018' P 275 BOPD + 122 BW. Pot based on 22 hr test. GOR NR; Grav 38.8.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus PROP DEPTH 4030' TYPE RT
DATE

F.R. 1-5-71; Opr's Elev. 3940' GL

PD 4030' RT (San Andres)

Contractor - Cactus

1-25-71 Drlg. 2830' anhy

1-29-71 Coring @ 3730'

Cored 3608-58', rec 50' being:

13' sd, good poro & perm

8' sd, stain, poor-fair poro

29' dolo, tight to fair pay

2-8-71 TD 4060'; Rng Tracer

Cored 3719-69', rec 50', no description

Drilled to 3952'

Cored 3952-4002', rec 50', no description

Perf @ 3949', 3957', 3961', 3966', 3988',

3992', 3995', 4003', 4011', 4018' w/1 SPI

LEA Maljamar NM Sec 19, T17S, R32E
CONTINENTAL OIL CO. 264 MCA Unit Page #2

2-8-71 Continued
Acid (3949-4018') 10,000 gals (15%)
Swbd 72 BO + 164 BW in 8 hrs (3949-4018')
2-15-71 TD 4060'; TO Pmp
Ppd 171 BO + 231 BW in 24 hrs
2-22-71 TD 4060'; TO Pmp
Ppd 170 BO + 128 BW in 24 hrs
3-1-71 TD 4060'; COMPLETE
LOG TOPS: Queen 2953', Grayburg 3329', San
Andres 3687', Lovington Sand 3836'
3-4-71 COMPLETION REPORTED

OWWO

COUNTY LEA FIELD Maljamar STATE NM 30-025-23673
 OPR CONTINENTAL OIL CO. MAP
264 MCA Unit
Sec 19, T-17-S, R-32-E CO-ORD
1345' FSL, 25' FEL of Sec

	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
Re-Cmp 11-28-71				
CSG & SX - TUBING				
8 5/8" at 680' w/350 sx				
5 1/2" at 4060' w/250 sx.				
LOGS EL GR RA IND HC A				
	TD 4060'; PBD 3760'			

(San Andres) Perfs 3602-3734' NO NEW POTENTIAL.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 3760' TYPE WO
 DATE

2-15-72 F.R.C. 2-17-72; Opr's Elev. 3949' DF
 PD 3760' WO (San Andres)
 (Orig. comp 2-15-71 thru (San Andres) Perfs
 3949-4018', OTD 4060')
 TD 4060'; PBD 3760'; COMPLETE
 PB to 3760'
 Perf @ 3602', 3605', 3609', 3612', 3616', 3620',
 3625', 3629', 3717', 3719', 3725', 3731', 3734'
 w/1 SPI
 Acid (3717-34') 6000 gals (15% NE)
 Acid (3602-29') 2000 gals (15% NE)
 Frac (3602-29') 20,000 gals wtr + 30,000# sd

2-17-72 COMPLETION REPORTED