

SPD		CMP		CLASS		ELEV.		L & S	
9-7-73		10-3-73		FORMATION	DATUM	FORMATION	DATUM		
8 5/8" at 1010' w/525 SX 5 1/2" at 4425' w/350 SX									
TD 4425'				PBD					

CONTR	Cactus	OPRS ELEV	3970' GL	PD	4425'	TYPE	RT
-------	--------	-----------	----------	----	-------	------	----

F.R. 9-3-73
(Grayburg-San Andres)
AMEND COMPLETION DATED 10-20-73 TO SHOW
CORRECTED LOCATION: Formerly reported as
551' FSL
9-10-73 Drlg 2572'
9-18-73 TD 4425'; MICU
9-25-73 TD 4425'; Tstg
Perf 4042-4267' w/1 SPF
Acid (4042-4267') 2500 gals
Swbd 136 BF in 10 hrs (98% wtr) (4042-4267')
Acid (4042-4267') 2500 gals
Swbd Dry (4042-4267')
Acid (4042-4267') 2000 gals
Erac (4042-4267') 20,000 gals + 40,000# sd
10-1-73 TD 4425'; To Pmp
10-10-73 TD 4425'; WO Pot
Ppd 142 BO + 192 BW in 24 hrs (4042-4267')

LEA Maljamar
CONTINENTAL OIL CO. #346 MCA Unit

10-15-73 TD 4425'; COMPLETE
10-20-73 COMPLETION REPORTED

NM
Page #2

COUNTY	LEA	FIELD	Maljamar	STATE	NM
OPR	CONTINENTAL OIL CO.			API	30-025-24513
NO.	346	LEASE	MCA Unit	SERIAL	
	Sec 27, T-17-S, R-32-E			MAP	
	55' FSL, 1200' FWL of Sec			CO-ORD	

		CLASS		ELEV.		L & S	
SPD		FORMATION	DATUM	FORMATION	DATUM		
9-7-73	CMP 10-3-73						
CSG 8 5/8" at 1010' w/525 sx 5 1/2" at 4425' w/350 sx							
		TD	4425'	PBD			

IP (Graybrug-San Andres) Perfs 4042-4267' P 142 BOPD + 192 BW.
Pot based on 24 hr test. GOR 493; Grav 37.4

CONTR	Cactus	OPRS ELEV	3970'	GL	PD	4425'	TYPE	RT
-------	--------	-----------	-------	----	----	-------	------	----

AMEND COMPLETION TICKET DATED 10-20-73
ON THE LEA COUNTY, MALJAMAR FIELD, CONTINENTAL
OIL CO., #346 MCA UNIT, LOCATED 55' FSL,
1200' FWL OF SEC 27, T-17-S, R-32-E
F.R. 9-3-73
(Grayburg-San Andres)

11-17-73 AMEND REFERENCE NUMBER: Formerly reported
as 30-025-23513
10-20-73 COMPLETION REPORTED



IP (Grayburg-San Andres) Perfs 4042-4267' P 142 BOPD + 192 BW.
Pot based on 24 hr test. GOR 493; Grav 37.4

CONTR	Cactus	OPRS ELEV	3970'	GL	PD	4425'	TYPE	RT
-------	--------	-----------	-------	----	----	-------	------	----

F.R. 9-3-73
(Grayburg-San Andres)
9-10-73 Drlg 2572'
9-18-73 TD 4425'; MICU
9-25-73 TD 4425'; Tstg
Perf 4042-4267' w/1 SPF
Acid (4042-4267') 2500 gals
Swbd 136 BF in 10 hrs (98% wtr) (4042-4267')
Acid (4042-4267') 2500 gals
Swbd Dry (4042-4267')
Acid (4042-4267') 2000 gals
Frac (4042-4267') 20,000 gals + 40,000# sd
10-1-73 TD 4425'; TO Pmp

LEA
CONTINENTAL OIL CO.

Maljamar
346 MCA Unit

NM Sec 2 7S, R32E
Pa

10-10-73 TD 4425'; WO Pot
Ppd 142 EO + 192 HW 24 hrs (4042-426
10-15-73 TD 4425'; COMPLETE
10-20-73 COMPLETION REPORTED