M. EIL COHS. COMMISSION

P. O. BOX 1980 HOBBS, NEW MEXICO 88240

Dec. 1973	Form Approved. Budget Bureau No. 42–R1424
UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	LC-057210
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	MCA Unit 8. FARM OR LEASE NAME 1/1
1. oil gas other	MCA Unit Sty 3
2. NAME OF OPERATOR	353
CONOCO INC.	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR P. O. Box 460, Hobbs, N.M. 88240	Maljamar (G/SA) 11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.)	Sec. 27, T-175, R-32€
AT SURFACE: 175 FSL & 2615 FWL AT TOP PROD. INTERVAL:	12. COUNTY OR PÁRISH 13. STATE
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
REPORT, OR OTHER DATA	15. ELEVATIONS. (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE	
REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d	lirectionally drilled, give subsurface locations and
measured and true vertical depths for all markers and zones pertiner CO to 4300'. Set RBPat 4170', pkr 4020'.	Acidize w/ 2400 gals. acid.
Flushw/30bbs. TFW. Swab. Test.	·
	OCT 1 9 1981
	OIL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	J
SIGNED WM A Therefore Supervise Administrative Supervise	sar DATE October 16,1981
(This space for Federal or State off	ice use)
APPROVED BY CONDITIONS OF APPROVAL OCT 19 1981	DATE
FOR	
JAMES A. GILLHAM	

DISTRICT SUPERVISOR See Instructions on Reverse Side