

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-80

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO. 30-025-24594
Indicate Type of Lease STATE ☒ FEE ☐
State Oil & Gas Lease No. K-5275
Lease Name or Unit Agreement Name NORTH VACUUM ABO North Unit "15"
Well No. 1
Pool name or Wildcat NORTH VACUUM (ABO)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			
Type of Well: OIL WELL ☐ GAS WELL ☐ OTHER WATER INJECTION			
Name of Operator SAGE ENERGY COMPANY			
Address of Operator P.O. DRAWER 3068, MIDLAND, TX. 79702			
Well Location Unit Letter N : 660 Feet From The SOUTH Line and 1980 Feet From The WEST Line Section 36 Township 16S Range 34E NMPM LEA County			
Elevation (Show whether DP, RKB, RT, GR, etc.) 4039' GR			

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ PLUG AND ANBANDONMENT ☐
 CASING TEST AND CEMENT JOB ☐
 OTHER: **REPAIR Tbg / Csg COMMUNICATION** ☒

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

SEE ATTACHED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE George M. Harris, Jr. TITLE ENGINEER DATE 5/11/00
 TYPE OR PRINT NAME GEORGE M. HARRIS, JR. TELEPHONE NO. 663-5271
 (This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY: _____

SAGE ENERGY COMPANY

NVANU 15-1
4/28/2000

Key Energy Services

MIRU unit POOH with tubing breaking each collar an applying teflon tape and dope. SD

4/1/00

RIH with rebuilt Loc-Set packer and tubing , circulate well with 2% KCL and set packer. Flange up well and put back on injection. Rig down and shut down.

1 2-3/8" x 4-1/2" Loc-Set nickel plated packer	3.38 Ft.
1 2-3/8" API Seating Nipple	1.1 Ft.
2 Joints of 2-3/8" J-55 8-rd EUE Tubing	62.32 Ft.
281 Joints of 2-3/8" buttress N-80 tubing	8590.32 Ft.
1 Joint of 2-3/8" J-55 8-rd EUE Tubing	32.41 Ft.
Sub Total	8689.53 Ft.
Set Below KB	10.5 Ft.
Total	8700.03 Ft. KB

Eddie Elliott

