OSTRIUTION SAPTA FT NEW MEXICO OIL CONSERVATION COMMISSION Services of Completed Co	NO. OF COPIES RECTIVED		Form C-103
Elective 1-1-65 Main Indicents Type of Leasure South So	DISTRIBUTION	•	
Solution	SANTA FE	NEW MEXICO OIL CONSERVATION COMMISSION	
SUNDRY NOTICES AND REPORTS ON WELLS SUNDRY NOTICE OF SAME AND ADDRESS OF THE PROPERTY OF THE PR	FILE		
Sund of the Control o	u.s.g.s.		Sa. Indicate Type of Lease
SUNDRY NOTICES AND REPORTS ON WELLS BO NOTICE AND REPORTS ON WELLS BO NOTICE AND REPORTS ON WELLS BO NOTICE AND REPORTS ON WELLS CHARLES OF A CONTROL OF A CO	LAND OFFICE		State Fee 2
1. WELL STATE COMPLETE OF THE PROPOSED CONTROL OF THE AND ADDRESS OF THE TRANSPORTER OF THE TRANSPORTER OF THE AND ADDRESS OF THE TRANSPORTER OF T	OPERATOR	·	
1. WELL STATE COMPLETE OF THE PROPOSED CONTROL OF THE AND ADDRESS OF THE TRANSPORTER OF THE TRANSPORTER OF THE AND ADDRESS OF THE TRANSPORTER OF T	£1.110.0	,	
2. None of Circular Service Se	USE **APPLICATI		
Mesa Petroleum Co. 3. Addition of typerator Box 2009 Amarillo, Texas 79105 4. Location of Well 10. 6. Location of Well Out Letter O	OIL X GAS WELL	OTHER-	7. Unit Agreement Name
S. Addition of Well East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE 36E MUNICED THE East Line, section 7 Township 16S ARREE TOWNSHIP THE EAST OF THE EAST			8, Farm or Leane liane
Box 2009 Amarillo, Texas 79105 1. Location of Well UNIT LETTER 0		•	Chambers
Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: **REASE ** NOTICE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** PLUE AND ADARDON ** PLUE AND ADARDON ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** PLUE AND ADARDON ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** PLUE AND ADARDON ** CHANGE PLUE AND ADARDON ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** PLUE AND ADARDON ** CHANGE PLUE AND ADARDON ** CHANGE PLUE OF ALTER (AS INC COMMERCE DELLING OFFI.) **CHANGE PLAND ** PLUE AND ADARDON ** CHANGE PLUE AND ADARDON ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** PLUE AND ADARDON ** CHANGE PLUE AND ADARDON ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** PLUE AND ADARDON ** CHANGE PLUE AND ADARDON ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** CHANGE PLUE OF INTENTION TO: **CHAPTOR REMODIAL WORK ** CHAPTOR OF INTENTION TO: **CHAPTOR REM			9. Well No.
THE East LIME, SECTION 7 TOWNSHIP 16S ABOVE 36E SUPPLIES ON THE SOUTH LINE AND 2085 FREET FROM THE East LIME, SECTION 7 TOWNSHIP 16S ABOVE 36E SUPPLIES ON THE SUBSEQUENT REPORT OF: Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: SUBSEQUENT		Texas 79105	1
The East line, section 7 township 16S annee 36E number. 15. Elevetion (Show whether BF, RT, GR, etc.) 12. County Lea NOTICE OF INTENTION TO: SUBSCOUENT REPORT OF: PLUE AND ADARDON CHARGE PLANS OTHER OTHER 17. Describe Proposed or Completed Operations (Clearly state oil pertinent details, and give pertinent dates, including estimated date of starting ony propose work) SEE NULE 1103. Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368, 86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.		•	
The East line, section 7 township 16S annee 36E number. 15. Elevetion (Show whether BF, RT, GR, etc.) 12. County Lea NOTICE OF INTENTION TO: SUBSCOUENT REPORT OF: PLUE AND ADARDON CHARGE PLANS OTHER OTHER 17. Describe Proposed or Completed Operations (Clearly state oil pertinent details, and give pertinent dates, including estimated date of starting ony propose work) SEE NULE 1103. Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368, 86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.	UNIT LETTER 0 5	55 FEET FROM THE South LINE AND 2085	Shoe Bar N Strange
15. Elevetion (Show whether DF, RT, CR, etc.) 3950' GL Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSCOUENT REPORT OF: ALTERING CASING PLUE AND ADARDON THEMPORABILY AGANDON OTHER OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE HULE 1103. Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368.86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.		LINE AND PEET FR	THE PERMIT
15. Elevetion (Show whether DF, RT, CR, etc.) 3950' GL Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSCOUENT REPORT OF: ALTERING CASING PLUE AND ADARDON THEMPORABILY AGANDON OTHER OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE HULE 1103. Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368.86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.	THE East LINE SECTION	7 7 36E	
Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PLUS AND ADARDON PRUL OR ALTERING CASING CHANGE PLANS	2,020,110	NMP	(
Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PLUS AND ADARDON PRUL OR ALTERING CASING CHANGE PLANS		15. Elevation (Show whether DF, RT, GR, etc.)	12. County
Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER PLANS OTHER OTHER 7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE HULE 1703. Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368.86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.			1 - ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ADARDON	16.		
TEMPORABILITY ABANDON PULL ON ALTER CASING OTHER	NOTICE OF IN	TENTION TO	
TEMPORABILITY ABANDON PULL ON ALTER CASING OTHER	<u>—</u>		
Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368, 86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.	PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
OTHER OT	TEMPORARILY ABANDON	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE NULE 1103. Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368.86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.	PULL OR ALTER CASING	CHANGE PLANS CASING TEST AND CEMENT JOB	
7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propose work) SEE HULE 1103. Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368.86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.		OTHER	ŗ
Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368.86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.	OTHER		
Spudded 1 PM 2-5-74. Ran 11 jts. 13 3/8" 48# H-40 ST&C casing (368.86"). Set @ 365". Cemented with 400 sx. Class "H", 2% cc. PD @ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay.		· ·	
W 365'. Cemented with 400 sx. Class "H", 2% cc. PD@ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay. 8.1 hereby certify that the information above is true and complete to the best of my knowledge and belief.	 Describe Proposed or Completed Oper work) SEE RULE 1103. 	erations (Clearly state all pertinent details, and give pertinent dates, includir	ng estimated date of starting any proposi
W 365'. Cemented with 400 sx. Class "H", 2% cc. PD@ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay. 8.1 hereby certify that the information above is true and complete to the best of my knowledge and belief.	•		
W 365'. Cemented with 400 sx. Class "H", 2% cc. PD@ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay. 8.1 hereby certify that the information above is true and complete to the best of my knowledge and belief.			
W 365'. Cemented with 400 sx. Class "H", 2% cc. PD@ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay. 8.1 hereby certify that the information above is true and complete to the best of my knowledge and belief.	•	•	
W 365'. Cemented with 400 sx. Class "H", 2% cc. PD@ 9:15 PM. Circ. approx. 35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay. 8.1 hereby certify that the information above is true and complete to the best of my knowledge and belief.	Spudded 1 PM 2-5-74	Ran 11 jts. 13 3/8" 48# H-40 ST&C casing	(368, 861) Set
35 sx. WOC 24 hrs. Tested csg. and BOP's to 1,000 psi 30 min. okay. 8.1 hereby certify that the information above is true and complete to the best of my knowledge and bellef.	@ 3651. Cemented w	rith 400 sx. Class "H" 2% cc PD @ 0.15 DM	Cina amaza
8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.	35 sx. WOC 24 hrs	Tested car and PODI-A-1 000	. Circ. approx.
$m \cdot 1 \cdot 0 \cdot P \cdot 21 \cdot \frac{1}{4}$	55 bx. 11 00 24 111 S.	rested esg. and BOP's to 1,000 psi 30 m	in. okay.
$m \cdot 1 \cdot 0 \cdot P \cdot 21 \cdot \overline{}$	•		
$m \cdot 1 \cdot 0 \cdot P \cdot 21 \cdot \overline{}$	•		
$m \cdot 1 \cdot 0 \cdot P \cdot 21 \cdot \frac{1}{4}$			
$m \cdot 1 \cdot 0 \cdot P \cdot 21 \cdot \overline{}$			•
$m + 0 + 21 + \cdots = 0$			
$m + 0 + 21 + \cdots = 1$			
$m + 0 + 21 + \cdots$			
$m + 0 + 21 + \cdots$	•	•	
$m + 0 + 21 + \cdots$			
$m + 0 + 21 + \cdots$			
$m + 0 + 21 + \cdots = 1$			
m = 1.0 P 21.			
m = 1.0 P 21.			
m = 1.0 P 21.			
Michael P. Houston House Production Engineer DATE 2/7/74	. I hereby certify that the information a	bove is true and complete to the best of my knowledge and belief.	
Michael T. Wonston Production Engineer DATE 2/7/74	2	01	
TITLE SACONAL DINGINGET DATE Z/1/14	michael P.	Nouston Production Engineer	2/7/74
		HILE TO SOUTH THE INCHES	DATE LIIIT
		Congressed by	¥

La a, vagiv.

CONDITIONS OF APPROVAL, IF ANY