

INSTRUCTIONS


This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy _____ 2135	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____ 3193	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____ 4102	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____ 4858	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Glorieta _____ 6292	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____ 6350	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____ 7932	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____ 8106	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____ 8410	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. Santa Rosa _____ 1262	T. Chinle _____	T. _____
T. Penn. _____	T. Tansill _____ 3070	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1262	1262	Surface sand & caliche				
1262	2135	873	Gyp & salt				
2135	3193	1058	Anhydrite & salt				
3193	4102	909	Anhydrite & Gyp				
4102	4858	756	Anhydrite & Dolomite				
4858	6292	1434	Lime & Dolomite				
6292	6350	58	Lime & anhydrite				
6350	7932	1582	Lime & Shale				
7932	8106	174	Lime				
8106	8410	304	Lime & Dolomite - Drinkard				
8410	8840	430	Shale & Lime - Abo				


 APR 22 1975
 VAC. T. C. C. L.
 ALBUQUERQUE, N. M.