NO. 05.000				
NO. OF COPIES RECEIVED	_	Form C-193		
DISTRIBUTION SANTA FE	·	Supersedes Old		
FILE	NEW MEXICO OIL CONSERVATION COMMISSION	C-102 and C-103 Effective 1-1-65		
	-	Pugettae f-f-02		
U.S.G.S.		5a. Indicate Type of Lease		
OPERATOR		State X Fee		
OPERATOR		5. State Oil & Gas Lease No.		
		LG 0272		
SUND (DO NOT USE THIS FORM FOR PER USE "APPLICA				
OIL X GAS WELL	TION FOR PERMIT - (FORM C-101) FOR SUCH PROPOSALS.)	7. Unit Agreement Name		
2. Name of Operator		8. Form or Lease liame		
FRANKLIN, ASTON &	FAIR, LTD.			
3. Address of Operator		Aztec State		
P. 0. Box 1090				
1. Docation of well	Roswell, New Mexico 88201	#3		
UNIT LETTER B	710 FEET FROM THE NORTH LINE AND 2110 FEET FROM	10. Field and Pool, or Wildcat		
	FEET FROM THE HOT CIT LINE AND ZITU FEET FROM	Corbin Abo		
THE East LINE, SECTI	ION 36 TOWNSHIP 17S RANGE 32E NMPM			
	TOWNSHIP 1/3 RANGE 32E NMPM			
	15. Elevation (Show whether DF, RT, GR, etc.)			
	3975.4 GR	12. County		
Check		Lea		
NOTICE OF I	Appropriate Box To Indicate Nature of Notice, Report or Ot NTENTION TO: SUBSEQUENT	her Data T REPORT OF:		
PERFORM REMEDIAL WORK				
<del></del>	PLUG AND ABANDON X REMEDIAL WORK	ALTERING CASING		
PULL OR ALTER CASING	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT X		
POLE OF ACTER CASING	CHANGE PLANS CASING TEST AND CEMENT JOB	AND ANADOMMENT A		
OTHER	OTHER			
17. Describe Proposed or Completed Or	perations (Clearly state all pertinent details, and give pertinent dates, including			
WOFK) SEE RULE 1103.	otate att pertinent aetatis, and give pertinent dates, including	estimated date of starting any proposed		
This wall was daily				
Dursuant to talant	led to total depth of 8830' in Abo formation. O	n September 20 1975		
as follows.	one conservation with Mr. Clements, the well was	plugged and abandoned		
as fortows:		pressed and abandoned		
3.5	and a second			
35 S	sacks cement plug @ 8400' - 8500' Top of Abo Sacks cement plug @ 6050' - 6150' Top of Glorie			
100 s	tta			
35 sacks cement plug @ 6050' - 6150' Top of Glorietta 35 sacks cement plug @ 4250' - 4350' Top of San Andres				
35 s	Sacks cement plug @ 3550' - 3650' Across Queen	Sand		
35 s	sacks cement plug @ 2950' - 3050' In a Out of 8	5/811 650		
10 s	sacks plug and marker at surface	Jio Csg.		

18. I hereby certify that the information above is true and comple	ete to the best	t of my knowledge and belief.	
SIGNED Frank M. Smith	TITLE	Geologist	9-22-75
APPROVED BY John W. Runyan	TITLE	Geologist	FF9 1° 1976
CONDITIONS OF APPROVAL, IF ANY:	TITLE		DATE







**Job separation sheet** 

NO. OF COPIES RECEIVED  DISTRIBUTION  SANTA FE  FILE	NEW MEXICO OIL CONSER	Form C-103 Supersedes Old C-102 and C-103 Effective 1-1-65	
U.S.G.S.  LAND OFFICE  OPERATOR			State X Fee.  State Oil & Gas Lease No.  LG 0272
SUNDR	RY NOTICES AND REPORTS ON WOODSALS TO DRILL OR TO DEEPEN OR PLUG BACK ION FOR PERMIT - " (FORM C-101) FOR SUCH P	ELLS k to a different reservoir. Proposals.)	7, Unit Agreement Name
OIL X GAS WELL 2. Name of Operator	OTHER-		8. Farm or Lease Name
Franklin, Aston & Fair, LTD.  3. Address of Operator P. 0. Box 1090 Roswell, New Mexico 88201			9. Well No. #3
4. Location of Well	710 FEET FROM THE North		10. Field and Pool, or Wildcat Corbin Abo
THE East LINE, SECTI	on 36 TOWNSHIP 17S	RANGE 32E NMPM.	
	15. Elevation (Show whether DF 3675.4 GR	₹, RT, GR, etc.)	12. County Lea
	Appropriate Box To Indicate Nat		ner Data FREPORT OF:
PERFORM REMEDIAL WORK  TEMPORARILY ABANDON  PULL OR ALTER CASING		REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JQB X	ALTERING CASING PLUG AND ABANDONMENT
OTHER			
work) see RULE 1003.  On August 22, 1975,  lite and 150 sacks	perations (Clearly state all pertinent detail set 8 5/8" 24# and 32# ca class cement circulated to casing was pressure teste e by Halliburton.	asing at 3004' with 140 o surfa <b>ce,</b> plug down 11	O sacks Halliburton :30 a.m. After

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED FROM TITLE Geologist

APPROVED BY TITLE DATE

DATE DATE