

NO. OF COPIES RECEIVED	
DISTRIBUTION	
ANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT - "A" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☒ GAS WELL ☐ OTHER ☐

Name of Operator  
**Tri-Service Drilling Company**

Address of Operator  
**P. O. Drawer 70 - Midland, Texas 79701**

Location of Well  
UNIT LETTER **G** **1980** FEET FROM THE **East** LINE AND **2246** FEET FROM  
THE **North** LINE, SECTION **4** TOWNSHIP **16-S** RANGE **35-E** HMPM.

15. Elevation (Show whether DF, RT, GR, etc.)  
**4027' G.R.**

5a. Indicate Type of Lease  
State ☒ Fee ☐

5. State Oil & Gas Lease No.  
**K-6966**

7. Unit Agreement Name

8. Farm or Lease Name  
**Read State**

9. Well No.  
**1 1**

10. Field and Pool, or Wildcat  
**Townsend Wolfcamp**

12. County  
**Lea**

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 10-6-76
- Plug #1: C.I.B.P. w/ 35' cmt. at 11,180'
  - Plug #2: C.I.B.P. w/ 35' cmt. at 10,100'. Cut 5-1/2" casing. Recovered 176 jts. (7449.38') loaded hole with brine water & gel.
  - Plug #3: 35 sks. plug at 7450, tag top of plug at 7355'.
  - Plug #4: 35 sks. cmt. at 6128'. Top of plug at 6028'. Loaded hole with brine & bel.
  - Plug #5: 45 sks. cmt. at 4575', top of plug at 4475. Loaded hole w/ brine and gel. Cut 8-5/8" casing at 1385'. Recovered 33 jts. (1385.37') loaded hole with brine and gel.
  - Plug #6: 50 sks. cmt. 1433'. Top of plug at 1335'.
  - Plug #7: 80 sks. cmt. at 500'. top of plug 379'.
  - Plug #8: 10 sks. at surface with dry hole marker.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *A. W. Allen* TITLE Prod. Supt. DATE 10-18-76

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE OCT 20 1976

CONDITIONS OF APPROVAL, IF ANY: