INSTRUCTIONS

This form is to be filed with the α_1 populate District Office of the Commission not later than 20 days after the completion of any newly-drilled or despined well. It shall be accompanied by one copy of all electrical and ratio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally initied wells, true vertical depths shall use to reported. For multiple completions, items 20 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state rand, where six copies are required. See itule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestern New Mexico

T. Anhy 1380	Т. Савуоп	T. Ojo Alamo	_ T. Penn. "B"
T Sali 1537	_ T. Strawn	T. Kirtland-Fruitland	_ T. Penn. "C"
n sali 2315			T. Penn. "D"
T. Yates 2540			_ T. Leadville
T. 7 Rivers 2790	T. Devonian	T. Menefee	T. Madison
T. Queen <u>3340</u>			T. Elbert
T. Grayburg <u>3714</u>			T. McCracken
T. San Andres 4082			_ T. Ignacio Qtzte
T. Glorieta <u>5730</u>			T. Granite
T Paddock	T. Ellenburger	T. Dakota	T
T Blinebry	T. Gr. Wash	T. Morrison	T
			<u> </u>
			T
T Abo 7697	T Bone Springs	T. Wingate	T
T. Wolfcamp 9170	T	T. Chinle	T
T Papa	T	T. Permian	T
T. Cisco (Bough C) 9990	T	_ T. Penn. ''A''	T
TD 10,105'		SANDS OR ZONES	
-			t o
No. 2, from	to	No. 5, from	
Nc. 3, from	to	No. 6, from	to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from		feet.	•
No. 2, from	to		
No. 3, from	to		
No. 4. from	to		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

FORMATION RECORD (Attach additional sheets if necessary)

Frem	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
1390 1537 2315 2540 2790 3340 3714 4082 5730 6966	1537 2315 2540 2790 3340 3714 4082 5730 6966 7697		Rustler Salado Tansill Yates 7 Rivers Queens Grayburg San Andres Clearfork Tubb-Drinkard	7697 9170 9990	9170 9990 TD		Abo Penn-Cisco Penn-Cisco