

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. L-4800	

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. (SEE APPLICATION FOR PERMIT - "FORM C-101" FOR SUCH PROPOSALS.)</small>		
OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
Name of Operator Dorchester Exploration, Inc.		8. Farm or Lease Name Morton Solid State Unit
Address of Operator 1100 Midland National Bank Tower, Midland, Texas 79701		9. Well No. 2
Location of Well UNIT LETTER L 1980 FEET FROM THE South LINE AND 660 FEET FROM THE West LINE, SECTION 4 TOWNSHIP 15S RANGE 34E		10. Field and Pool, or Wildcat Tres-Papalotes Penn
15. Elevation (Show whether DF, RT, GR, etc.) 4116 GR		11. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
-------------------------	-----------------------

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled 11" hole to a depth of 4535'. Ran 4535' of 8-5/8" 24# & 32# J-55 casing. (2297' 32# & 2257' 24#). Cemented same with 1000 sxs Class "C" plus 3% Econolite, 15% salt, 1/4# Flocele/sx, 300 sxs Class "C" plus 2% Cacl. and circulated cement back to surface. Tested cement for 30 minutes with a pressure of 1400# p.s.i. held OK. Presently drilling 7-7/8" hole.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Rick O'Bannon Rick O'Bannon TITLE Proration Administrator DATE 9/8/80

APPROVED BY John Runyan Geologist TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: