

MEASURED DEPTH FEET	DRIFT ANGLE D M	DRIFT DIRECTION D	TRUE VERTICAL DEPTH FEET	VERTICAL SECTION FEET	R E C T A N G U L A R C O O R D I N A T E S FEET	DOG LEG SEVERITY DG/100FT	
6000.	1 0	N 2 W	5999.60	-31.95	43.83 N	27.10 W	0.43
6100.	1 0	N 2 W	6099.59	-32.21	45.57 N	27.16 W	0.00
6200.	1 0	N 8 W	6199.57	-32.56	47.31 N	27.31 W	0.10
6300.	1 0	N 12 W	6299.56	-33.06	49.03 N	27.62 W	0.07
6400.	1 0	N 3 W	6399.54	-33.48	50.76 N	27.84 W	0.16
6500.	1 0	N 28 W	6499.53	-34.13	52.42 N	28.31 W	0.43
6600.	1 0	N 25 W	6599.51	-35.08	53.99 N	29.09 W	0.05
6700.	0 45	N 44 W	6699.50	-36.08	55.24 N	29.95 W	0.38
6800.	0 45	N 24 W	6799.49	-36.93	56.32 N	30.67 W	0.26
6900.	0 45	N 56 W	6899.48	-37.87	57.31 N	31.50 W	0.41
6943.	2 15	S 17 E	6942.47	-38.50	56.79 N	32.20 W	6.68
7037.	6 15	S 53 E	7036.19	-38.95	51.18 N	28.27 W	4.92
7130.	7 45	S 65 E	7128.50	-23.65	45.36 N	18.57 W	2.24
7223.	9 45	S 71 E	7220.41	-10.02	40.06 N	5.46 W	2.36
7317.	11 0	S 76 E	7312.87	6.65	35.25 N	10.76 E	1.64
7410.	12 45	S 79 E	7403.88	25.68	31.11 N	29.45 E	1.99
7503.	14 30	S 81 E	7494.26	47.55	27.31 N	51.02 E	1.95
7597.	16 0	S 79 E	7584.94	72.23	23.01 N	75.37 E	1.69
7690.	17 15	S 85 E	7674.05	98.82	19.31 N	101.70 E	2.28
7784.	19 0	S 90 E	7763.39	127.98	18.04 N	130.91 E	2.49
7877.	20 45	N 89 E	7850.84	159.35	18.31 N	162.52 E	1.92
7970.	21 0	N 89 E	7937.74	192.20	18.89 N	195.65 E	0.27
8064.	20 45	N 88 E	8025.57	225.36	19.77 N	229.14 E	0.46
8157.	21 0	N 89 E	8112.46	258.17	20.64 N	262.26 E	0.47
8250.	20 30	N 89 E	8199.43	290.83	21.21 N	295.21 E	0.54
8344.	20 15	N 89 E	8287.55	323.27	21.78 N	327.93 E	0.27
8437.	20 0	N 90 E	8374.87	355.02	22.06 N	359.92 E	0.46
8530.	19 15	N 90 E	8462.47	386.05	22.06 N	391.16 E	0.81
8624.	18 45	S 88 E	8551.35	416.51	21.53 N	421.75 E	0.87
8717.	18 30	S 87 E	8639.48	446.13	20.23 N	451.43 E	0.44