

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
IG-6348	

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Blanks Energy Corporation	8. Farm or Lease Name State "7"
3. Address of Operator 600 Blanks Building, Midland, TX 79701	9. Well No. 1
4. Location of Well UNIT LETTER <u>N</u> <u>1980</u> FEET FROM THE <u>West</u> LINE AND <u>660</u> FEET FROM THE <u>South</u> LINE, SECTION <u>7</u> TOWNSHIP <u>16-S</u> RANGE <u>37-E</u> N.M.P.M.	10. Field and Pool, or Wildcat NE Lovington (Penn)
15. Elevation (Show whether DF, RT, CR, etc.) 3872.1 KB	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 10-10-81 - Spudded well @ 12:00 p.m. Drld to 401'. Ran 13 3/8", 48#, H-40, ST&C csg to 401'. Cntd w/500 sx Class "C" w/2% CaCl<sub>2</sub>. Cnt circ'd. WOC 18 hrs. Tstd csg to 600# for 30 min. Held O.K.
- 10-17-81 - Ran 104 jts 8 5/8" 24 & 32#, J-55 ST&C csg. Set @ 4325'. RKB. Cntd w/1550 sx Howco Lite w/15# salt/sk & 1/4# Flocl/sk followed w/250 sx Class "H". Cnt did circ. WOC 20 hrs. Tstd csg to 1500#. Held O.K.
- 11-26-81 - Ran 289 jts 4 1/2", 11.6#, N-80, LT&C csg. Set @ 11,560' RKB. Cntd w/775 sx Howco Lite w/1/4# Flocl/sk, & 450 sx Class "H" w/0.6 lb/sk Halad-22, & 0.5% CFR-2, & 5# KCl/sk. TOC 5340'. (Temp. Survey)

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Seaton TITLE Vice President Engineering DATE Jan. 6, 1982

APPROVED BY Jerry Seaton TITLE Oil & Gas Survey DATE   
CONDITIONS OF APPROVAL, IF ANY: