

NO. OF COPIES RECEIVED	
DISTRIBUTION	
ANTA FE	
FILE	
J.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Person H. L. Brown, Jr.		5. State Oil & Gas Lease No.
3. Address of Person P. O. Box 2237, Midland, Tx. 79702		7. Unit Agreement Name
4. Location of Well UNIT LETTER M 554 FEET FROM THE W LINE AND 554 FEET FROM THE S LINE, SECTION 26 TOWNSHIP 16S RANGE 37E NMPM.		8. Farm or Lease Name M. Wright
		9. Well No. 1
		10. Field and Pool, or Wildcat Casey (Strawn)
15. Elevation (Show whether DF, RT, GR, etc.) 3771' GR		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARY LEASES <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
REPAIR OF WATER LINES <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

16. Describe in detail all completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work - SEE RULE 115.)

We have plugged and abandoned this well according to instruction from your office. The 13-3/8" csg & 8-5/8" was not pulled or attempted. There are 10 joints 13-3/8" J-55, 48#/ft set @ 400' and 36 jts, 8-5/8" 32#/ft K-55 & 46 jts, 8-5/8", 24#, K-55 set @ 4798'. Cement was circulated on surface. Top of cement on 8-5/8" is @ 2450'.

The well was drilled to a total depth of 11,652' & plugs were put as follows: 50 sx @ 11,438', 50 sx @ 8600', 50 sx @ 7815', 50 sx @ 6285', 100 sx @ 4875', 50 sx @ 3050' and 10 sx @ surface.

As soon as the ground has dried and been leveled, you will be notified so it can be inspected.

Attached is a cementing certificate from The Western Company.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jean Mills TITLE Production Clerk DATE 11/23/82  
APPROVED BY Ronald Cuthbert TITLE OIL & GAS INSPECTOR DATE MAY 11 1983  
CONDITIONS OF APPROVAL, IF ANY:

m

RECEIVED

DEC 6 1982

C.C.D.  
NOBES OFFICE