



© Copyright Reproduction Prohibited

\*P.L.C.: Warren Petroleum Co.  
CONTR Parker #211. OWS/ELEV 4089 GL. sub-s 19

1-4-13 NM

LEA  
HNG OIL CO.

Wildcat  
1 Lovington-Plains  
"2" State  
Sec 2, T16S, R34E

NM  
Page #.

11-29-82

TD 13,580; PBD 13,508; Tstg  
Perf (Morrow) 13,304-416 w/29 shots  
Acid (13,304-416) 5000 gals

12-6-82

TD 13,580; PBD 13,508; SI

1-17-83

TD 13,580; PBD 13,508; Complete  
\*(Morrow) FOUR POINT GAUGES:

Flwd 119 MCFGPD, chk NR, 165 mins, TP 4310

Flwd 206 MCFGPD, chk NR, 105 mins, TP 3990

Flwd 275 MCFGPD, chk NR, 60 mins, TP 1730

Flwd 398 MCFGPD, chk NR, 60 mins, TP 3320

Morrow discovery

LOG TOPS: Rustler 2353, Yates 2947, Queen  
3788, San Andres 4460, Glorieta 5924,

1-4-13 NM

1-17-83

Continued

Clearfork 6730, Tubb 7282, Abo 8766,  
Wolfcamp 9816, Pennsylvanian 10,676, Strawn  
12,096, Atoka 12,364, Morrow Lime 12,976,  
Morrow Clastics 12,192

\*BHT 208 deg @ 13,360

\*Denotes changes & additions

1-22-83

COMPLETION ISSUED

3-12-83

RE-ISSUED COMPLETION

1-4-13 NM

IC 30-025-70599-82

COUNTY **LEA** FIELD **Wildcat** STATE **NM**  
 PR **HNG OIL CO.** API **30-025-27888**  
 NO **1** LEASE **Lovington-Plains "2" State** MAP  
**Sec 2, T16S, R34E** COORD  
**1980 FNL, 1980 FEL of Sec**  
**11 mi N/Buckeye** SPD CMP

| WELL CLASS: INITWO FIN |       | LSE CODE  |       |
|------------------------|-------|-----------|-------|
| FORMATION              | DATUM | FORMATION | DATUM |
|                        |       |           |       |
|                        |       |           |       |
|                        |       |           |       |
|                        |       |           |       |
| ID                     |       | PRD       |       |

CONTR **F.R. 7-19-82** OPRSELEV **4089 GL** **sub-s**  
**PD 13,500 RT (Morrow)**

IC 30-025-70599-82





STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT  
OIL CONSERVATION DIVISION  
July 22, 1982

BRUCE KING  
GOVERNOR  
LARRY KEHOE  
SECRETARY

P.O. BOX 1980  
HOBBES, NEW MEXICO 88240  
(505) 393-6161

HNG Oil Company  
P. O. Box 2267  
Midland, Texas 79702

Gentlemen:

Attached is an approved copy of Form C-101 for your Lovington  
Plains 2 State Well No. 1 to be drilled in Unit G of Section 2,  
T-16-S, R-34-E.

We wish to call to your attention, however, that it will be necessary for the blowout prevention equipment to be installed after the surface casing has been cemented at approximately 400 feet, rather than at 5000 feet as shown on this form.

Yours very truly,

OIL CONSERVATION DIVISION

Jerry Sexton  
Supervisor, District 1

mc  
Attach.