

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. LG 706
7. Unit Agreement Name
8. Farm or Lease Name Vulture VP State
9. Well No. 1
10. Field and Pool, or Wildcat Saunders Permo-Penn
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT TO DRILL (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☒ GAS WELL ☐ OTHER ☐

Name of Operator
Yates Petroleum Corporation

Address of Operator
207 South 4th St., Artesia, NM 88210

Location of Well
UNIT LETTER D 330 FEET FROM THE North LINE AND 330 FEET FROM
West LINE, SECTION 14 TOWNSHIP 15S RANGE 33E NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)
4178' GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPHS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER Cmt plugs set to straighten hole <input checked="" type="checkbox"/>

1. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

At 3838' found deviation to be 5½°. Set 3 cement plugs as follows:
 Plug #1: Set from 3838-3478' w/300 sacks Class "H".
 Plug #2: Set from 3478-3118' w/300 sacks Class "H".
 Plug #3: Set from 3320-2820' w/350 sacks Class "H".
 WIH with Dyna-drill and drilled new hole to 3042'. Resumed drilling straight hole with conventional bits.
 Deviations as follows: 3055' - 3/4°; 3220' - 1/2°; 3270' - 3/4°; 3425' - 1°; 3671 - 1¼°; 3885' - 3/4°; 4072' - 1°.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Sexton TITLE Production Supervisor DATE 12-14-82

APPROVED BY JERRY SEXTON TITLE DISTRICT SUPERVISOR DATE DEC 17 1982

RECEIVED

DEC 16 1982

O.C. 2.
HOBBS OFFICE