

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator READING & BATES PETROLEUM COMPANY		8. Farm or Lease Name CASWELL
3. Address of Operator 810 NORTH DIXIE BLVD. RM 202 ODESSA, TEXAS 79761		9. Well No. 1
4. Location of Well UNIT LETTER J, 1980 FEET FROM THE SOUTH LINE AND 1980 FEET FROM THE EAST LINE, SECTION 32 TOWNSHIP T-15-S RANGE R-35-E NMPM.		10. Field and Pool, or Wildcat Townsend Permo Upper Perm
15. Elevation (Show whether DF, RT, GR, etc.) DF 4024.6 GR 3998.6		12. County LEA

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

O.C.C. recommendation by Eddy Seay:

Load hole 10# salt gel, tag cut off point @ 8200' approx.

- 1st plug: 100' or cast iron plug 35' cement on top above perfs 10-220 to 10-320.
- 2nd plug: 100' @ wolfcamp 9690'
- 3rd plug: 200' @ ABO 8130' across cut off, also across 5½ cross cut off.
- 4th plug: 100' @ Glorieta 6195'
- 5th plug: 100' across intermediate shoe, 4915'
- 6th plug: 200' salt plug @ 1828'
- 7th plug: 100' across surface shoe @ 460'
- 8th plug: 100' across surface plug.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Donald J. Kipgen Donald J. Kipgen, TITLE Production Supt. DATE 11-21-83

ORIGINAL SIGNED BY EDDIE SEAY

APPROVED BY OIL & GAS INSPECTOR TITLE _____ DATE NOV 29 1983

CONDITIONS OF APPROVAL, IF ANY: