NERGY MO ASSERALS DEPARTMEN		
	OIL CONSERVATION DIVISION	
BANTA FE	P. O. DOX 2088	Farm C-103
rice i	SANTA FE, NEW MEXICO 87501	Revised 10-1-
U.S.O.S. R 1		Sc. indicate Type of Lenne
LAND OFFICE -		Store X Fae
OFFRATOR		S. blote Ch. 6 was Lease tra.
		B-11078
SUNDR	Y NOTICES AND REPORTS ON WELLS	
	07+(*.	7. Unit Agreement Jugar
None of Operator		8. i um or Leave Name
AMOCO PRODUCTION COMPA	State NC	
Actress of Cycrator	9. Weil No.	
P. O. Box 68, Hobbs, N	1	
UNIT LETTERA	1320 North 660	Anderson Ranch Wolfcamp
THE East LINE, SECTION	**************************************	
	4318.3' GR	If. County Lea
Check A NOTICE OF IN	ppropriate Box To Indicate Nature of Notice, Report TENTION TO: SUBSE	
AFOAM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK	
MPORARILY ABANDON	COMMENCE DRILLING CONS.	ALTERING CASING
LL ON ALTER CASING	CHANGE PLANS CASING TEST AND CEMENT JOB	PLUG AND ABANGCULIENT
Abandon Cisco ar	nd complete in	
Dutorite Drougest	Wolfcamp	
work) SEE RULE 1103.	reasons (Clearly state all pertinent details, and give pertinent dates, a	neluding estimated date of starting any propose
	h fresh water. POH with tubing and packer. H cement. Perf Wolfcamp interval 9910'-80 tubing, packer and tailpipe. Set packer at	

Run base GR/Temp survey from 9650'-10,100'. Pump 7000 gals of 15% NEFE HCL acid with additives. Flush acid to perfs with 40 bbls FW. Run after treatment survey. Tag all acid with RA material. Swab and flow test well. Kill well with FW and POH with packer and tubing. If interval 9910'-9980' is not productive a CIBP will be set at 9850' and capped with 35' cement. Perforate Wolfcamp interval 9552'-58' with 4 DPJSPF using a 3-1/8" gun. RIH with tubing, packer, and RBP. Set RBP at 9650', test to 1000 psi.Set packer at 9450'. Acidize Wolfcamp interval 9552'-58' with 1000 gals 15% NEFE HCL acid with additives. Run before and after GR/Temp surveys and tag all acid with RA material. Flush acid to perfs with 38 bbls fresh water. Swab, flow test, and evaluate.

0+5-NMOCD,H 1-J. R. Barnett, HOU 21.156 1-F. J. Nash, HOU Rm. 4.206 1-GCC

16. I hereby contrary that the information (base is true and complet	e to the best of my knowledge and belief.	
Mary C. Clark	Assist. Admin. Analyst	8-14-84
CRIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR	7)//.c	AUG 1 4 1984