

BENNETT-CATHEY WIRE LINE SERVICE
 PHONE (505) 748-3854
 ARTESIA, NEW MEXICO, 88210

PRESSURE TRANSIENT TEST DATA

SUBSURFACE PRESSURE MEASUREMENTS

DATE	TIME	t hrs	GAUGE PRESSURE psig	ABSOLUTE PRESSURE psia	RESERVOIR PRESSURE psia
09/03/84	07:50:00	14.750	4,541.5	4,554.7	4,573.7
09/03/84	08:05:00	15.000	4,542.0	4,555.2	4,574.2
09/03/84	08:20:00	15.250	4,542.5	4,555.7	4,574.7
09/03/84	08:35:00	15.500	4,542.9	4,556.1	4,575.1
09/03/84	08:50:00	15.750	4,543.2	4,556.4	4,575.4
09/03/84	09:05:00	16.000	4,543.4	4,556.6	4,575.6
09/03/84	09:20:00	16.250	4,543.7	4,556.9	4,575.9
09/03/84	09:35:00	16.500	4,543.9	4,557.1	4,576.1
09/03/84	09:50:00	16.750	4,544.1	4,557.3	4,576.3
09/03/84	10:05:00	17.000	4,544.3	4,557.5	4,576.5
09/03/84	10:20:00	17.250	4,544.6	4,557.8	4,576.8
09/03/84	10:35:00	17.500	4,544.8	4,558.0	4,577.0
09/03/84	10:50:00	17.750	4,545.0	4,558.2	4,577.2
09/03/84	11:05:00	18.000	4,545.2	4,558.4	4,577.4
09/03/84	11:20:00	18.250	4,545.5	4,558.7	4,577.7
09/03/84	11:35:00	18.500	4,545.7	4,558.9	4,577.9
09/03/84	11:50:00	18.750	4,545.9	4,559.1	4,578.1
09/03/84	12:05:00	19.000	4,546.1	4,559.3	4,578.3
09/03/84	12:20:00	19.250	4,546.3	4,559.5	4,578.5
09/03/84	12:35:00	19.500	4,546.4	4,559.6	4,578.6
09/03/84	12:50:00	19.750	4,546.6	4,559.8	4,578.8
09/03/84	13:05:00	20.000	4,546.8	4,560.0	4,579.0
09/03/84	13:20:00	20.250	4,546.9	4,560.1	4,579.1
09/03/84	13:35:00	20.500	4,547.1	4,560.3	4,579.3
09/03/84	13:50:00	20.750	4,547.3	4,560.5	4,579.5
09/03/84	14:05:00	21.000	4,547.5	4,560.7	4,579.7
09/03/84	14:20:00	21.250	4,547.6	4,560.8	4,579.8
09/03/84	14:35:00	21.500	4,547.8	4,561.0	4,580.0
09/03/84	14:50:00	21.750	4,548.0	4,561.2	4,580.2
09/03/84	15:05:00	22.000	4,548.1	4,561.3	4,580.3
09/03/84	15:20:00	22.250	4,548.3	4,561.5	4,580.5
09/03/84	15:35:00	22.500	4,548.5	4,561.7	4,580.7
09/03/84	15:50:00	22.750	4,548.7	4,561.9	4,580.9
09/03/84	16:05:00	23.000	4,548.9	4,562.1	4,581.1
09/03/84	16:20:00	23.250	4,549.1	4,562.3	4,581.3
09/03/84	16:35:00	23.500	4,549.4	4,562.6	4,581.6
09/03/84	16:50:00	23.750	4,549.6	4,562.8	4,581.8
09/03/84	17:05:00	24.000	4,549.8	4,563.0	4,582.0
09/03/84	17:20:00	24.250	4,550.0	4,563.2	4,582.2
09/03/84	17:35:00	24.500	4,550.2	4,563.4	4,582.4
09/03/84	17:50:00	24.750	4,550.4	4,563.6	4,582.6
09/03/84	18:05:00	25.000	4,550.6	4,563.8	4,582.8
09/03/84	18:20:00	25.250	4,550.8	4,564.0	4,583.0
09/03/84	18:35:00	25.500	4,551.0	4,564.2	4,583.2
09/03/84	18:50:00	25.750	4,551.2	4,564.4	4,583.4
09/03/84	19:05:00	26.000	4,551.5	4,564.7	4,583.7

RECEIVED

SEP 14 1984

O.C.P.
HOBBS OFFICE