

BENNETT-CATHEY WIRE LINE SERVICE
 PHONE (505) 748-3354
 ARTESIA, NEW MEXICO, 88210

PRESSURE TRANSIENT TEST DATA
 SUBSURFACE PRESSURE MEASUREMENTS

DATE	TIME	t hrs	GAUGE PRESSURE PSIG	ABSOLUTE PRESSURE PSIA	RESERVOIR PRESSURE PSIA
09/03/84	19:20:00	26.250	4,551.7	4,564.9	4,582.9
09/03/84	19:35:00	26.500	4,552.1	4,565.3	4,584.3
09/03/84	19:50:00	26.750	4,552.4	4,565.6	4,584.6
09/03/84	20:05:00	27.000	4,552.8	4,566.0	4,585.0
09/03/84	20:20:00	27.250	4,553.1	4,566.3	4,585.3
09/03/84	20:35:00	27.500	4,553.5	4,566.7	4,585.7
09/03/84	20:50:00	27.750	4,553.8	4,567.0	4,586.0
09/03/84	21:05:00	28.000	4,554.2	4,567.4	4,586.4
09/03/84	21:20:00	28.250	4,554.5	4,567.7	4,586.7
09/03/84	21:35:00	28.500	4,554.9	4,568.1	4,587.1
09/03/84	21:50:00	28.750	4,555.2	4,568.4	4,587.4
09/03/84	22:05:00	29.000	4,555.6	4,568.8	4,587.8
09/03/84	22:20:00	29.250	4,555.9	4,569.1	4,588.1
09/03/84	22:35:00	29.500	4,556.3	4,569.5	4,588.5
09/03/84	22:50:00	29.750	4,556.6	4,569.8	4,588.8
09/03/84	23:05:00	30.000	4,557.0	4,570.2	4,589.2
09/03/84	23:20:00	30.250	4,557.3	4,570.5	4,589.5
09/03/84	23:35:00	30.500	4,557.7	4,570.9	4,589.9
09/03/84	23:50:00	30.750	4,558.1	4,571.3	4,590.3
09/04/84	00:05:00	31.000	4,558.2	4,571.4	4,590.4
09/04/84	00:20:00	31.250	4,558.3	4,571.5	4,590.5
09/04/84	00:35:00	31.500	4,558.4	4,571.6	4,590.6
09/04/84	00:50:00	31.750	4,558.6	4,571.8	4,590.8
09/04/84	01:05:00	32.000	4,558.7	4,571.9	4,590.9
09/04/84	01:20:00	32.250	4,558.8	4,572.0	4,591.0
09/04/84	01:35:00	32.500	4,558.9	4,572.1	4,591.1
09/04/84	01:50:00	32.750	4,559.0	4,572.2	4,591.2
09/04/84	02:05:00	33.000	4,559.2	4,572.4	4,591.4
09/04/84	02:20:00	33.250	4,559.3	4,572.5	4,591.5
09/04/84	02:35:00	33.500	4,559.4	4,572.6	4,591.6
09/04/84	02:50:00	33.750	4,559.5	4,572.7	4,591.7
09/04/84	03:05:00	34.000	4,559.6	4,572.8	4,591.8
09/04/84	03:20:00	34.250	4,559.8	4,573.0	4,592.0
09/04/84	03:35:00	34.500	4,559.9	4,573.1	4,592.1
09/04/84	03:50:00	34.750	4,560.0	4,573.2	4,592.2
09/04/84	04:05:00	35.000	4,560.1	4,573.3	4,592.3
09/04/84	04:20:00	35.250	4,560.2	4,573.4	4,592.4
09/04/84	04:35:00	35.500	4,560.4	4,573.6	4,592.6
09/04/84	04:50:00	35.750	4,560.5	4,573.7	4,592.7
09/04/84	05:05:00	36.000	4,560.6	4,573.8	4,592.8
09/04/84	05:20:00	36.250	4,560.7	4,573.9	4,592.9
09/04/84	05:35:00	36.500	4,560.9	4,574.1	4,593.1
09/04/84	05:50:00	36.750	4,561.0	4,574.2	4,593.2
09/04/84	06:05:00	37.000	4,561.1	4,574.3	4,593.3
09/04/84	06:20:00	37.250	4,561.3	4,574.5	4,593.5
09/04/84	06:35:00	37.500	4,561.4	4,574.6	4,593.6

RECEIVED

SEP 14 1984

O.C.D.
HOBBS OFFICE