

NO. OF COPIES RECEIVED		
DISTRIBUTION		
ANTA FE		
ILE		
.S.G.S.		
AND OFFICE		
PERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small>		5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
		5. State Oil & Gas Lease No.
OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> Name of Operator anley Petroleum Inc. Address of Operator 500 Wilco Bldg., Midland, Texas 79701-4473 Location of Well UNIT LETTER K 1980 FEET FROM THE South LINE AND 2310 FEET FROM THE West LINE, SECTION 23 TOWNSHIP 16S RANGE 38E NMPM.		7. Unit Agreement Name 8. Farm or Lease Name Amoco-Peoples Securities 9. Well No. 1 10. Field and Pool, or Wildcat Garrett ABO Reef
15. Elevation (Show whether DF, RT, GR, etc.) 3695' Gr.		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> ALTER OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input checked="" type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER <input type="checkbox"/>	
--	--	---	--

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

/20/84 - Went in hole with open-ended drillpipe and spotted plugs as follows:

- Plug #1: 35 sx. Class C cement from 8250-8350'.
- Plug #2: 35 sx. Class C cement from 7620-7720'.
- Plug #3: 35 sx. Class C cement from 6210-6310'.
- Plug #4: 35 sx. Class C cement from 4890-4990'.
- Plug #5: 35 sx. Class C cement from 4280-4380' (8-5/8" casing set at 4342').

/21/84 - Plug #6: 35 sx. Class H cement from 2100-2200'.
 Plug #7: 20 sx. Class H cement in top of 8-5/8" casing.
 Cut off head and installed dry hole marker.

hereby certify that the information above is true and complete to the best of my knowledge and belief.

BY *Frank Forsyth* TITLE Vice President Production DATE 11/26/84
 BY **Eddie W. Seay** TITLE Oil & Gas Inspector DATE **FEB 27 1985**
 CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

NOV 27 1984

RECEIVED
HONORS OFFICE