NEW MLAICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

- ---

~---

Form C-102 Supersedes C-128 Effective 1-1-65

e

		All distances must be	from the outer	boundaries o	of the Section	
Cperator CH	HARLES B. GIL	LESPIE, JR.	Lease STA	ATE F		Well Mr. 6
Thit Letter	Section	Township	Range		County	
E	2	158		33E	LEA	
Actual Footage Lo 2120		N: AD 1711	(00		1.71.5.23.25	
Ground Level Elev	feet from the Producing I	NORTH line and	400 Pool	fe	et from the WEST	line Dedicated Acreage:
4184.5	Permo-			rs Permo	-Upper Penn	40
 Outline th If more th interest a If more th dated by d Yes If answer this form No allowa 	than one lease and royalty). nan one lease of communitization No If is "no," list th if necessary.)	is dedicated to the wel different ownership is unitization, force-pool answer is "yes," type o e owners and tract deso gned to the well until al	ell by color l, outline e dedicated t ing. etc? of consolide criptions wh	red pencil ach and id o the well ation hich have a have been	or hachure marks on the entify the ownership the , have the interests of a	reof (both as to working all owners been consolu- ed. (Use reverse side of unitization, unitization,
	, e 20 2	5_800'	(* * * * * * * * * * * * * * * * * * *		t hereby cer tained here best of my k Warne David H Fosition Enginee	B. Gillespie, Jr.
		2	L L L L L L L L L L L L L L L L L L L		shown on the notes of ac- under my su	ntify that the well location is plat was plotted from field tual surveys made by me or pervision, and that the some correct to the best of my nd belief.
		02+9. C.ule: ,"= ∠utù'			Date Surveyed Registered Pro and/or Land Su Certificate No	6/8/85 Stessional Engineer arveyor JOHN W. WEST 676 Ronald J. Eidson 3239



NMEX LEA * 2120FNL 400FWL SEC STATE COUNT SOURCE D D D GILLESPIE CHARLES B JR D D D OPERTOR STATE "F" WELL CLASE RATE D D 4200KB 4185GR SAUNDERS OPERTOR API 30-025-29307-0000 08/07/1985 10/08/1985 ROTARY OIL Status 08/07/1985 10/08/1985 ROTARY OIL Status 08/07/1985 10/08/1985 ROTARY OIL Status 01000 DET CONTRACTOR Status Status 01000 DESCRIPTION ELS CONTRACTOR Status 01010135 PB 10065 FM/TD PNNSYLVN DECATION ELS 025 MI SE CAPROCK, NM CASING/LINER DATA CSC 13 3/8 @ 4230 W/ 1400 SACKS 01 CSG 5 1/2 @10122 W/ 1025 SACKS 02 CSG 03 TBG 2 3/8 AT 9896 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9945 8100GALS GTY 42.1 GO	NMEX	LEA	* 2120FNL 4	OOFWL	SEC	
6 STATE "F" 4200KB 4185 GR 0FF ELE API 30-025-2307-0000 08/07/1985 10/08/1985 08/07/1985 10/08/1985 10300 PERM-PNN WILLBROS DRIG 14 PRO OBTO 010300 PERM-PNN WILLBROS DRIG 14 PRO OBTO OATE DTD 10135 PB 10065 DTD 10135 PB 10065 DTD 10135 PB 10065 DTD 10135 PB 10065 SCATTON ELOCATION DESCRIPTION EOCATION DESCRIPTION 25 MI SE CAPROCK, NM LOCATION DESCRIPTION 25 MI SE CAPROCK, NM IDIDIO SACKS 01 CSG 8 5/8 @ 4230 W/ 1400 SACKS 02 CSG CSG 13 3/8 @ 365 W/ 450 SACKS 01 CSG CSG CSG 2 3/8 AT 9896 IDITION IDITION CSG IBG 2 3/8 AT 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PE	GILLESPII	COUNTY COUNTY	B JR		SPO1 D	DO
4200KB 4185GR SAUNDERS OPER LLS API 30-025-29307-0000 08/07/1985 10/08/1985 ROTARY OIL SHUD DATE COMP DATE STATUS OIL SHUD DATE COMP DATE STATUS OIL SHUD DATE COMP DATE COMPACT STATUS OIL SHUD DATE COMPACT COMPACT STATUS STATUS STATUS 103000 PERM-PNN WILLBROS DRIG 14 PRO. STATUS STATUS<	6	ST	ATE "F"			
API 30-025-29307-0000 BASE TYPE TO BETWIT OF WELL LD. NG WE	1 4200KB	4185GR			SAUNDERS	
08/07/1985 10/08/1985 ROTARY OIL SPUD Date STATUS STATUS STATUS 10300 PERM-PNN WILLBROS DRLG 14 PRO. DEFN-PRO. FORW CONTRACTOR FM/TD PNNSYLVN ORLERS T.D FOR JOIN PULS BACK TD FM/TD PNNSYLVN ORLERS T.D FOR JOIN PULS BACK TD FM/TD PNNSYLVN ORLERS T.D FOR JOIN PULS BACK TD FM/TD PNNSYLVN ORLERS T.D FOR JOIN PULS BACK TD FM/TD PNNSYLVN ORLERS T.D FOR JOIN PULS BACK TD FM/TD PNNSYLVN ORLERS T.D FOR JOIN PULS BACK TD FM/TD PNNSYLVN ORLERS T.D FOR JOIN PULS BACK TD FM/TD PNNSYLVN ORLERS T.D FOR JOIN FM/TD PNNSYLVN FM/TD PNNSYLVN OS 5 FM/TD PNNSYLVN FM/TD PNNSYLVN FM/TD PNNSYLVN CSG 13 3/8 @ 365 W/ 450 SACKS O1 COT COT CSG 5 1/2 @10122 W/ 1025 SACKS O1 CO CO CSG 5 1/2 @10122 W/ 1025 SACKS O3 O3 O3 FPERF PNN PERF 9878- 9945 GROSS 004 P				API	30-025-29307-	0000
10300 PERM-PNN WILLBROS DRLG 14 PROL DEFN-WERD, FORM CONTRACTOR CONTRACTOR DTD 10135 PB 10065 FM/TD PNNSYLVN DRUERS TD LOCATION DESCRIPTION 25 MI SE CAPROCK, NM LOCATION DATA CSG 13 3/8 @ 365 W/ 450 SACKS 01 CSG 5 1/2 @10122 W/ 1025 SACKS 02 CSG 5 1/2 @10122 W/ 1025 SACKS 03 TUBING DATA TBG 2 3/8 AT 9896 INITIAL POTENTIAL IPP 48BOPD 94BW PERM-PNN PERF 9878- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 993	08/07/19	985 10/08	/1985 ROTARY		01	T
DTD 10135 PB 10065 FM/TD PNNSYLVN DRLERS 1D LOCATION DESCRIPTION LOCATION DESCRIPTION 25 MI SE CAPROCK, NM CASING/LINER DATA CSG 13 3/8 @ 365 W/ 450 SACKS 01 CSG 5 1/2 @10122 W/ 1025 SACKS 02 CSG 5 1/2 @10122 W/ 1025 SACKS 03 TUBING DATA TBG 2 3/8 AT 9896 INITIAL POTENTIAL PERM-PNN PERF 9878- 9945 GROSS 004 PERM-PNN PERF 94BW PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 ACID 9878- 9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG GRAYBURG 3902 298 LOG GLORIETA 5769 -1569 LOG RUSTLER 1580 2620 LOG GLORIETA 5769 -1569 LOG ADDOCK 6056 -1856 LOG TUBB 7072 -2872	10300 PEH	M-PNN WIL	LBROS DRLG	14		
LOCATION DESCRIPTION 25 MI SE CAPROCK, NM CASING/LINER DATA CSG 13 3/8 @ 365 W/ 450 SACKS CSG 5 1/2 @10122 W/ 1025 SACKS CSG 5 1/2 @10122 W/ 1025 SACKS CSG 5 1/2 @10122 W/ 1025 SACKS TUBING DATA TBG 2 3/8 AT 9896 INITIAL POTENTIAL IPP 48BOPD P4BW PERM-PNN PERF 9878- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LITH TOP DEPTH/SUB LOG RUSTLER 1580 2620 LOG RUSTLER 1580 2620 LOG GLOR IETA 5769 -1569 LOG GLOR IETA 5769 -1569 LOG TUBB 7072 -2872 CONTINUED IC# 300257030485	DTD 10135	5	PB 10065		FM/TD PNNSY	T.VN
CASING/LINER DATA CSG 13 3/8 @ 365 W/ 450 SACKS 01 CSG 13 3/8 @ 4230 W/ 1400 SACKS 02 CSG 5 1/2 @10122 W/ 1025 SACKS 03 TUBING DATA TBG 2 3/8 AT 9896 INITIAL POTENTIAL IPP 48BOPD 94BW PERM-PNN PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 ACID 9878- 9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG TUBB 7072 -2872	DRILLERS T.D. ****	LOG T.D.S LO	CATION DESCRI	PTION	C T.D. ****** FORM 1	.D. 38883
CSG 13 3/8 @ 365 W/ 450 SACKS 01 CSG 8 5/8 @ 4230 W/ 1400 SACKS 02 CSG 5 1/2 @10122 W/ 1025 SACKS 03 TUBING DATA TBG 2 3/8 AT 9896 INITIAL POTENTIAL IPP 48BOPD 94BW PERM-PNN PERF 9878- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 ACID 9878- 9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG TUBB 7072 -2872 CONTINUED IC# 300257030485	25 MI SE	CAPROCK,	 NM			
CSG 8 5/8 @ 4230 W/ 1400 SACKS CSG 5 1/2 @10122 W/ 1025 SACKS TUBING DATA TBG 2 3/8 AT 9896 INITIAL POTENTIAL IPP 48BOPD 94BW PERM-PNN PERF 9878- 9898 9915- 9924 9933- 9945 GROSS 004 PERF 9878- 9898 9915- 9924 9933- 9945 ACID 9878- 9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GLORIETA 5769 -1569 LOG GLORIETA 5769 -1569 LOG PADDOCK 6056 -1856 LOG TUBB 7072 -2872 CONTINUED IC# 300257030485		C	ASING/LINER D	ATA		
CSG 5 1/2 @10122 W/ 1025 SACKS TUBING DATA TBG 2 3/8 AT 9896 INITIAL POTENTIAL IPP 48BOPD 94BW PERM-PNN PERF 9878-9945 GROSS 004 PERF 9878-9898 9915-9924 9933-9945 ACID 9878-9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG TUBB 7072 -2872 CONTINUED IC# 300257030485	CSG 13 3/	(8 @ 365	W/ 450 SACKS			
TBG 2 3/8 AT 9896 INITIAL POTENTIAL IPP 48BOPD 94BW PERM-PNN PERF 9878-9945 GROSS 004 PERF 9878-9898 9915-9924 9933-9945 ACID 9878-9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG TUBB 7072 -2872	CSG 5 1/	2 @10122	W/ 1400 SACKS W/ 10 2 5 SACKS			
INITIAL POTENTIAL IPP 48BOPD 94BW PERM-PNN PERF 9878-9945 GROSS 004 PERF 9878-9898 9915-9924 9933-9945 ACID 9878-9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG RUSTLER 1580 2620 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG TUBB 7072 -2872			TUBING DAT	A		
IPP 48BOPD 94BW PERM-PNN PERF 9878-9945 GROSS 004 PERF 9878-9898 9915-9924 9933-9945 ACID 9878-9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG TUBB 7072 -2872	TBG 2 3/	8 AT 98	96	-		
PERM-PNN PERF 9878-9945 GROSS 004 PERF 9878-9898 9915-9924 9933-9945 ACID 9878-9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG TUBB 7072 -2872			INITIAL POT	ENTIAI	-	
PERF 9878-9898 9915-9924 9933-9945 ACID 9878-9945 8100GALS GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG TUBB 7072 -2872			94BW	003	-	00/
GTY 42.1 GOR 2167 TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG PADDOCK 6056 -1856 LOG TUBB 7072 -2872 CONTINUED IC# 300257030485	PERF 987	8-9898	9915-9924 9	933- 9	9945 GRUSS	004
LOG RUSTLER 1580 2620 LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG PADDOCK 6056 -1856 LOG TUBB 7072 -2872 CONTINUED IC# 300257030485	GTY 42.1	GOR 2167	OTOUGALS			
LOG YATES 2695 1505 LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG PADDOCK 6056 -1856 LOG TUBB 7072 -2872	TYPE FOR	MATION LT	H TOP DEPTH/S	UB BS	SE DEPTH/SUB	
LOG GRAYBURG 3902 298 LOG SN ANDRS 4130 70 LOG GLORIETA 5769 -1569 LOG PADDOCK 6056 -1856 LOG TUBB 7072 -2872		FC	2605 1505			
LOG TUBB 7072 -2872 <u>CONTINUED IC# 300257030485</u>	LOG GRA	YBURG	3902 298 4130 70			
LOG TUBB 7072 -2872 <u>CONTINUED IC# 300257030485</u>	LOG GLO	RIETA	5769 - 1569 6056 - 1856			
	Copyrighted					

. •
 COMPLETIONS
 SEC
 2 TWP
 15S
 RGE
 33E

 PI#
 30-T-0007
 11/21/85
 30-025-29307-0000
 PAGE
 2
 GILLESPIE CHARLES B JR 6 STATE "F" D DO TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB -----____ LOG ABO 7800 -3600 WOLFCAMP PNNSYLVN 9145 -4945 9436 -5236 LOG LOG LOGS AND SURVEYS /INTERVAL, TYPE/ LOGS CBND DI GRNL ML LOGS DRILLING PROGRESS DETAILS GILLESPIE CHARLES B JR BOX 8 MIDLAND, TX 79702 915-683-1765 DRLG 1510 DRLG 2810 DRLG 2810 DRLG 9860 10135 TD, RNG CSG 10135 TD, PB 10065, COMPLETE TD REACHED 08/29/85 10135 TD, PB 10065 COMP 10/8/85, IPP 48 B0 + 94 BWPD, GTY 42.1, GOR 2167 PROD ZONE - PERMO-PENNSYLVANIAN 9878-9945 NO CORES OF DSTS 06/17 08/09 08/13 08/20 08/27 09/04 11/14 11/18 9945 NO CORES OR DSTS