

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-73

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation		8. Farm or Lease Name Shipp ZI
3. Address of Operator 105 South 4th St., Artesia, NM 88210		9. Well No. 3
4. Location of Well UNIT LETTER <u>E</u> <u>1470</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM <u>West</u> LINE, SECTION <u>27</u> TOWNSHIP <u>16S</u> RANGE <u>37E</u> N.M.P.M.		10. Field and Pool, or Wildcat NE Lovington Penn
15. Elevation (Show whether DF, RT, GR, etc.) 3786.7' GR		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <u>Perforate, Treat existing zone</u> <input checked="" type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

WIH and perforated with 4" casing gun 20 .42" holes as follows: 11459-66' (10 holes) and 11422-27' (10 holes). Acidized perforations 11439-44' (old perforations) and perforations 11459-66' w/1500 gals 15% NEFE acid, 500# Benzoic acid flake block and 1500 gals 15% NEFE acid.
Acidized perforations 11422-27' w/2500 gals 15% NEFE acid.
Ran pump and rods per original installation. Returned well to production 5-14-87.

Perforations open: 11422-27'; 11439-44'; 11459-66'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Sexton TITLE Production Supervisor DATE 5-18-87

ORIGINAL SIGNED BY JERRY SEXTON
APPROVED BY DISTRICT 1 SUPERVISOR TITLE _____ DATE MAY 20 1987

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

MAY 19 1987

CCD
HOBBS OFFICE

U.S. DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION