

WRS COMPLETION REPORT

COMPLETIONS SEC 13 TWP 17S RGE 33E
PI# 30-T-0013 02/08/88 30-025-30081-0000 PAGE 1

NMEX LEA * 660FSL 660FEL SEC SE SE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN

36 PHILLIPS "E" STATE
WELL NO. LEASE NAME
4136KB 4127GR MALJAMAR
OPER ELEV FIELD/POOL/AREA
API 30-025-30081-0000

LEASE TYPE NO. PERMIT OR WELL I.D. NO.
11/16/1987 01/10/1988 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4900 GRBG-SAD LA RUE C E 2 RIG SUB 8
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4800 PB 4755 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

9 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1493 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1400 SACKS

TUBING DATA

TBG 2 3/8 AT 4675

INITIAL POTENTIAL

IPP 42BOPD 150 MCFD 84BW 24HRS
GRAYBURG PERF 4430- 4596 GROSS
SN ANDRS PERF 4663- 4671 GROSS
GTY 35.9 GOR 357
RESV- GRAYBURG-SAN ANDRES
PERFED W/86 IT
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1517 2619	
LOG	SALT		1665 2471	2890 1246
LOG	QUEEN		3818 318	
LOG	GRAYBURG		4307 -171	
LOG	SN ANDRS		4599 -463	

CONTINUED IC# 300257029987

COMPLETIONS SEC 13 TWP 17S RGE 33E
PI# 30-T-0013 02/08/88 30-025-30081-0000 PAGE 2

PHILLIPS PET D DO
36

PHILLIPS "E" STATE

PRODUCTION TEST DATA

PTS 10BO 6HRS
GRAYBURG PERF 4430- 4596 GROSS
SN ANDRS PERF 4663- 4671 GROSS
PERF 4430- 4434 4465- 4471 4481- 4483 4494- 4496
PERF 4517- 4522 4533- 4535 4542- 4544 4560- 4564
PERF 4570- 4573 4589- 4596 4663- 4667 4669- 4671
ACID 4430- 4671 4300GALS
15% NEFE HCL
SWFR 4430- 4671 44000GALS 84000LBS SAND ADDTVGELA
X-LINK 2% KCL 20/40 MESH
SWBD 10 BO + 75 BLW IN 6 HRS
PERFED W/86 IT
COMMINGLED

PTS 16BO 10HRS
GRAYBURG PERF 4430- 4596 GROSS
SN ANDRS PERF 4663- 4671 GROSS
SWBD 16 BO + 114 BLW IN 10 HRS
COMMINGLED

PTP 29BOPD 100BW 24HRS
GRAYBURG PERF 4430- 4596 GROSS
SN ANDRS PERF 4663- 4671 GROSS
COMMINGLED

PTP 42BOPD 84BW 24HRS
GRAYBURG PERF 4430- 4596 GROSS
SN ANDRS PERF 4663- 4671 GROSS
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2500- 4800 DLL 2500- 4800 MSFL 2500- 4800 GR
LOGS 2500- 4800 CAL 2500- 4800 CNL 2500- 4800 LDT
LOGS 0- 2500 GRL 0- 2500 CNL 0- 2500 CAL

DRILLING MEDIA /TYPE,DEPTH/

1493 9.4 2855 10.0 PPG

CONTINUED

COMPLETIONS
PI# 30-T-0013 02/08/88 SEC 13 TWP 17S RGE 33E
30-025-30081-0000 PAGE 3

PHILLIPS PET
36

PHILLIPS "E" STATE

D DO

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK RM 401
ODESSA, TX 79762
915-367-1266
09/29 LOC/1987/
11/18 DRLG 1493 (RDBD, ANHY), VIS 34
11/20 DRLG 2855 (ANHY, SALT), VIS 28
12/02 4800 TD, PB 4755, WOCT
12/02 DEV SURVEY @ 485 (0.50 DEG), 970 (0.75 DEG),
1392 (1.25 DEG), 1910 (1 DEG), 2408 (3/4 DEG),
2874 (1 DEG), 4144 (1 DEG), 4398 (0.75)
12/16 4800 TD, PB 4755, SWBG
12/17 4800 TD, PB 4755, SWBG
01/05 4800 TD, PB 4755, TOP
01/14 4800 T,D PB 4755, WOPT
02/03 TD REACHED 11/26/87 RIG REL 11/28/87
4800 TD, PB 4755
COMP 1/10/88, IPP 42 BO, 150 MCFG, 84
BWPD, GOR 357, GTY 35.9
PROD ZONE - GRAYBURG-SAN ANDRES 4430-4671
(COMMINGLED)
NO CORES OR DSTS RPTD

