.

POST OFFICE BOR JUNE BTATE LAND OFFICE BUR DING BANTA FE, HEW MEAILU B7501

APPLIC	ATION FOR AUTHORIZATION TO INJECT
Ι.	Purpose: X Secondary Recovery Pressure Maintenance Disposal Storage Application qualifies for administrative approval? X yes no
11.	Operator:Yates Petroleum Corporation
	Address: 105 South 4th Street Artesia, NM 88210
	Contact party: Theresa Sloan Phone: (505)748-1471
111.	Well data: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project? X yes no R-9961 If yes, give the Division order number authorizing the projectR-9961
۷.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
• VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
•VIII.	Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such source known to be immediately underlying the injection interval.
· IX.	Describe the proposed stimulation program, if any.
• X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division they need not be resubmitted.)
* XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if avai!able and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification
	I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
	Name: Theresa Sloan Title Petroleum Engineer
	Signature: Theresa Stoan Date: 4/20/95
eubmi	e information required under Sections VI, VIII, X, and XI above has been previously tted, it need not be duplicated and resubmitted. Please show the date and circumstance e earlier submittal. July 14, 1993 C-108 Attached

DISTRIBUTION: Original and one copy to Santa Le with one copy to the appropriate Division

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this applicate The data must be both in tabular and schematic form and shall include:
 - Lease name; Well No.; location by Section, Township, and Range; and footage location within the section.
 - (2) Each ensing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) the intended purpose of the injection well; with the exact location of single wells or the section, township, and range location of multiple wells;
- (3) the formation name and depth with expected maximum injection rates and pressures; and
- (4) a notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, P. O. Box 2000, Santa Fe, New Mexico 07501 within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them. C-108 Application for Authorization to Inject Yates Petroleum Corporation Lea County, New Mexico

I The purpose of this application is to request administrative approval to inject Queen produced water and Ogallala fresh water into the Queen formation into the following wells within the approved Sanmal Queen Unit as additional injectors.

Sanmal Queen Unit #2 L 1-17S-33E 1500' FSL & 990' FWL Sanmal Queen Unit #3 K 1-17S-33E 1900' FSL & 2310' FWL

- II Operator: Yates Petroleum Corporation 105 South 4th Street Artesia, New Mexico 88210 Theresa Sloan (505) 748-1471
- III Well Data: (See Attachment A)
- IV This is an expansion of the existing Sanmal Queen Unit Waterflood. Two producing wells will be converted to injection. The Sanmal Queen Unit waterflood was approved on September 10, 1993 by Division Order No. R-9961. - Case No. 10794.
- V See attached maps, Attachment B.
- VI All well information on wells within area of review of both proposed injectors has been previously submitted on the C-108 for the original project as approved in Division Order No. R-9961, Case No. 10794. A copy of the original C-108 (07/14/93) is attached. One additional well is in the area of review as shown on Attachment C.
- VII All data listed in attached original C-108.
- VIII 1. The proposed injection interval is the Queen formation at approximately 3745' 3764'. These sands were deposited in a supratidal environment.
 - 2. Fresh water in the Ogallala overlie the Queen to depths of approximately 450'.
- IX See original C-108 attached.
- X See Original C-108 attached.
- XI See original C-108 attached.
- XII Not applicable.

C-108 Application for Aughorization to Inject Sanmal Queen Unit #2, and #3

- XIII Proof of Notice
 - A. Certified letters sent to the surface owner and offset operators are attached.
 (Attachment D)
 - B. Copy of legal advertisement. (Attachment E).
- XIV Certification is signed.

	. —.	
Sanmal Queen Unit #3 K 1-17S-33E 1900' FSL & 2310' FWL	Sanmal Queen Unit #2 L 1-17S-33E 1500' FSL & 990' FWL	Yates Petroleum Corporation Attachment A (Page 1) (C-108) Sanmal Queen Unit Injection Well Data Sanmal Queen Field Lease Name Location Cas
8-5/8" 24# J-55 @ 1515' w/775 sx (circ) 5-1/2" 15.5# J-55 @ 3900' w/325 sx (TOC - 1800' CBL) 2-7/8" tubing TD - 3900' PBTD - 3840' Drilled as Development Oil Well	Present 8-5/8" 24# J-55 @ 1520' w/775 sx (circ) 5-1/2" 15.5# J-55 @ 4750' w/700 sx (TOC - 2700' CBL) 2-7/8" tubing TD - 4750' PBTD - 4692' Drilled as Development Oil Well	ation C-108) Casing Strings, Tubing, Packer, Well Work
2-7/8" plastic coated tubing 5-1/2" nickel plated packer	<u>Proposed</u> 2-7/8" plastic coated tubing 5-1/2" nickel plated packer	
Queen	Queen	Injection Formation
3745 - 3762	3752 - 3764	Injection Interval (Perfs)
1 - Seven Rivers 2 - Grayburg	1 - Seven Rivers 2 - Grayburg	1 - Next higher (shallower) oil/gas zone 2 - Next lower (deeper) oil/gas zone
	en Unit #3 8-5/8" 24# J-55 @ 1515' w/775 sx (circ) 2-7/8" plastic coated tubing Queen 3745 - 3762 5-1/2" 15.5# J-55 @ 3900' w/325 sx (TOC - 1800' CBL) 5-1/2" nickel plated packer 2-7/8" tubing TD - 3900' PBTD - 3840' Drilled as Development Oil Well	Present 8-5/8" 24# J-55 @ 1520' w/T75 sx (circ) 5-1/2" 15.5# J-55 @ 4750' w/T00 sx (TOC - 2700' CBL) 2-7/8" tubing TD - 4750' PBTD - 4692' Drilled as Development Oil WellProposed 2-770" rickel plated packerQueen3752 - 37648-5/8" 24# J-55 @ 1515' w/T75 sx (circ) 5-1/2" 15.5# J-55 @ 3900' w/325 sx (TOC - 1800' CBL) 2-7/8" tubing TD - 3900' PBTD - 3840'2-7/8" plastic coated tubing 5-1/2" nickel plated packerQueen3745 - 37629-1/2" 10.48 plated packer 5-1/2" 10.5# J-55 @ 3900' w/325 sx (TOC - 1800' CBL) 2-7/8" tubing TD - 3900' PBTD - 3840'2-7/8" plastic coated tubing 5-1/2" nickel plated packerQueen3745 - 3762



PROPOSED INJECTION WELLS

Yates Petroleum Corporation Attachment A (Page 2) (C-108) Sanmal Oueen Unit

_						
r efai	Westland Yates Pet,etal Oil Dev L6-3019	Asheroit	Pet, etali 1: 1: 25, Texaco 3: 22, H.B.P 3: 22, H.B.P H	© ² Sine, Devon Ener, 1 Filz ⁵⁴ omon E-944	Marathan	Matador 1 Pet. #1
"	LG 4076 LG 3019 1 Tem Pr 37 1 19980 1 19980 1 19980	AsherOtt (01 K-648) AsherOtt (07NeilLur K5401 (07NeilLur 413 (0123)5	Нет. енай 12-1-26 Техасо Солетон 36-20 Н.В.Р Нер 6-1545 Е-142			1 06°317 ⁷³⁰
	BA 6-27-62	AI SHON ISHITS		67846		Firm)
MAP	22			SKEMNIT	Z UNIT. 20	Stere"
Mr.	€ ¹ F253 € ¹ M5	(Amoco, D/R) (B2) J.S. Asher Oil Goodrich	Devon Ener. 4	Sincleir F&M_O&G_CO. Jener Фгазар	(UPER) #3 Matador Pet.	Matador Pet,
	"New Mex St Dual			Violan de la Anadama	E-1387	06-318
	State	HBP Nappi' Penn Disc. Nappi' Orep T/A State P275	Sinclair 1 Leo-St. O TD 11,700 D/A T-9-54 Starte	Sinclair) State (Sinclair) State (A) State State	Limil. State 50	• ^H
<u> </u>			Matador Pet.	11444 June 1	PETCO 31E ON	
	Semilare - #** W.Moncrief, Jr.	Mongrief Stamon stal) Decj E-5618 FineDec	, tot ∳15 ∳18	ij Matador Pet. 16	PETCO E.BBL 44 Metador Pet. 13 E-2509 E 131 France - France - F	Matador Pet.
	Plains Rpdio		State TO 19485 (Frontier Dela)	E.992(Transco)	WC Texas 1344 compared	06-380
L	Plains Rodio		Tenneco E-1126 risk Storados (frentier org) 21 22 23 23 22 24 24 25 24 25 25 25	• 1 44	Tennerg? Shitzed # 17 Mil	≠ ²⁶ ·
A second second	(PTI) 1 TO 500 4 DD 0 (HAY) DIA[12:10-4.4	W.MoncriefJr. 26 From WC tois, ito	Printipe Las States	2	PETCOE.00L	Fine OLC PETCOLBEL
Hexagon I find Nezogon ALAL SI.	(Atjuntic)	trate of the state		30 ¹⁴⁴	ms # 27 HBC E-1769	E-1769
	TONET (DAET CA) NTOI BOOK	TOUS 73 0/41 40 68	8-1-99 St Phillips v.4434 Phillips 37 20 2-4 New Max Store (DIC) Store (DIC)		w/2	HUT(Torrando)
•*•	State	State	State (D C)		State	Par olse. S
Ener	An more the Marathan To Marathan To Maso VA-737 55 52	Shellin (un) Tatas Patrelai (Shellin (un) Tatas Patrelai	" Penroc Oil II 8 P	Mabil Yates Ret., et al	HILF Matador Pet.	Matedor (Bear Creek
s Huber Corp Union St	A morrige at Marathan 10 Mara 10 Marathan Marathan Marathan	1 Thu 70c	E-1814	Heall Hates at et al Miss disc Prano (1/17) Prano (1/1	L6 4(3)	LE
(Const	V-4406	AL POTION			Model 1 AD	$\eta \gamma \gamma \lesssim$
3 Se Union		Pennese Inc. 30		11 m + 31 HAP		1 T. A.L 31,25
Se Union Supren) S.I. (Patient (Patient) (F480)	Morathon 12 - 1 - 36 - 04 21 - 04 21	T.G.R-St. Cony Disc. State	Yates Pet, etal 12.1.55 56 H	1 0	(Gulf)& Mallen Oil	•',
Union St	~ 2	Vates Pet etal Yates Pet etal	gw.stCleir	GVA "Kemmitz Sa-Se"	Pennzoi Guif-St	(K.K.Amini Pennzow-s
	s dia second	Yates, <u>Pet.ekol</u> Yates Pet.etal 11.134 <u>A7828</u> 93214 27920 Herschelt. Gany Caviness U.S. Cattle Co, S)	D W St Cloir -Vogel-Fed T03410 0/A12-10-68 Stete	N	(965) Pennicoli Guir-St. Starsform FermiDisc. 1987 3522 Stare P216	
ANA 10.74	10.11 Ac + 40.21 Ac + 40.23 Ac 2 40.25 Ac 1	manne a marte benerne femtere	Long by the distribution of the second second		4/.43.4-4+4.56.5 5*41.56.4c 2 141.65.4c 7 C.R. G.IJasher, Jr.,	THE OWNE
(Sinclair)	10.84.4 10.214 140.84.2 10.83.4 1 	Yates Pet etc.	Sparmol Suecont And Suecont And Suecont And Suecont And Suecont And Suecont Suecont States			
H.J. Ledbetter	136 82) 56 21	Skelly 8 1 57 Sun 2:51 VA-674 Sun 2:51 51 82		1114 Jans Sincloir	(Kathleen Cooper, etal)	L Kocn Expl. Permiter Koch 2
Western St	"Y State		DA 3-24-56 Yelts Per	5 State 5 State To 5050 To 5050 To 5050	Least	Penn
	Sohio Sohio	2 Linna DEC Hinna La order Verse (Versentrie Seamond Versentrie Seamond Versentrie Seamond Versentrie Seamond Versentrie Seamond Versentrie 10 55000 State Nation + H	(Abo Pet et al 1/1) (Abo Pet	1) 494. C 6 MB 4657 1 6	Acthies Cooper, etal) prostation of the state of the sta	Chase Oil
e Gactus fill State e zi ss 1 TO 4427	E-1389 Fine Df.C	AU.ANG LB BASE	S-ADR MATTING LO-PIKI LE AD	HL group Sinclair	Pet.) F255 Ning Read Leadles St.	Kochexpl. Vacuum-8t
FineOto		Senmel- to 4000 Tex. Gulf 31" " A	Heaver-91 02 ADR	H Brownan S.B. Pennail	Leanez-St. Repails (-200	
Anderson	State	fo'ssoo State to 5720-	Eddy Potost Int SJ LG 345	TO 5050 Direct d' 6 Pression e Pression e Transformer Sincloid Transformer Sincloid	Turni Perti 19 5000 State Balla 1-20 19 5000 State	s
Marathan 11 - 1 - 99 V-4519 96 <u>96</u>	Yeing Pet, chai 6-1-56 Vi 977 Petrus Oil 12122 Hoper Hoper	Petrus Mack Oll yates FBS	Vies Part Hoover II Vies Part III Vies Part III Nock Ener. Petrus Oil H.5.P. Mack B-3516 Ener. Cong Portsh, Inc. (3) Store	Jane	Gallagher Nerit Ener.	·
Petrus)	Bigging Bigging Bigging	Altrus 1 AEO	HALS BUIN-SE	HBCLEZ	Contraction Nerit Ener.	: 142
Tomorock 8-2516	8-2516 MackEner HBP (Pertrus Old ALE, Jones 2516	(Mock Ener) 8-2516 2460	Yates Pet, etal 12 - 1 - 96 V - 9926	JIN 4 (JJFG MOBIL Lyra Pet 2 JFGEM DI Errs 1 3 X 44 Mapseler) Errs 1 X 44	(R.C. Hermion, Jr., B/R)	Abo Pet. E 794
Phillips	12124 12 Edward Day & Hard State 12 Edward Day & Construction 12 Edward Day & Construction 13 Edward Day & Construction 1	Mack Ener Petrus Oil	12 12 12 12 12 12 12 12 12 12 12 12 12 1	105050 10 4656'L	(Lynx Py) to 497 - 8 • ⁵ - 1	-
229	8 1229 1 2516 (F9) 8 1229 1 2516 (F9)	2 D Mack Ener B-2516 HBP	H.B.P. Mack	1) Jaz & A Southwest) Moch : HAR Southwest) Moch : HAR Nou. Errer : Meriting 10 at5s4' Kow Honsonio Mac S/ Monsonio		:
Philips	17 . WT -17 . Crimonal P70 -17 . Crimonal (17 . Crimonal	Petrus 22:EPhillip, 23:ET Mack Erter: Plos		Jack & T Galloghera		
Phillips - 51	State (DA 942)	Pios 1:0 B. 2229, Store 2:2518 "Phillips St." Store "Petrus"	Eddy Potesh, Inc. (5) State	Sauttiwest TDII300 Roy. Dias-1-50 Mobil-St State (Dias-2-60 State (Dias-2-60 Nobil-St	2 (1) ** s.i. Lea State" (P/8)	3 th
1103)13	13 Phillips 14 B. 2729	21 Phillips 21 Pier	1 MOCK LITER I ALL AND	USA () . Unubmans		MJ
an Phillips	B-2229'E	8-2229	TO4050 8-2516 Erter	Domend - 1 Sun ID Soso Domend Dia 13.	PLIPY SODOP 47 FIG EXPL.)	2.
	20		Metcolero-"	HAAmoca Hallen Oil)	Merri Ener	Se Union Friel. Separate St.
• 34 • 15 6 10			B-2229 Affective State	- 44 moto - 94 - 346 - 5a Union () - 94 - 5a U	GA Smith 1 1 Marit Ener	¥
•16 17	33 B-2140	e ¹⁵ 35 e ²⁴	WI	Merit Ener Solution Expl.)		Mack Ener
RATUNIT	1		A 10:212	TO 4750 Delfern	Heridian CFa Expl. H B P H B P C6 453 BC 454 IUnion	V-412
	Leomex State St. 931	33. Phillips-St. ↓ 29 ′	"Phillips-St."	10 12010 1 C	(Westn Drig	* 1115
1(0)	01 111	31014	Eddy Potosh, Mc. (5) +B	Alboi Store	Union Store 1 TD4756	
104 553 48 704 553	Phillips -44 B-2148 L6-366	45 Phillips 60 20	Phillips Wi	28' Phillips	Phillips B-2244	etall, Guiri
	1 10 13 10 1	B-2148 - B-0195 C-9 23-63	B-2148 "Learner"	(178) B-4118	BALLS I Bridger	R IIs H. J. Ledbette
● ⁴³ ● ⁴⁰	P1 4538 ●+# ● 2·B • New - Mex **	* ⁷	Eddy Porash, Inc., (5)	5 ³¹ 7/A	DOB	•1 •2
• ³⁹	CC (Petrus Oil)	23		19 ^א שעול	NO. 20 Ohie-St	Gulf St
•23 "Leapes"	34 0130) 3 Phillips Pros Kirby-To- Staray Kirby-To- Pa	O'LEANEX	29 Phillips 28 Wil 62148 B-2148	₩ ²⁷ VA	ABO WEST UNIT	
●SI ● ³⁰	26 21 2 Prise Hichmond	States States Pho		30 "Leo"	TEXACO (OPER.)	
the state	23 OF A STATE OF A STA	State Pilo	• ³⁷ "Learner" • • • • • • • • • • • • • • • • • • •	F 367 State	Lea Store	Store
Phillips Penproil ani, 15 19 \$/4)	CAPROCK MAL JAMAR	Ph:II	82 Phillips Pgz 0 ³⁷	Philips Philips	Phillips • ⁵⁶ 8.4318 •	U NET 4
8-2225	WISER OIL (OPER.)		B-2148	O'Philiph & B-4118 TB 4552 (MD) H C-Hund) Bess 4: P (M.C.Hund) (Phillips:St) Cole Derden TD 8278 Cole Derden	8-4118	8-1030
Philipe i		₽27 ●28 T/A	• ⁵³ • ³⁸	(0/A4-17-66) 054	• ¹⁴ • ¹⁵	į, "*
-1000	Wiser 27 Chancellor Oll 2 10 1 Sephilmex	<u>n</u> 26	25	Delite 1 30	29 1	
≠ ¹⁰ e ¹²	C		• ⁴⁷ • ⁴⁸	19 213 18 19 215 214 215 215 21 2		(Amerada) = 3 - 8-1437
hillips St		Phillips 1046 92 DIA 5-6 50	"Leamex"	HARALA		B-1437 JERVentures atal IUnion
у ⁹ • ¹³ 9 γ	Philmer Stole Pus	●pib 30 ●Philmex (P/B) ● ¹³ Piot Store (P/B) ● ¹³	e ⁴⁴ TA (1978) PTA Store	Store (WC Digct	Diana Leo 5	1 1 Januar
			· · · · · · · · · · · · · · · · · · ·	INC DISCE	State	Amstate,

Yates Petroleum Corporation Proposed Injection Well Sanmal Queen Unit #3 (Previously - Hoover ADR State #3) K 1-17S-33E 1900' FSL & 2310' FWL Lea County, New Mexico

> Attachment B Page 1

ietal 37 78	Westland Yates Pet, and Oil Dev L6:3449 L6:4076 Ten Pros. 1 1980 - 37. 1 198	41 the Training	Yotes I Percetoli V 125 Hexaco V 125 H.B.P H.B.P H.B.P H.B.P H.B.P H.B.P H.B.P H.B.P	D ² Sinc. Devon Ener. D ² Sinc. Devon Ener. nite - 944 nite - 944 bis set 1 ⁴ bis set 1 ⁴ bis set 1 ⁵ States	Antador Pet. 66-123 46 - 123	Matador Pet. 1 06-317 31 (Pro)
MAP	22 1 7253 1 0' ^{MS}	(Amoca,010) (82) J.S. Asher Oil Goodrich Asher Oil	Devon Ener. 4 "692" I ● E - 1078 F672	Sinchard J SKEMNITZ	UNIT. 2 0 ⁻⁴⁰ (OPER) 2 0 ⁻⁴⁰ (OPER) 4 ³ Matador Pat. E-1387	Matador Pet, 06-315
	New Mex. St 1 Sombrere-St 1	HBP Nappi'' Penn Disc. Nappi'' Ol-FP TA State P175	Sincleir 1 Leo-SI. TO 11, 700 DIA 7:8:54 Store	Sinclain) STATE PB Au State	Himil State	en 7339 S
:	Plaine Righto V 3720 V H.E. Tottas	Herrief (Live Pride, Starl of the starl) Fisca i Starl 2 Mail HBP Horses I Starl HBP Herrief Starl Herrief Starl HBP Herrief Starl HERRIEF Starl	Matador Pet. #10 * Tenneco E. 1126 * Diseas * Diseas * 1 * Tenneco E. 1126 * Tenne	11 44. 11 Matador Pet. [16 E.992(Symptro) 21 Francisco 21 Francisco	PETCO 1 34E CO	Matador Pat. 06:340 8:00 8:00
Heragen H.A. St.	(PT8) 1 (PT8) 1 (PT8) 0 (Avv) 0 (Av	Fic 3:26-77 #154n0 W.Moncrief,Jr. 26 From WC tors,100 Forestetal (3)-14 1076 DA1 to 64	- State State States	N.C. MARKE Z	-29 to 100 to 1	E-1769
10	FIRE CALIFY (DALAY TIM) FIELD State HENDE	State	37 20 24 10 10 37 20 24 10 10 Store (DC)	State	State	HUF(Torrison)
ner. Huber Corp Unign - St Hic Disc ()	Manufacture To ald 50 To ald 50	Sherin burn Vite Diterie	* Pennoc Oil H BP E-1814	real Vieta V	HLF Matadar Pet. L6 4131 Mgbin 140	Matedor (Beor Creek LG-1
Sa Union Si (Fabla Union St Union St	Marroy on Post of the Post of the Post of the	Penrose Inc. 35 T.B.P.St. Cony Disc.	Yates Pet, etal Vates Pet, etal Vates Vates Vates	Time It 31 MAP		● ¹ (K_K_Amiri Pennzoil-s
• •	Store	Yates, Pet. etal 1	Card NY 12 IN LAST THE AVE NEW PROPERTY.	SHOW PLA	35 2 1 1 1 1 1 1	5.
(Sinclair) 1194111	40.84.4 98.274.5 34.5 14.2 40.25.4.7 	Shar s a prar y and r randa Porrese TO FO 	Queen File Or, C 10 Law	Sincloir State	C.R. Spi ansar 2 (1/63/6 7) C.R. Spi ansar 1/6/1/2, F 1816 Rothleen Cooper, etal) Barry - C Lass From - C	Kon L E Kon Exel. Prinzel-Kech 21 Prinz
Western St Gaclus State 1 31 as 19 4321 Fine OCC	Sohio	Yotes Votes Het G	(Abo Pert artor) ()) Transform () S-APR () - APR ()	HL Brown Sincloir	() (1) (1) (1) (1) (1) (1) (1) (1) (1) (Chase Oil ,# E-1336 Koch Expl. Vgc uum-#r
Marathon	State Yele Wt stal	to soo State to The A	Eddy Portach, Inc(SJ) 545 GADR State Thore st"	1134 Ac / L L L Conti	Penntel	s
11 1 95 V 4519 96 25 (Petrus) Temargak	Verget-transformer Verget	Mock Harris I Ato S Hereit Ato	Vietes Partons Vietal V	HODIT ST. HBC-E/2	Galloster Merit Ener. (All Energy Carls) (R.C. Herndon, Jr., DA) Unit Chernology (R.C. Herndon, Jr., DA)	PB2 Aba Pet. E 794
tion single-set Phillips 29	Phillip e 1	Mack Ener. Petrus Oil to Mack Ener. 9 B-2516 HBP Petrus * B-2516 Petrus * B-2516 Petrus * B-2516	Mack Ener: Petrus Oil H.B.P. Mack B-2516 Ener: 	Just de 3" (XK) (Southmest) Moch : (XK) Roy : (10 dest) + (300 Vennso) 10 dest 1 - (300 Vennso) 11 des de 1 - (10 destormest)	5 4021' B S 1 Werld Exec. Geillagher St	
Phillips 34 Frillips S • gn. Disc. (P/B)	42-W1 P 70 Srot Srot 17 (8 chimber) (Shar)-St) (Bar 718-42)	Philling State Petrus	Eddy Potosh, Inc. (3) Store	Roy. DIAST 40 Mobil-St. State (DIAST 40 State 1013510		• ³ * Ang
• 55 • 15	13 Philling 1 MAR, E	21 Phillips PH4 B-2229 E	Phillios B-2516 Erter. Phillios B-2516 Erter. B-2229 Miscolero-	U 974 /] Jornand - Isun 550 Int 550	(Meridian E, BIA IA) Fia Expl.) (Meridian E, Delay 5000/247 Fia Expl.) Meridian E, BIA IA) Delay 5000/247 Fia Expl.) Meridian E, BIA IA) Delay 5000/247 Fia Expl.) Meridian E, BIA IA) Delay 5000/247 Fia Expl.) Meridian E, BIA IA) (Meridian E, BIA IA) (Me	M.J. Z Se United Final Superior St.
	Bhillips 15 33 8-214	14 •15 •10 HAOA	Phillips Store Phillips T Mock Phillips Phillips Enert	I A moco Sulfar (10) Will an officer Will an officer		Mack Ener. v-4n
IL CO. 1,7	Leannes State St.	₩8 4550 () 33 "Phillips-St." • 29 Store	Pernet The second	Jezza a a i i Siale i Siale i 10 i 2010 Dia 9 30 50⊕ Store	Union Stote Teatse	* .2433 J
104 553 48 104 553 48 104 553	Phillips 44 B-2148 10(3)47 P64558 0'5 0'5 0'5 0'5	45 Phillips \$870 8-2148 - 5105-53	Brillips 27 Brillips 27 B-2146	14364; p 288; Phillips (178) (178) B-4118 Turra I ⁴	Phillipe Morathon B-2244 / B-4118 Bridger DOB	Rills H. J. Ledbette
•43 •40 •33 "Leames"	"Mem-Mex" 22 (Petrug Oil)	* [™] • ¹² • ²³ ••••••••••••••••••••••••••••••••••••	Lecomed 33 513 Stote M / 33 Eddy Pohash, Inc., (5) 29 Phillips 28 5-2148 93 8-2148	<i>₽</i> ²⁷ ₩	NO. 20 UNIT	Gulf St _ Phillips (Orla. &
€eames ¹⁰ ⊕51 ⊕ ³⁰	Pros Kirby J Kiršie et Föstar Kirby Dise föstar Kirby föstar Kirby fös	7214 54 "Learners" 55	S ^N n (enmerr" Sa	אנג אר ז' 30 "Leo" F367 State	TEXACO (OPER.) Leo* Shere	ji Store
Phillips engzoidikal is 19 1/47	WISER OIL (OPER.)	Phillipse	#127 Shere #2 Phillips #2 B-2148	●23 ¹ [][Phillips → ¹ Phillips 10 eff: [mol] 10 eff: [mol]	Phillips St. 8-4118	11 NCT 4 B-1030
			• • ⁵³ • ³⁴	100270 (6/14-17-66) 10 404 10 40 10 40 10 10 10 10 10 10 10 10 10 10 10 10 10	e ¹⁴ e ³³ 29 	(Amerada) 3 8-1437
10 IZ hillips St 9 I3 9 I3	Autipe Philmes	^r m ^r JiD. (rwin) Pilipsi Tritis Pilipsi	⁴ Learnex" 4 ⁴ TA glove) p ¹³ State	Han de a Storte WC Disc	Branda Levi A.	atal funion dagent

Yates Petroleum Corporation Proposed Injection Well Sanmal Queen Unit #2 (Previously - Hoover ADR State #5) L 1-17S-33E 1500' FSL & 990' FWL Lea County, New Mexico

> Attachment B Page 2

San1 SANML108.XLS EngWykol\Theresa\C-108

Yates Petroleum Corporation Attachment C (C-108) Sanmal Queen Unit Well Data Information Sanmal Queen Field

Well Name	Operator	Туре	Spud Date	Completion Date	Total Depth	Producing Zone	Perforations	Completion Information
Sanmal Queen Unit #1	YPC	₽	10/13/86	03/15/87	3900'	Queen	3742' - 3752'	!' - 3752' 8-5/8" 24# J-55 @ 1552' w/720 sx (circ) 5-1/2" 15.5# J-55 @ 3900' w/600 sx (TOC-2424' CBL)

-

(~ ŗ

ATTACHMENT D

-

MARTIN YATES, III 1912 - 1985 FRANK W. YATES 1936 - 1986



105 SOUTH FOURTH STREET ARTESIA, NEW MEXICO 88210 TELEPHONE (505) 748-1471 S. P. YATES CHAIRMAN OF THE BOARD JOHN A. YATES PRESIDENT PEYTON YATES EXECUTIVE VICE PRESIDENT RANDY G. PATTERSON SECRETARY DENNIS G. KINSEY TREASURER

April 11, 1995

CERTIFIED RETURN RECEIPT

Eddy Potash Incorporated P. O. Box 31 Carlsbad, New Mexico 88220

Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the following Yates Petroleum wells in Lea County, New Mexico:

Sanmal Queen Unit #2	L 1-17S-33E	1500'FSL & 990'FWL
Sanmal Queen Unit #3	K 1-17S-33E	1900'FSL & 2310'FWL

These wells are part of the approved Sanmal Queen Unit and will be converted as additional injectors.

Should you have any questions, please feel free to contact me at (505) 748-1471.

Sincerely,

Theresa Stoan

Theresa Sloan Petroleum Engineer

TS/cvg

MARTIN YATES, III 1912 - 1985 FRANK W. YATES 1936 - 1986



S. P. YATES CHAIRMAN OF THE BOARD JOHN A. YATES PRESIDENT PEYTON YATES EXECUTIVE VICE PRESIDENT RANDY G. PATTERSON SECRETARY DENNIS G. KINSEY TREASURER

105 SOUTH FOURTH STREET ARTESIA, NEW MEXICO 88210 TELEPHONE (505) 748-1471

April 11, 1995

CERTIFIED RETURN RECEIPT

Mack Energy Corporation P. O. Box 960 Artesia, New Mexico 88211-0960

Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the following Yates Petroleum wells in Lea County, New Mexico:

Sanmal Queen Unit #2	L 1-17S-33E	1500'FSL & 990'FWL
Sanmal Queen Unit #3	K 1-17S-33E	1900'FSL & 2310'FWL

These wells are part of the approved Sanmal Queen Unit and will be converted as additional injectors.

Should you have any questions, please feel free to contact me at (505) 748-1471.

Sincerely,

Teresa Stoan

Theresa Sloan Petroleum Engineer

TS/cvg

MARTIN YATES. III 1912 - 1985 FRANK W. YATES 1936 - 1986



105 SOUTH FOURTH STREET ARTESIA, NEW MEXICO 88210 TELEPHONE (505) 748-1471 S. P. YATES CHAIRMAN OF THE BOARD JOHN A. YATES PRESIDENT PEYTON YATES EXECUTIVE VICE PRESIDENT RANDY G. PATTERSON SECRETARY DENNIS G. KINSEY TREASURER

April 11, 1995

CERTIFIED RETURN RECEIPT

Fina Oil & Chemical Company P. O. Box 2990 6 Desta Drive Suite 4400 Midland, Texas 79702

Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the following Yates Petroleum wells in Lea County, New Mexico:

Sanmal Queen Unit #2	L 1-17S-33E	1500'FSL & 990'FWL
Sanmal Queen Unit #3	K 1-17S-33E	1900'FSL & 2310'FWL

These wells are part of the approved Sanmal Queen Unit and will be converted as additional injectors.

Should you have any questions, please feel free to contact me at (505) 748-1471.

Sincerely,

Theresa Sloan

Theresa Sloan Petroleum Engineer

TS/cvg

MARTIN YATES, III 1912 - 1985 FRANK W. YATES 1936 - 1986



S. P. VATES CHAIRMAN OF THE BOARD JOHN A. YATES PRESIDENT PEYTON YATES EXECUTIVE VICE PRESIDENT RANDY G. PATTERSON SECRETARY DENNIS G. KINSEY TREASURER

105 SOUTH FOURTH STREET ARTESIA, NEW MEXICO 88210 TELEPHONE (505) 748-1471

April 11, 1995

CERTIFIED RETURN RECEIPT

Commissioner of Public Lands State Land Office P. O. Box 1148 Santa Fe, New Mexico 87504-1148

Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the following Yates Petroleum wells in Lea County, New Mexico:

Sanmal Queen Unit #2	L 1-17S-33E	1500'FSL & 990'FWL
Sanmal Queen Unit #3	K 1-17S-33E	1900'FSL & 2310'FWL

These wells are part of the approved Sanmal Queen Unit and will be converted as additional injectors.

Should you have any questions, please feel free to contact me at (505) 748-1471.

Sincerely,

leres Stoan

Theresa Sloan Petroleum Engineer

TS/cvg

Affidavit of Publice on

аз <u>а даз о ни на н</u>

STATE OF NEW MEXICO)
) ss.
COUNTY OF LEA)

being first duly sworn on oath Joyce Clemens deposes and says that he is Adv. Director of THE LOVINGTON DAILY LEADER, a daily newspaper of general paid circulation published in the English language at Lovington, Lea County, New Mexico; that said newspaper has been so published in such county continuously and uninterruptedly for a period in excess of Twenty-six (26) consecutive weeks next prior to the first publication of the notice hereto attached as hereinafter shown; and that said newspaper is in all things duly qualified to publish legal notices within the meaning of Chapter 167 of the 1937 Session Laws of the State of New Mexico.

That the notice which is hereto attached, entitled

Legal Notice
RHAXNAMARKANK
Country diexy kiewiks, was published in a regular and
entire issue of THE LOVINGTON DAILY LEADER and
entire issue of THE LOVINGTON DAILY LEADER and
not in any supplement thereof, and the supplement thereof, and the supplement the super the supplement the supp
BANKXXHXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
barrowing work week, 101
SCHERKRENCE beginning with the issue of
April 12 19 95
and ending with the issue of
and change with the 1550c UI amandulation
April 12

And that the cost of publishing said notice is the sum of \$_15.28

which sum has been (Paid) (Assessed) as Co	urt Costs
pyce Clemens	
// 0	12+6
Subscribed and sworn to before me this	12 ())
Annel 1	05

April 95 day of 19 N Notary Public, Lea County, New Mexico

Sept. 28 98 My Commission Expires

LEGAL NOTICE

Yates Petroleum Corporation, 105 South Fourth Street, Artesia, NM 88210, has filed form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval to convert two additional wells to injection. The proposed wells,

1.Sanmal Queen Unit #2	L1-17S-33E	1500' FSL & 990' FWL
2-Sanmal Queen Unit #3	K1-17S-33E	1900' FSL & 2310' FWL

Lea County, New Mexico, will be used for injection in the Sanmal Queen Unit Waterflood. Produced Queen waters and Ogaliala fresh water will be injected into the Sanmal Queen formation at average depths between 3745'-3764'. The maximum injection pressure and rate are 950 psi and 1000 BWPD per well.

All interested parties opposing the aforementioned must file objections or requests for a hearing with the Oil Conservation Division, 2040 S. Pacheco, Santa Fe, New Mexico 87501, within 15 days. Additional information can be obtained by contacting Theresa Sloan at (505)748-1471.

Published in the Lovington Daily Leader April 12, 1995.