

# INJECTION WELL DATA

Case Resources, Inc.

N.H. "5A" State

OPERATOR

LEASE

1 1,980' FWL & 4,620' FSL OF Section 5, T-16-S, R-34-E, Lea County, New Mexico  
NO. LEGAL LOCATION

Schematic

Tabular Data

## Surface Casing:

Size 13 3/8" Cemented with 475 sx.  
TOC surface feet determined by circulated  
Hole Size 17 1/2"

## Intermediate Casing:


Size 8 5/8" Cemented with 3,500 sx.  
TOC surface feet determined by circulated  
Hole Size 12 1/4"

## Long String:

Size 5 1/2" Cemented with 1,475 sx.  
TOC 2,070 feet determined by temp. survey  
Hole Size 7 7/8"  
Total depth 10,306'

## Injection Interval:

5,610 to 6,013 feet  
(perforated or ~~open~~, indicate which)



## INJECTION WELL DATA SHEET--SIDE 2

NOV 29 1988

Tubing size 2 3/8" lined with Plastic set in a  
(material)  
Baker Lok-Set A-3 packer at 5,560 feet  
(brand and model)

Other Data:

1. Name of the injection formation San Andres
2. Name of Field of pool (if applicable) N/A
3. Is the new well drilled for injection? ☐ Yes ☒ No  
If no, for what purpose was the well originally drilled? To test the Wolfcamp  
formation--completed as a dry hole.
4. Has the well been perforated in any other zones? List all such perforated intervals and give plugging detail (sacks of cement of bridge plug(s) used): Current perforations are from 10,176' to 10,192'. Cast iron bridge plug to be set at 9,970'. Will be drilled out at a later date for disposal zone after nearest Wolfcamp well is P&A'd.
5. Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area. Wolfcamp (9,640'), Tubb (7,230') and San Andres (4,400').