

WRS COMPLETION REPORT

REISSUES SEC 13 TWP 16S RGE 34E
PI# 30-T-0010 01/30/89 30-025-30404-0000 PAGE 1

NMEX LEA * 2310FSL 990FEL SEC NE SE
STATE COUNTY FOOTAGE SPOT
ELK OIL D D
OPERATOR WELL CLASS INIT FIN

1 CHACE-MCKAMEY
WELL NO. LEASE NAME
4066KB 4051GR TOWNSEND
OPER ELEV FIELD/POOL/AREA
API 30-025-30404-0000

LEASE TYPE NO PERMIT OR WELL I.D. NO.
07/31/1988 10/05/1988 ROTARY D&A
SPUD DATE COMP. DATE TYPE TOOL STATUS
10900 W E K DRLG 2 RIG SUB 14
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 10900 FM/TD PNNSYLVN
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

8 MI N BUCKEYE, NM

CASING/LINER DATA

CSG 13 3/8 @ 421 W/ 425 SACKS
CSG 8 5/8 @ 3778 W/ 1600 SACKS
CSG 4 1/2 @ 4801 W/ 350 SACKS

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		1747	2319		
LOG	SALT		1850	2216	2780	1286
LOG	YATES		2954	1112		
LOG	SVN RVRS		3212	854		
LOG	QUEEN		3819	247		
LOG	SN ANDRS		4588	-522		
LOG	GLORIETA		6172	-2106		
LOG	TUBB		7357	-3291		
LOG	ABO		7932	-3866		
LOG	WOLFCAMP		9805	-5739		

SUBSEA MEASUREMENTS FROM KB

FORMATION TEST DATA

DST 1 10574-10660 WOLFCAMP
REC 90.0 FT FLUD 2100.0 CC MUD
INIT OP 30M IFP 45 FFP 160
FINAL OP 30M IFP 136 FFP 228
ISIP 160 1H FSIP 343 3H IHP 5259 FHP 5300

CONTINUED IC# 300257026588

REISSUES
PI# 30-T-0010 01/30/89 SEC 13 TWP 16S RGE 34E
30-025-30404-0000 PAGE 2

ELK OIL
1

CHACE-MCKAMEY

D D

PRODUCTION TEST DATA

PREMIER PERF W/ 19/IT 4555- 4577 GROSS
PERF 4555, 4556, 4559, 4561, 4562, 4563, 4564, 4565
PERF 4566, 4567, 4568, 4569, 4570, 4572, 4573, 4574
PERF 4575, 4576, 4577
ACID 4555- 4577 3000GALS
15% NEFE
TESTED W/NS

PENROSE PERF W/ 39/IT 4117- 4130 GROSS
PERF 4117- 4120 4123- 4125 4126- 4130
ACID 4117- 4130 3000GALS
15% NEFE
TESTED W/NS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	CNL	LDT	DLL
LOGS	MSFL		

DRILLING PROGRESS DETAILS

ELK OIL
BOX 310
ROSWELL, NM 88202
505-623-3190
PROJ FM: PENNSYLVANIAN-PERMIAN UPPER
LOC/1988/
06/13 DRLG 1679
08/02 DRLG 5975
08/11 DRLG 8420
08/17 DRLG 10220
08/22 10900 TD, PB 4801, WOO
08/30 PB OH TO 4801
09/08 10900T D, PB 4801, WOO
09/13 10900 TD, PB 4801, WOO
09/21 10900 TD, PB 4801, WO D&A PROCEDURES
10/13 10900 TD, HOLDING FOR DATA
01/26 DEV SURVEYS @ 418 (1/2 DEG), 892 (1/2 DEG), 1395
(1/2 DEG), 1679 (1/4 DEG), 2180 (3/4 DEG), 2650
(1/2 DEG), 3185 (1/2 DEG), 3657 (1/2 DEG), 3775
(1/2 DEG), 4280 (3/4 DEG), 4689 (3/4 DEG), 5036
(1 1/4 DEG), 5381 (1 DEG), 5881 (1 DEG), 6157

CONTINUED

REISSUES
PI# 30-T-0010 01/30/89 SEC 13 TWP 16S RGE 34E
30-025-30404-0000 PAGE 3

ELK OIL
1

CHACE-MCKAMEY

D D

DRILLING PROGRESS DETAILS

(1 1/4 DEG), 6669 (1 DEG), 7171 (1 1/4 DEG),
7674 (1 1/4 DEG), 8170 (1 DEG), 8360 (1 1/2
DEG), 8869 (1 DEG), 9370 (1 1/4 DEG), 9833
(1 1/2 DEG), 10530 (1 1/2 DEG), 10660 (1 1/2
DEG), 10900 (1 1/2 DEG)
11/09 TD REACHED 08/27/88 RIG REL 08/27/88
10900 TD
COMP 10/5/88, D&A
NO CORES, ONE DST RPTD
01/26 REISSUED TO CORRECT SURF CSG & ADD PROD
CSG, PERFS, TRIMNTS, LOG TOPS, LOGS RUN,
DST & DEV SURVEYS
REPLACEMENT FOR CT ISSUED 11/11/88