

WRS COMPLETION REPORT

COMPLETIONS SEC 29 TWP 16S RGE 37E
PI# 30-T-0010 01/09/89 30-025-30498-0000 PAGE 1

NMEX LEA * 1980FNL 810FWL SEC SW NW
STATE COUNTY FOOTAGE SPOT
AMERIND OIL D DO
OPERATOR 1 STATE "29" COM
WELL NO. 3826KB 3810GR LOVINGTON NE
OPER ELEV FIELD POOL AREA
API 30-025-30498-0000

LEASE TYPE N PERMIT OR WELL I.D. NO. OIL
11/16/1988 12/21/1988 ROTARY STATUS
SPUD DATE DATE OF COM DATE DATE TOC
11500 PNNSYLVN MORANCO 7 RIG SUB 15
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 11365 PB 11296 FM/TD ATOKA
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

6 MI SE LOVINGTON, NM

WELL IDENTIFICATION/CHANGES

PROJ FM CHGD FROM STRAWN

CASING/LINER DATA

CSG 12 3/4 @ 414 W/ 400 SACKS
CSG 8 5/8 @ 4210 W/ 1400 SACKS
CSG 5 1/2 @ 11365 W/ 350 SACKS

TUBING DATA

TBG 2 7/8 AT 11059

INITIAL POTENTIAL

IPF 561BOPD 557 MCFD 40/64CK 24HRS
STRAWN L PERF W/ 16/IT 11162-11222 GROSS
TP 135

GTY, GOR-NO DETAIL

FIELD /RESERVOIR
/PENNSYLVANIAN

FCP PKR

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		706 3120	

CONTINUED IC# 300257040688

Copyrighted 1985
Petroleum
Information Corporation

Petroleum Information

DB a company of
The Dun & Bradstreet Corporation

PI-WRS-C
Form No. 1

COMPLETIONS
 PI# 30-T-0010 01/09/89 SEC 29 TWP 16S RGE 37E
 30-025-30498-0000 PAGE 2

AMERIND OIL
 1 STATE "29" COM D DO

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	YATES		3163	663		
LOG	SN ANDRS		4934	-1108		
LOG	GLORIETA		6177	-2351		
LOG	PADDOCK		6315	-2489		
LOG	BLINEBRY		6970	-3144		
LOG	TUBB		7622	-3796		
LOG	DRINKARD		7733	-3907		
LOG	WOLFCAMP		9718	-5892		
LOG	PNNSYLVN		9987	-6161		
LOG	CANYON		10815	-6989		
LOG	STRAWN		11117	-7291		
LOG	ATOKA		11335	-7509		

SUBSEA MEASUREMENTS FROM KB

FORMATION TEST DATA

DST 1 11135-11198 STRAWN L
 REC 890.0 FT VHG&OCM .8 CFT GAS
 REC 200.0 CC OCM 400.0 CC OIL
 INIT OP 5M IFP 350 FFP 249
 FINAL OP 1H IFP 270 FFP 264 BHT 181F
 ISIP 2291 1H FSIP 2289 3H IHP 5113 FHP 5046
 SPL CHAM PRESS FINAL 200
 GTY 45.9 WS 2000 PPM CL
 SPL REC .865 CFT GAS
 BHT DEPTH @ 11117

PRODUCTION TEST DATA

PTF 511BOPD 575 MCFD 3BW 40/64CK 24HRS
 STRAWN L PERF W/ 16/IT 11162-11222 GROSS
 PERF 11162,11166,11170,11174,11178,11182,11186,11190
 PERF 11194,11198,11202,11206,11210,11214,11218,11222
 ACID 11162-11222 3000GALS
 TP 140

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	DI	DENL	NEUT
LOGS	ACSL	GR	CORL

CONTINUED

COMPLETIONS SEC 29 TWP 16S RGE 37E
PI# 30-T-0010 01/09/89 30-025-30498-0000 PAGE 3

AMERIND OIL

D DO

1

STATE "29" COM

DRILLING BREAKS

11159-11221

DRILLING PROGRESS DETAILS

AMERIND OIL
415 W WALL STE 500
MIDLAND, TX 79701
915-682-8717
10/31 LOC/1988/
11/15 RURT
11/28 DRLG 7575
12/05 DRLG 10790
12/09 DRLG 11247
12/16 11365 TD, PB 11296, TSTG
12/16 DEVIATION SURVEYS @ 414 (1 DEG), 816 (1 DEG),
1224 (1 1/4 DEG), 1628 (1 1/4 DEG), 2036 (3/4
DEG), 2376 (3/4 DEG), 2789 (3/4 DEG), 3113
(1 1/4 DEG), 3516 (1 DEG), 3916 (1/2 DEG), 4210
(1/2 DEG), 4660 (1 DEG), 5163 (1 1/2 DEG), 5670
(1 3/4 DEG), 6140 (1 1/2 DEG), 6646 (1 1/2 DEG),
7043 (1 1/4 DEG), 7528 (1/2 DEG), 8012 (1 1/4
DEG), 8519 (1 1/4 DEG), 8772 (1 1/4 DEG), 9025
(1 DEG), 9151 (3/4 DEG), 9400 (3/4 DEG), 9625
(1/4 DEG), 10122 (3/4 DEG), 10620 (3/4 DEG),
11182 (4 3/4 DEG), 11217 (4 1/4 DEG), 11365
(3 3/4 DEG)
12/22 11365 TD, PB 11296, WOPT
TD REACHED 12/09/88 RIG REL 12/11/88
12/30 11365 TD, PB 11296
COMP 12/21/88, IPF 561 BO, 557 MCFGPD,
40/64 CK, GOR (NR), GTY
(NR), FTP 135, FCP PKR
PROD ZONE - PENNSYLVANIAN 11162-11222
NO CORES, ONE DST RPTD