

WRS COMPLETION REPORT

COMPLETIONS SEC 22 TWP 17S RGE 32E
PI# 30-T-0007 03/09/90 30-025-30731-0000 PAGE 1

NMEX LEA * 610FSL 1980FEL SEC SW SE
STATE OF NEW MEXICO COUNTY OF LEA
CONOCO INC D DO
OPERATOR 385 MCA UNIT
WELL NO 3993KB 3983GR MALJAMAR
OPER ELEMENT AP1 30-025-30731-0000
12/09/1989 01/20/1990 ROTARY VERT OIL
SPUD DATE COME DATE
4420 GRBG-SAD EXETER DRLG 74 RIG SUB 9
PROJ. DEPTH PROJ. FORM. CONTRACTOR
DTD 4420 PB 4374 FM/TD SN ANDRS
DRILLERS TD 4420 LOG DEPTH 4420 PUL BACK 4374 C.D. TO 4374 FORM TD 4374

LOCATION DESCRIPTION

2 MI S MALJAMAR, NM

CASING/LINER DATA

CSG 9 5/8 @ 915 W/ 300 SACKS
CSG 5 1/2 @ 4420 W/ 2100 SACKS

TUBING DATA

TBG 2 7/8 AT 4165

INITIAL POTENTIAL

IPP 24BOPD 857BW 24HRS
GRAYBURG PERF W/ 2/FT 3826- 3938 GROSS
SN ANDRS PERF W/ 4/FT 3978- 4074 GROSS
GTY 37.4 GOR TSTM
FIELD /RESERVOIR
/GRAYBURG-SAN ANDRES

COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	GRAYBURG	3800	183	
LOG	SN ANDRS	3968	15	
SUBSEA MEASUREMENTS FROM GR				

CONTINUED IC# 300257030089

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

EB a company of
the Bunk & B. Street Corporation

PI WRS
Form No.

COMPLETIONS SEC 22 TWP 17S RGE 32E
 PI# 30-1-0007 03/09/90 30-025-30731-0000 PAGE 2

CONOCO INC D DO
 385 MCA UNIT

PRODUCTION TEST DATA

PTP 10EOPD 531BW 24HRS
 GRAYBURG PERF W/ 2/FT 3826- 3938 GROSS
 SN ANDRS PERF W/ 4/FT 3978- 4074 GROSS
 PERF 3826- 3850 3862- 3878 3885- 3891 3912- 3938
 PERF 3978- 4000 4040- 4042 4047- 4050 4068- 4074
 ACID 3826 3938 80BBLs
 15% NEFE HCL
 SWER 3826- 3938 452BBLs 32000LBS SAND
 16/30
 ACID 3978- 4074 80BBLs
 15% NEFE HCL
 COMMINGLED

PTP 14EOPD 700BW 24HRS
 GRAYBURG PERF 3826- 3938 GROSS
 SN ANDRS PERF 3978- 4074 GROSS
 COMMINGLED

LOGS AND SURVEYS / INTERVAL, TYPE /

LOGS	GR	DLL	NEUT
LOGS	DENL	CAL	RFT

DRILLING PROGRESS DETAILS

CONOCO INC
 BOX 460
 HOBBS, NM 88240
 505-393-4141
 10/12 LOC/1989/
 12/11 DRLG 915
 12/18 DRLG 4175
 12/22 DRLG 4420
 01/02 4420 TD, WOCT
 01/02 RAN RFT-NO DETAILS
 DEVIATION SURVEYS @ 241 (1 DEG), 477 (1 DEG),
 718 (1 DEG), 915 (1 DEG), 1400 (1/2 DEG),
 1892 (1 1/4 DEG), 2189 (1 1/2 DEG), 2420 (1 DEG)
 2670 (1 1/4 DEG), 3165 (1 3/4 DEG), 3655 (1 3/4
 DEG), 4155 (2 DEG), 4420 (2 1/4 DEG)
 01/26 4420 TD, PB 4374, WOCT
 02/02 4420 TD, PB 4374, WO STATE FORMS

CONTINUED

COMPLETIONS
PI# 30-T-0007 03/09/90 SEC 22 TWP 17S RGE 32E
30-025-30731-0000 PAGE 3

CONOCO INC
385

MCA UNIT

D DO

DRILLING PROGRESS DETAILS

03/07 RIG REL 12/23/89
4420 TD, PB 4374
COMP 1/20/90, IPP 24 BO, 857 BWPD.
GOR TSTM, GTY 37.4
PROD ZONE - GRAYBURG-SAN ANDRES 3826-4074
(COMMINGLED)
NO CORES OR DSTS RPTD