

UNOCAL Winters #1
Sec. 29, T-15-S, R-37-E

11,326-32' 2 SPF (13 shots) - 1000 gals 15% NE, FE & LST RA tagged HCl
CIBP @ 11,300'

10,894-896' 4SPF (8 shots) - 500 gals 15% HCl w/NE, FE & LST
Sqzd w/cmt ret @ 10,880' - 150 sxs

10,850-67' 2SPF (35 holes)
Cmt ret @ 10,840' - sqzd w/50 sxs Cl H cmt

10,722-60' 2SPF (77 holes) - 1500 gals 500 gals 15% HCl w/NE, FE & LST
Cmt ret @ 10,706' - sqzd w/100 sxs

10,653-60' 2 SPF (15 shots) - 1000 gals 15% HCl w/NE, FE & LST
Sqzd w/50 sxs - RBP @ 10,639'

10,599-608' 2 SPF (19 holes)
Sqzd w/100 sxs

Re-perf 5 1/2" csg w/2SPF @ 10,653-10,660' (15 holes) - 500 gals 15% HCL
w/NE, FE & LST
CIBP @ 10,638'

Re-perf 10,599-608'
Cmt ret @ 10,583' - sqzd w/50 sxs Cl H cmt

10,552-72' - 1000 gals 15% HCl w/NE, FE & LST acid 2 SPF (41 shots)

10-9-90 - T.A. Set CIBP @ 10,575'/35' cmt/top

RECEIVED

OCT 23 1990

HOBBS OFFICE