

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-30939
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Kim Harris
8. Well No. 1
9. Pool name or Wildcat Northeast Lovington-Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER
2. Name of Operator Bridge Oil Company, L. P.
3. Address of Operator 12404 Park Central Dr., Ste. 400, Dallas, Texas 75251
4. Well Location Unit Letter <u>B</u> : <u>990</u> Feet From The <u>North</u> Line and <u>2310</u> Feet From The <u>East</u> Line Section <u>12</u> Township <u>16S</u> Range <u>36E</u> NMPM Lea County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3868' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRU service unit to plug and abandon as follows: Set CIBP @  $\pm 10,500'$  with 35' cement plug on top of CIBP (uppermost perfs at 10,556'). Cut and pull 5 1/2" production casing @  $\pm 10,000'$ . Set 100' cement plug across casing stub from 9,950'-10,050', tag plug. Set 100' cement plug from 6,420'-6,520' (top of Glorieta @ 6,470'). Set 100' cement plug across 8 5/8" casing shoe from 4,454'-4,554', tag plug. Set 100' cement plug from 1,744'-1,844' (top of salt @ 1,794'). Set 10 sack cement surface plug. Hole will be filled with 10# salt gel between plugs. Surface location will be cleaned and restored as required.

*Perf @ 470 & set plug across surface shoe*

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rhonda J. Sutton TITLE Regulatory Coordinator DATE 9/3/93  
TYPE OR PRINT NAME Rhonda Sutton TELEPHONE NO. 214/788-3371

(This space for State Use)

Orig. Signed by  
Paul Kautz  
Geologist

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE SEP 09 1993

CONDITIONS OF APPROVAL, IF ANY:

THE COMMISSION MUST BE NOTIFIED 24  
HOURS PRIOR TO THE BEGINNING OF  
PLUGGING OPERATIONS FOR THE C-103  
TO BE APPROVED.

**RECEIVED**

SEP 08 1993

COB HODGS  
OFFICE