

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-31272
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V-3273
7. Lease Name or Unit Agreement Name Eidson Ranch Unit
8. Well No. 1
9. Pool name or Wildcat Wildcat Canyon Narrows

10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4218' GR
--

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER
2. Name of Operator YATES PETROLEUM CORPORATION
3. Address of Operator 105 South 4th St., Artesia, NM 88210
4. Well Location Unit Letter <u>I</u> : <u>2080</u> Feet From The <u>South</u> Line and <u>660</u> Feet From The <u>East</u> Line Section <u>5</u> Township <u>16S</u> Range <u>33E</u> NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4218' GR
--

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: Production Casing <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 13650'. Reached TD 9-15-91. Ran 311 joints 5-1/2" 17# S-95 and N-80 LT&C casing set 13650'. Float shoe set 13650', float collar set 13606'. DV tool set 6003'. Cemented in 2 stages. Stage 1: 1000 gals Excell gel + 1000 gals Surebond + 1100 sx "H" + 5#/sx CSE + 9/10% CF-14 (yield 1.31, wt 15.0). PD 7:00 AM 9-18-91. Cement did not circulate. Stage 2: 1000 gals Surebond + 300 sx Class "H" w/8# CSE + 4/10% CF-14 + 12# Gilsonite + 1/2# Celloseal + 0.25% Thrifty Mint (yield 1.71, wt 13.5). PD 11:15 AM 9-18-91. WOC 6 hrs. Ran Temp. Survey and found TOC at 4630' GL. WOCU 10 days.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE <u>Juanita Goodlett</u>	TITLE <u>Production Supervisor</u>	DATE <u>10-3-91</u>
TYPE OR PRINT NAME <u>Juanita Goodlett</u>	TELEPHONE NO. <u>505/748-1471</u>	

(This space for State Use)

Orig. Signed by Paul Kautz
Geologist

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: