Submit 3 Copies to Appropriate District Office	Energy, M	State of New Me	xico sources Department	Form C-103 Revised 1-1-89		
DISTRICT I P.O. Box 1980, Hobbs, NM 88240 P.O. Box 2088			WELL API NO. 30-025-31910			
DISTRICT II P.O. Drawer DD, Artesia, NM 88210 Santa Fe, New Mexico 87504-2088				5. Indicate Type of Lease		
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410		STATE FEE 6. State Oil & Gas Lease No.				
SUNDRY NOTICES AND REPORTS ON WELLS						
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				7. Lease Name or Unit Agreement Name		
1. Type of Well: OL GAS WELL X WELL]	OTHER	4.4°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°	Eidson Ranch Unit		
2. Name of Operator YATES PETROLEUM CORPORATION				8. Well No.		
3. Address of Operator				6 9. Pool name or Wildcat		
105 South 4th St., Artesia, NM 88210				Arab-C-San Andres		
4. Well Location						
Unit LetterQ:23	10 Feet From T	he South	Line and990	Feet From The East Line		
Section 5	Township	165 Ra	nge 33E	NMPM Lea County		
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4129' GR						
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data						
				SEQUENT REPORT OF:		
	PLUG AN		REMEDIAL WORK			
	CHANGE	PLANS	COMMENCE DRILLING OPNS.			
PULL OR ALTER CASING			CASING TEST AND C			
OTHER: OTHER: OTHER:			OTHER: Set pum	imping equipment X		
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.						
3-26-93. RUPU. Installed tubinghead and BOP. Tested casing to 1500 psi. TIH w/bit, drill						
collars and 2-7/8" tubing. Tagged cement at 5638'. RU power swivel and drilled out 29' of						
cement, DV tool at 5667, and float shoe set at 5679'. Dropped down in open hole to TD at 5719						
Reverse hole clean with 2% KCL water. TOH $w/2-7/8"$ tubing, drill collars and bit. TIH with						
bull plug, mud joint, 4' perforated sub, seating nipple, 2 joints 2-7/8"tubing, tubing anchor catcher at 5561' and 2-7/8" tubing. Ran pump and rods.						
catcher at 5561' and	∠-//8" tub!	ing. Kan pump	p and rods.			

I hereby certify that the inform	nation above is true and complete to the best of my l	knowledge and belief.	
SIGNATURE UCA	nita Dodlets	me Production Supervisor	DATE
TYPE OR PRINT NAME	Juanita Goodlett		теlephone no. 505/748-1471
(This space for State Use)	Orig. Signed by Paul Kauta		APR 0 8 1993
APPROVED BY	Geologist	mue	DATE

CONDITIONS OF APPROVAL, IF ANY:

OCD HOBAS

APR 0 1902

RECEIVED