

1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	7. Lease Name or Unit Agreement Name:  West Lovington Strawn Unit
2. Name of Operator ENERGEN RESOURCES CORPORATION	8. Well No. 3
3. Address of Operator 3300 N. "A"., Bldg. 4, STE 100, Midland, Texas 79705	9. Pool name or Wildcat Lovington, Strawn, West
4. Well Location  Unit Letter <u>K</u> : <u>1880</u> feet from the <u>South</u> line and <u>2080</u> feet from the <u>West</u> line  Section <u>33</u> Township <u>15S</u> Range <u>35E</u> NMPM County <u>Lea</u>	
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3983' GL	

## 11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE ☐  
COMPLETION

OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. Work performed from 8/20/01 to 8/30/01.

MIRU. POOH w/tubing. RIH w/a 5 1/2" cement retainer and set @ 9353'. Squeeze perfs. 11,556 - 600' w/200 sx. Class "H" cement w/1.1% FL-25 & 0.1% SMS/sk. mixed @ 15.6 ppq. w/a 1.18 yield. Reversed 20 bbls. cmt. to pit. POOH. RIH w/ 4 3/4" HTC skirted mill-tooth bit on 2 7/8" tubing. Drilled retainer and good hard cement from 11,448 - 11,596 Circ hole clean to PBTD 11,596'. Ran GR/CCL log and perf lower Strawn 11,610 - 11,614'. Rig up BJ Coil Tech & BJ Services. Acidized w/500 gals 15% HCL acid w/additives using filtered 2% KCL wtr. POOH w/coil tubing. Swab well. Turned to test tank. Recovered 141 BO & 125.5 BW in 10 hrs. SION. Turn well to tank btry. and return to production 8/30/01.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sharon Hindman TITLE Regulatory Agent DATE 9/5/01

Type or print name Sharon Hindman

Telephone No. (915) 687-2074

(This space for State use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE 3/20/71

Conditions of approval, if any: