

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-32293

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

V-4119

7. Lease Name or Unit Agreement Name

GECKO STATE -35-

8. Well No.

1

9. Pool name or Wildcat

Casey (Strawn)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER ☐

2. Name of Operator

GECKO, Inc.

3. Address of Operator

310 W. Wall, Suite 702-LB106 Midland, TEXAS 79701

4. Well Location

Unit Letter B : 434 Feet From The North Line and 1762 Feet From The East Line

Section 35 Township 16S Range 37E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

GL 3762' DF 3774' KB 3775'

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☒

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Directional drill from 8860' KB to 11,800' KB.
2. Ran directional multi-shot survey (copy attached).
3. Ran logs.
4. Ran 5½" 17,15.5 #casing to TD.
5. Cemented with 1025 sxs.
6. WO completion.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Steve L. Thomson

TITLE President

DATE 4/26/94
(915)

TYPE OR PRINT NAME

Steve L. Thomson

TELEPHONE NO. 686-0121

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APR 28 1994

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

APR 23 1994

OLD HOBBS
OFFICE

D.I.G., INC.

GECKO, INC.
GECKO STATE 35 #1
LEA COUNTY, N.M.

Calculated by Minimum Curvature Method
Vert Sect Plane: S 0.00 E

- RECORD OF SURVEY -

MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)		VERTICAL SECTION (FT)	C L O S U R E DISTANCE DIRECTION (FT) (DEG)		DOG LEG SEVERITY (DG/100')
0.00	0.00	N 0.00 E	0.00	0.00	0.00	N 0.00 E	0.00	0.00	N 0.00 E	0.00
100.00	0.25	N 8.00 W	100.00	100.00	0.22	N 0.03 W	-0.22	0.22	N 8.00 W	0.25
200.00	1.00	N 22.00 W	100.00	199.99	1.24	N 0.39 W	-1.24	1.30	N 17.34 W	0.76
300.00	0.75	N 18.00 W	100.00	299.98	2.67	N 0.92 W	-2.67	2.83	N 18.93 W	0.26
400.00	0.75	N 10.00 W	100.00	399.97	3.94	N 1.23 W	-3.94	4.13	N 17.37 W	0.10
500.00	0.75	N 20.00 W	100.00	499.96	5.20	N 1.57 W	-5.20	5.43	N 16.80 W	0.13
600.00	0.75	N 47.00 W	100.00	599.96	6.26	N 2.27 W	-6.26	6.66	N 19.95 W	0.31
700.00	0.50	N 8.00 E	100.00	699.95	7.14	N 2.69 W	-7.14	7.63	N 20.65 W	0.62
800.00	0.25	N 15.00 E	100.00	799.95	7.78	N 2.57 W	-7.78	8.20	N 18.30 W	0.25
900.00	0.00	N 0.00 E	100.00	899.95	7.99	N 2.52 W	-7.99	8.38	N 17.48 W	0.25
1000.00	0.25	N 78.00 E	100.00	999.95	8.04	N 2.30 W	-8.04	8.36	N 15.99 W	0.25
1100.00	0.25	N 34.00 E	100.00	1099.95	8.26	N 1.97 W	-8.26	8.50	N 13.40 W	0.19
1200.00	0.25	S 56.00 E	100.00	1199.95	8.32	N 1.67 W	-8.32	8.49	N 11.31 W	0.35
1300.00	0.25	N 55.00 E	100.00	1299.95	8.33	N 1.31 W	-8.33	8.43	N 8.91 W	0.2
1400.00	0.25	S 52.00 E	100.00	1399.94	8.32	N 0.96 W	-8.32	8.37	N 6.55 W	0.30
1500.00	0.25	N 56.00 E	100.00	1499.94	8.30	N 0.60 W	-8.30	8.33	N 4.15 W	0.29
1600.00	0.50	N 74.00 E	100.00	1599.94	8.55	N 0.00 W	-8.55	8.55	N 0.01 W	0.27
1700.00	0.50	S 86.00 E	100.00	1699.94	8.64	N 0.85 E	-8.64	8.68	N 5.64 E	0.17
1800.00	0.75	S 68.00 E	100.00	1799.93	8.36	N 1.89 E	-8.36	8.57	N 12.77 E	0.31
1900.00	0.50	S 77.00 E	100.00	1899.93	8.02	N 2.93 E	-8.02	8.54	N 20.05 E	0.27
2000.00	0.25	N 67.00 E	100.00	1999.92	8.00	N 3.55 E	-8.00	8.76	N 23.93 E	0.33
2100.00	0.25	N 75.00 W	100.00	2099.92	8.15	N 3.54 E	-8.15	8.88	N 23.50 E	0.47
2200.00	0.25	N 87.00 E	100.00	2199.92	8.21	N 3.55 E	-8.21	8.95	N 23.37 E	0.49
2300.00	0.25	N 58.00 E	100.00	2299.92	8.34	N 3.95 E	-8.34	9.23	N 25.35 E	0.13
2400.00	0.25	S 39.00 E	100.00	2399.92	8.29	N 4.28 E	-8.29	9.33	N 27.29 E	0.33
2500.00	0.00	N 0.00 E	100.00	2499.92	8.12	N 4.41 E	-8.12	9.24	N 28.53 E	0.25
2600.00	0.00	N 0.00 E	100.00	2599.92	8.12	N 4.41 E	-8.12	9.24	N 28.53 E	0.00
2700.00	0.25	N 40.00 E	100.00	2699.92	8.29	N 4.55 E	-8.29	9.45	N 28.79 E	0.25
2800.00	0.25	S 37.00 W	100.00	2799.92	8.28	N 4.56 E	-8.28	9.45	N 28.86 E	0.50
2900.00	0.25	N 29.00 W	100.00	2899.92	8.29	N 4.32 E	-8.29	9.35	N 27.54 E	0.42
3000.00	0.50	N 24.00 E	100.00	2999.92	8.88	N 4.40 E	-8.88	9.91	N 26.33 E	0.40
3100.00	0.25	N 7.00 E	100.00	3099.92	9.50	N 4.60 E	-9.50	10.55	N 25.84 E	0.27

Survey Ref: Well Head Closure Ref: Well Head
Mon Apr 18 1994 15:45:13

Vert Sect Ref: Well Head
File: gecko35s.dat

RECEIVED

APR 29 1994

U.S. DEPT. OF JUSTICE
OFFICE

D.I.G., INC.

GECKO, INC.
GECKO STATE 35 #1
LEA COUNTY, N.M.

Calculated by Minimum Curvature Method
Vert Sect Plane: S 0.00 E

- RECORD OF SURVEY -

MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)	VERTICAL SECTION (FT)	C L O S U R E DISTANCE (FT)	DIRECTION (DEG)	DOGLEG SEVERITY (DG/100')
3200.00	0.75	N 8.00 E	100.00	3199.91	10.36 N 4.72 E	-10.36	11.39	N 24.48 E	0.50
3300.00	1.00	N 6.00 E	100.00	3299.90	11.88 N 4.90 E	-11.88	12.85	N 22.42 E	0.25
3400.00	1.00	N 5.00 W	100.00	3399.88	13.62 N 4.92 E	-13.62	14.48	N 19.85 E	0.19
3500.00	0.75	N 12.00 W	100.00	3499.87	15.13 N 4.70 E	-15.13	15.84	N 17.27 E	0.27
3600.00	0.75	N 6.00 W	100.00	3599.86	16.42 N 4.50 E	-16.42	17.02	N 15.32 E	0.08
3700.00	1.00	N 8.00 W	100.00	3699.85	17.93 N 4.31 E	-17.93	18.44	N 13.51 E	0.25
3800.00	1.00	N 13.00 W	100.00	3799.84	19.65 N 3.99 E	-19.65	20.05	N 11.48 E	0.09
3900.00	1.00	N 5.00 W	100.00	3899.82	21.37 N 3.72 E	-21.37	21.69	N 9.87 E	0.14
4000.00	0.75	N 15.00 W	100.00	3999.81	22.87 N 3.47 E	-22.87	23.13	N 8.64 E	0.29
4100.00	0.75	N 19.00 W	100.00	4099.80	24.12 N 3.09 E	-24.12	24.32	N 7.30 E	0.05
4200.00	0.25	N 64.00 W	100.00	4199.80	24.83 N 2.68 E	-24.83	24.98	N 6.16 E	0.60
4300.00	0.50	N 89.00 W	100.00	4299.80	24.94 N 2.05 E	-24.94	25.02	N 4.70 E	0.29
4400.00	0.50	N 83.00 W	100.00	4399.79	25.00 N 1.18 E	-25.00	25.03	N 2.70 E	0.05
4500.00	0.75	N 74.00 W	100.00	4499.79	25.23 N 0.12 E	-25.23	25.23	N 0.27 E	0.27
4600.00	1.00	S 63.00 W	100.00	4599.77	25.02 N 1.29 W	-25.02	25.05	N 2.95 W	0.68
4700.00	1.00	S 44.00 W	100.00	4699.76	23.99 N 2.67 W	-23.99	24.14	N 6.36 W	0.33
4800.00	0.75	S 38.00 W	100.00	4799.75	22.85 N 3.68 W	-22.85	23.14	N 9.15 W	0.27
4900.00	1.50	S 39.00 W	100.00	4899.73	21.32 N 4.91 W	-21.32	21.87	N 12.97 W	0.75
5000.00	1.50	S 43.00 W	100.00	4999.69	19.34 N 6.62 W	-19.34	20.44	N 18.91 W	0.10
5100.00	1.25	S 42.00 W	100.00	5099.67	17.57 N 8.25 W	-17.57	19.41	N 25.14 W	0.25
5200.00	1.50	S 46.00 W	100.00	5199.64	15.85 N 9.92 W	-15.85	18.70	N 32.03 W	0.27
5300.00	1.25	S 42.00 W	100.00	5299.61	14.13 N 11.59 W	-14.13	18.28	N 39.35 W	0.27
5400.00	1.25	S 40.00 W	100.00	5399.58	12.49 N 13.02 W	-12.49	18.04	N 46.20 W	0.04
5500.00	1.50	S 43.00 W	100.00	5499.55	10.69 N 14.61 W	-10.69	18.11	N 53.80 W	0.26
5600.00	1.25	S 47.00 W	100.00	5599.53	8.99 N 16.30 W	-8.99	18.62	N 61.12 W	0.27
5700.00	1.00	S 43.00 W	100.00	5699.51	7.61 N 17.70 W	-7.61	19.26	N 66.73 W	0.26
5800.00	1.25	S 45.00 W	100.00	5799.49	6.20 N 19.06 W	-6.20	20.05	N 71.98 W	0.25
5900.00	0.75	S 61.00 W	100.00	5899.47	5.11 N 20.41 W	-5.11	21.04	N 75.93 W	0.57
6000.00	0.75	S 57.00 W	100.00	5999.46	4.44 N 21.53 W	-4.44	21.98	N 78.35 W	0.05
6100.00	1.00	S 49.00 W	100.00	6099.45	3.51 N 22.74 W	-3.51	23.01	N 81.22 W	0.28
6200.00	1.00	S 44.00 W	100.00	6199.44	2.31 N 24.00 W	-2.31	24.11	N 84.50 W	0.09
6300.00	0.75	S 62.00 W	100.00	6299.42	1.38 N 25.19 W	-1.38	25.22	N 86.87 W	0.37
6400.00	0.50	S 61.00 W	100.00	6399.42	0.86 N 26.14 W	-0.86	26.16	N 88.12 W	0.25

RECEIVED

APR 28 1994

OFFICE

D.I.G., INC.

GECKO, INC.
GECKO STATE 35 #1
LEA COUNTY, N.M.

Calculated by Minimum Curvature Method
Vert Sect Plane: S 0.00 E

- RECORD OF SURVEY -

MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)		VERTICAL SECTION (FT)	C L O S U R E DISTANCE DIRECTION (FT) (DEG)		DOGLEG SEVERITY (DG/100')
6500.00	0.75	S 84.00 W	100.00	6499.41	0.58 N	27.18 W	-0.58	27.18	N 88.78 W	0.35
6600.00	0.50	N 85.00 W	100.00	6599.41	0.55 N	28.26 W	-0.55	28.27	N 88.89 W	0.28
6700.00	0.25	S 76.00 W	100.00	6699.40	0.53 N	28.91 W	-0.53	28.91	N 88.95 W	0.28
6800.00	0.50	S 81.00 W	100.00	6799.40	0.41 N	29.55 W	-0.41	29.55	N 89.20 W	0.25
6900.00	0.25	N 87.00 W	100.00	6899.40	0.35 N	30.20 W	-0.35	30.20	N 89.33 W	0.26
7000.00	0.50	S 83.00 W	100.00	6999.40	0.31 N	30.85 W	-0.31	30.85	N 89.42 W	0.26
7100.00	0.75	S 81.00 W	100.00	7099.39	0.16 N	31.93 W	-0.16	31.93	N 89.72 W	0.25
7200.00	0.50	N 89.00 W	100.00	7199.39	0.06 N	33.01 W	-0.06	33.01	N 89.89 W	0.27
7300.00	1.00	N 89.00 W	100.00	7299.38	0.08 N	34.32 W	-0.08	34.32	N 89.86 W	0.50
7400.00	0.75	N 75.00 W	100.00	7399.37	0.27 N	35.83 W	-0.27	35.83	N 89.57 W	0.33
7500.00	0.75	N 75.00 W	100.00	7499.36	0.61 N	37.09 W	-0.61	37.10	N 89.06 W	0.00
7600.00	0.75	N 87.00 W	100.00	7599.35	0.81 N	38.38 W	-0.81	38.39	N 88.79 W	0.16
7700.00	1.00	N 82.00 W	100.00	7699.34	0.97 N	39.90 W	-0.97	39.91	N 88.61 W	0.26
7800.00	0.75	N 81.00 W	100.00	7799.32	1.19 N	41.41 W	-1.19	41.42	N 88.35 W	0.25
7900.00	0.75	N 87.00 W	100.00	7899.32	1.33 N	42.71 W	-1.33	42.73	N 88.22 W	0.08
8000.00	1.00	N 89.00 W	100.00	7999.30	1.38 N	44.23 W	-1.38	44.25	N 88.22 W	0.25
8100.00	0.75	N 83.00 W	100.00	8099.29	1.47 N	45.75 W	-1.47	45.78	N 88.16 W	0.27
8200.00	1.00	N 70.00 W	100.00	8199.28	1.85 N	47.22 W	-1.85	47.26	N 87.76 W	0.32
8300.00	1.25	N 80.00 W	100.00	8299.26	2.34 N	49.12 W	-2.34	49.17	N 87.27 W	0.32
8400.00	1.25	N 74.00 W	100.00	8399.24	2.83 N	51.24 W	-2.83	51.32	N 86.84 W	0.13
8500.00	0.75	N 80.00 W	100.00	8499.22	3.24 N	52.93 W	-3.24	53.03	N 86.49 W	0.51
8604.00	0.50	S 80.00 W	104.00	8603.22	3.28 N	54.05 W	-3.28	54.15	N 86.53 W	0.32
8697.00	1.00	S 78.00 W	93.00	8696.21	3.04 N	55.24 W	-3.04	55.33	N 86.85 W	0.54
8790.00	1.25	S 77.00 W	93.00	8789.19	2.65 N	57.03 W	-2.65	57.09	N 87.34 W	0.27
8883.00	4.00	S 3.00 W	93.00	8882.10	0.82 S	58.18 W	0.82	58.19	S 89.19 W	4.14
8975.00	7.75	S 3.00 W	92.00	8973.60	10.23 S	58.68 W	10.23	59.56	S 80.11 W	4.08
9069.00	9.50	S 3.00 W	94.00	9066.53	24.30 S	59.42 W	24.30	64.19	S 67.75 W	1.86
9162.00	10.75	S 3.00 W	93.00	9158.08	40.63 S	60.27 W	40.63	72.69	S 56.02 W	1.34
9255.00	11.75	S 7.00 W	93.00	9249.30	58.69 S	61.88 W	58.69	85.28	S 46.52 W	1.36
9348.00	12.25	S 8.00 W	93.00	9340.27	77.86 S	64.41 W	77.86	101.05	S 39.60 W	0.58
9441.00	13.00	S 13.00 W	93.00	9431.02	97.82 S	68.13 W	97.82	119.21	S 34.86 W	1.42
9534.00	13.00	S 16.00 W	93.00	9521.64	118.07 S	73.37 W	118.07	139.01	S 31.86 W	0.73
9627.00	13.25	S 16.00 W	93.00	9612.21	138.37 S	79.19 W	138.37	159.43	S 29.78 W	0.27

RECEIVED

APR 23 1994

**U.S. HOUSE
OFFICE**

D.I.G., INC.

GECKO, INC.
 GECKO STATE 35 #1
 LEA COUNTY, N.M.

Calculated by Minimum Curvature Method
 Vert Sect Plane: S 0.00 E

- RECORD OF SURVEY -


MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)	VERTICAL SECTION (FT)	C L O S U R E DISTANCE (FT)	DIRECTION (DEG)	DOGLEG SEVERITY (DG/100')
9720.00	13.00	S 5.00 W	93.00	9702.79	159.04 S 83.04 W	159.04	179.41	S 27.57 W	2.70
9813.00	13.00	S 10.00 E	93.00	9793.43	179.77 S 82.13 W	179.77	197.64	S 24.56 W	3.62
9906.00	13.25	S 16.00 E	93.00	9884.01	200.31 S 77.38 W	200.31	214.74	S 21.12 W	1.49
9999.00	13.00	S 16.00 E	93.00	9974.58	220.61 S 71.56 W	220.61	231.93	S 17.97 W	0.27
10092.00	13.00	S 16.00 E	93.00	10065.20	240.72 S 65.79 W	240.72	249.55	S 15.29 W	0.00
10185.00	12.25	S 16.00 E	93.00	10155.95	260.26 S 60.19 W	260.26	267.13	S 13.02 W	0.81
10278.00	12.00	S 16.00 E	93.00	10246.87	279.04 S 54.81 W	279.04	284.37	S 11.11 W	0.27
10371.00	11.75	S 16.00 E	93.00	10337.88	297.44 S 49.53 W	297.44	301.53	S 9.45 W	0.27
10464.00	12.75	S 16.00 E	93.00	10428.76	316.40 S 44.09 W	316.40	319.46	S 7.93 W	1.08
10557.00	12.25	S 16.00 E	93.00	10519.56	335.75 S 38.54 W	335.75	337.96	S 6.55 W	0.54
10650.00	12.00	S 17.00 E	93.00	10610.48	354.48 S 33.00 W	354.48	356.01	S 5.32 W	0.35
10743.00	12.75	S 16.00 E	93.00	10701.32	373.59 S 27.34 W	373.59	374.59	S 4.19 W	0.84
10836.00	12.75	S 15.00 E	93.00	10792.03	393.37 S 21.86 W	393.37	393.98	S 3.18 W	0.24
10929.00	12.50	S 15.00 E	93.00	10882.78	413.00 S 16.60 W	413.00	413.34	S 2.30 W	0.27
11022.00	11.75	S 14.00 E	93.00	10973.70	431.91 S 11.70 W	431.91	432.07	S 1.55 W	0.84
11115.00	9.75	S 13.00 E	93.00	11065.07	448.78 S 7.64 W	448.78	448.84	S 0.98 W	2.16
11208.00	9.00	S 11.00 E	93.00	11156.82	463.59 S 4.48 W	463.59	463.61	S 0.55 W	0.88
11301.00	8.00	S 9.00 E	93.00	11248.80	477.12 S 2.08 W	477.12	477.13	S 0.25 W	1.12
11394.00	6.50	S 5.00 E	93.00	11341.06	488.76 S 0.61 W	488.76	488.76	S 0.07 W	1.70
11487.00	6.50	S 4.00 E	93.00	11433.46	499.26 S 0.22 E	499.26	499.26	S 0.03 E	0.12
11580.00	6.00	S 2.00 E	93.00	11525.91	509.36 S 0.76 E	509.36	509.36	S 0.09 E	0.59
11673.00	5.50	S 1.00 E	93.00	11618.44	518.68 S 1.00 E	518.68	518.68	S 0.11 E	0.55
11766.00	5.50	S 6.00 W	93.00	11711.01	527.57 S 0.62 E	527.57	527.57	S 0.07 E	0.72

RECEIVED


APR 23 1994

COMPTROLLER
OFFICE

GECKO, INC.
GECKO STATE 35 #1
LEA COUNTY, N.M.



HORIZONTAL PLAN
SCALE: 100 FEET/DIVISION



RECEIVED

APR 23 1994

OFFICE