

D.I.G., INC.

GECKO, INCORPORATED
 GECKO STATE 26 #1
 LEA COUNTY, NEW MEXICO

30-125-32529
 Calculated by Minimum Curvature Method
 Vert Sect Plane: S 23.20 W

26-16-37

- RECORD OF SURVEY -

MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)	VERTICAL SECTION (FT)	C L O S U R E DISTANCE (FT)	DIRECTION (DEG)	DOGLEG SEVERITY (DG/1' J')
0.00	0.00	N 0.00 E	0.00	0.00	0.00 N 0.00 E	0.00	0.00	N 0.00 E	0.00
100.00	0.75	N 44.00 E	100.00	100.00	0.47 N 0.45 E	-0.61	0.65	N 44.00 E	0.75
200.00	0.75	N 49.00 E	100.00	199.99	1.37 N 1.40 E	-1.81	1.96	N 45.67 E	0.07
300.00	1.00	N 45.00 E	100.00	299.98	2.42 N 2.51 E	-3.21	3.49	N 46.12 E	0.26
400.00	1.00	N 63.00 E	100.00	399.96	3.43 N 3.91 E	-4.69	5.20	N 48.73 E	0.31
500.00	1.00	N 63.00 E	100.00	499.95	4.22 N 5.46 E	-6.03	6.91	N 52.30 E	0.00
600.00	0.75	N 61.00 E	100.00	599.93	4.94 N 6.81 E	-7.22	8.41	N 54.08 E	0.7
700.00	0.75	N 57.00 E	100.00	699.93	5.61 N 7.94 E	-8.28	9.72	N 54.74 E	0.05
800.00	1.00	N 64.00 E	100.00	799.91	6.35 N 9.27 E	-9.49	11.23	N 55.59 E	0.27
900.00	0.50	N 62.00 E	100.00	899.91	6.94 N 10.44 E	-10.49	12.53	N 56.39 E	0.50
1000.00	0.50	N 65.00 E	100.00	999.90	7.33 N 11.22 E	-11.15	13.40	N 56.86 E	0.03
1100.00	0.75	N 66.00 E	100.00	1099.90	7.78 N 12.21 E	-11.96	14.48	N 57.51 E	0.25
1200.00	0.50	N 67.00 E	100.00	1199.89	8.21 N 13.21 E	-12.75	15.56	N 58.13 E	0.27
1300.00	1.00	N 80.00 E	100.00	1299.88	8.54 N 14.47 E	-13.55	16.80	N 59.47 E	0.5
1400.00	0.75	N 70.00 E	100.00	1399.87	8.91 N 15.95 E	-14.47	18.27	N 60.81 E	0.2
1500.00	0.75	S 87.00 E	100.00	1499.86	9.10 N 17.22 E	-15.15	19.47	N 62.14 E	0.30
1600.00	0.75	S 66.00 E	100.00	1599.85	8.80 N 18.47 E	-15.36	20.46	N 64.52 E	0.27
1700.00	0.75	S 67.00 E	100.00	1699.84	8.28 N 19.67 E	-15.36	21.34	N 67.17 E	0.01
1800.00	0.75	S 84.00 E	100.00	1799.84	7.95 N 20.92 E	-15.55	22.38	N 69.18 E	0.22
1900.00	0.50	S 77.00 E	100.00	1899.83	7.79 N 22.00 E	-15.82	23.33	N 70.51 E	0.26
2000.00	0.50	S 39.00 E	100.00	1999.83	7.35 N 22.70 E	-15.70	23.86	N 72.06 E	0.3
2100.00	0.50	S 45.00 E	100.00	2099.82	6.70 N 23.28 E	-15.33	24.22	N 73.94 E	0.05
2200.00	0.75	S 76.00 E	100.00	2199.82	6.24 N 24.22 E	-15.27	25.01	N 75.56 E	0.41
2300.00	0.75	S 87.00 E	100.00	2299.81	6.04 N 25.51 E	-15.60	26.22	N 76.67 E	0.14
2400.00	1.00	N 87.00 E	100.00	2399.80	6.05 N 27.04 E	-16.22	27.71	N 77.38 E	0.27
2500.00	1.00	N 83.00 E	100.00	2499.78	6.21 N 28.77 E	-17.04	29.44	N 77.83 E	0.07
2600.00	1.00	N 86.00 E	100.00	2599.77	6.37 N 30.51 E	-17.88	31.17	N 78.20 E	0.05
2700.00	1.00	N 82.00 E	100.00	2699.75	6.56 N 32.25 E	-18.73	32.91	N 78.51 E	0.07
2800.00	1.00	N 88.00 E	100.00	2799.74	6.71 N 33.98 E	-19.55	34.64	N 78.83 E	0.10
2900.00	0.75	N 87.00 E	100.00	2899.72	6.77 N 35.51 E	-20.21	36.15	N 79.20 E	0.25
3000.00	1.00	N 75.00 E	100.00	2999.71	7.03 N 37.00 E	-21.04	37.67	N 79.24 E	0.31
3100.00	1.75	N 75.00 E	100.00	3099.68	7.65 N 39.32 E	-22.52	40.06	N 78.99 E	0.71

Survey Ref: Well Head Closure Ref: Well Head
 Tue Sep 20 1994 17:07:57

Vert Sect Ref: Well Head
 File: gecko261.dat

D.I.G., INC.

GECKO, INCORPORATED
GECKO STATE 26 #1
LEA COUNTY, NEW MEXICO

Calculated by Minimum Curvature Method
Vert Sect Plane: S 23.20 W

- RECORD OF SURVEY -

MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)		VERTICAL SECTION (FT)	C L O S U R E DISTANCE (FT)		DOGLE SEVERI (DG/100)
6500.00	0.25	S 50.00 W	100.00	6499.34	2.41 S	52.50 E	-18.47	52.55	S 87.37 E	0.1
6600.00	0.25	S 65.00 W	100.00	6599.34	2.64 S	52.13 E	-18.11	52.20	S 87.10 E	0.0
6700.00	0.25	S 42.00 W	100.00	6699.34	2.90 S	51.79 E	-17.74	51.87	S 86.80 E	0.1
6800.00	0.25	S 71.00 W	100.00	6799.34	3.13 S	51.44 E	-17.39	51.53	S 86.52 E	0.13
6900.00	0.00	S 0.00 E	100.00	6899.34	3.20 S	51.23 E	-17.24	51.33	S 86.42 E	0.25
7000.00	0.25	N 58.00 W	100.00	6999.34	3.09 S	51.05 E	-17.27	51.14	S 86.54 E	0.25
7100.00	0.25	N 41.00 W	100.00	7099.34	2.80 S	50.72 E	-17.40	50.80	S 86.83 E	0.07
7200.00	0.50	N 36.00 W	100.00	7199.33	2.29 S	50.32 E	-17.72	50.37	S 87.40 E	0.27
7300.00	0.50	N 43.00 W	100.00	7299.33	1.62 S	49.76 E	-18.12	49.79	S 88.14 E	0.01
7400.00	0.50	N 49.00 W	100.00	7399.33	1.01 S	49.14 E	-18.43	49.15	S 88.82 E	0.0
7500.00	0.75	N 42.00 W	100.00	7499.32	0.24 S	48.37 E	-18.84	48.37	S 89.72 E	0.1
7600.00	1.00	N 53.00 W	100.00	7599.31	0.77 N	47.24 E	-19.32	47.24	N 89.06 E	0.30
7700.00	1.00	N 45.00 W	100.00	7699.29	1.92 N	45.92 E	-19.85	45.96	N 87.61 E	0.14
7800.00	1.00	N 47.00 W	100.00	7799.28	3.13 N	44.67 E	-20.47	44.78	N 85.99 E	0.03
7900.00	1.00	N 45.00 W	100.00	7899.26	4.34 N	43.41 E	-21.09	43.63	N 84.29 E	0.03
8000.00	1.25	N 33.00 W	100.00	7999.24	5.87 N	42.20 E	-22.02	42.61	N 82.08 E	0.34
8100.00	1.50	N 33.00 W	100.00	8099.22	7.89 N	40.89 E	-23.36	41.65	N 79.09 E	0.25
8200.00	1.50	N 37.00 W	100.00	8199.18	10.03 N	39.39 E	-24.74	40.65	N 75.72 E	0.10
8300.00	1.50	N 35.00 W	100.00	8299.15	12.15 N	37.85 E	-26.08	39.75	N 72.21 E	0.05
8400.00	1.75	N 38.00 W	100.00	8399.11	14.42 N	36.16 E	-27.50	38.93	N 68.26 E	0.26
8500.00	1.75	N 42.00 W	100.00	8499.06	16.76 N	34.20 E	-28.88	38.09	N 63.89 E	0.12
8600.00	1.75	N 56.00 W	100.00	8599.01	18.75 N	31.91 E	-29.80	37.01	N 59.57 E	0.43
8700.00	1.75	N 54.00 W	100.00	8698.97	20.50 N	29.41 E	-30.43	35.85	N 55.13 E	0.06
8800.00	1.75	N 55.00 W	100.00	8798.92	22.27 N	26.93 E	-31.08	34.94	N 50.40 E	0.07
8900.00	2.00	N 45.00 W	100.00	8898.87	24.38 N	24.44 E	-32.04	34.52	N 45.07 E	0.4
9000.00	2.50	N 47.00 W	100.00	8998.79	27.10 N	21.61 E	-33.43	34.67	N 38.57 E	0.51
9100.00	3.00	N 56.00 W	100.00	9098.67	30.05 N	17.85 E	-34.65	34.95	N 30.70 E	0.66
9200.00	3.00	N 52.00 W	100.00	9198.54	33.13 N	13.62 E	-35.81	35.82	N 22.34 E	0.21
9211.00	3.25	S 84.00 W	11.00	9209.52	33.27 N	13.08 E	-35.73	35.75	N 21.46 E	21.38
9304.00	4.00	S 47.00 W	93.00	9302.35	30.78 N	8.08 E	-31.48	31.83	N 14.71 E	2.59
9397.00	3.00	S 49.00 W	93.00	9395.17	26.98 N	3.88 E	-26.32	27.25	N 8.18 E	1.08
9490.00	3.00	S 45.00 W	93.00	9488.05	23.66 N	0.32 E	-21.87	23.66	N 0.77 E	0.27
9584.00	3.25	S 33.00 W	94.00	9581.91	19.68 N	2.87 W	-16.96	19.89	N 8.30 W	0.74

D.I.G., INC.

GECKO, INCORPORATED
GECKO STATE 26 #1
LEA COUNTY, NEW MEXICO

Calculated by Minimum Curvature Method
Vert Sect Plane: S 23.20 W

- RECORD OF SURVEY -

MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)		VERTICAL SECTION (FT)	C L O S U R E DISTANCE DIRECTION (FT) (DEG)		DOGLE SEVERITY (DG/100')
3200.00	1.75	N 78.00 E	100.00	3199.64	8.37 N	42.29 E	-24.35	43.11	N 78.81 E	0.09
3300.00	1.75	N 87.00 E	100.00	3299.59	8.76 N	45.31 E	-25.90	46.15	N 79.05 E	0.27
3400.00	1.75	N 86.00 E	100.00	3399.54	8.95 N	48.36 E	-27.28	49.18	N 79.51 E	0.0
3500.00	1.50	N 88.00 E	100.00	3499.50	9.10 N	51.19 E	-23.53	51.99	N 79.92 E	0.2
3600.00	1.50	S 83.00 E	100.00	3599.47	8.99 N	53.79 E	-29.45	54.54	N 80.51 E	0.2
3700.00	1.25	S 69.00 E	100.00	3699.44	8.44 N	56.11 E	-29.86	56.74	N 81.45 E	0.42
3800.00	1.00	S 53.00 E	100.00	3799.42	7.52 N	57.83 E	-29.69	58.31	N 82.59 E	0.40
3900.00	1.00	S 46.00 E	100.00	3899.41	6.39 N	59.15 E	-29.18	59.50	N 83.83 E	0.12
4000.00	1.00	S 26.00 E	100.00	3999.39	5.00 N	60.16 E	-23.30	60.37	N 85.25 E	0.35
4100.00	0.75	S 14.00 E	100.00	4099.38	3.58 N	60.70 E	-27.20	60.81	N 86.62 E	0.31
4200.00	0.50	S 1.00 E	100.00	4199.37	2.51 N	60.87 E	-26.29	60.92	N 87.64 E	0.29
4300.00	0.50	S 2.00 E	100.00	4299.37	1.64 N	60.89 E	-25.49	60.91	N 88.46 E	0.01
4400.00	0.25	S 43.00 W	100.00	4399.37	1.04 N	60.76 E	-24.89	60.77	N 89.02 E	0.37
4500.00	0.25	S 68.00 W	100.00	4499.37	0.80 N	60.41 E	-24.53	60.41	N 89.24 E	0.11
4600.00	0.25	S 71.00 W	100.00	4599.36	0.65 N	60.00 E	-24.23	60.00	N 89.38 E	0.01
4700.00	0.25	S 76.00 W	100.00	4699.36	0.52 N	59.58 E	-23.95	59.58	N 89.50 E	0.0
4800.00	0.25	S 69.00 W	100.00	4799.36	0.39 N	59.17 E	-23.67	59.17	N 89.62 E	0.03
4900.00	0.25	S 60.00 W	100.00	4899.36	0.21 N	58.77 E	-23.34	58.77	N 89.80 E	0.04
5000.00	0.50	S 62.00 W	100.00	4999.36	0.11 S	58.20 E	-22.83	58.20	S 89.89 E	0.25
5100.00	0.50	S 50.00 W	100.00	5099.36	0.59 S	57.48 E	-22.10	57.48	S 89.41 E	0.10
5200.00	0.25	S 54.00 W	100.00	5199.35	1.00 S	56.97 E	-21.52	56.98	S 88.99 E	0.25
5300.00	0.25	S 57.00 W	100.00	5299.35	1.25 S	56.61 E	-21.15	56.62	S 88.74 E	0.01
5400.00	0.25	S 83.00 W	100.00	5399.35	1.40 S	56.21 E	-20.86	56.23	S 88.58 E	0.11
5500.00	0.50	S 83.00 W	100.00	5499.35	1.47 S	55.56 E	-20.53	55.58	S 88.48 E	0.25
5600.00	0.25	S 75.00 W	100.00	5599.35	1.58 S	54.92 E	-20.18	54.94	S 88.35 E	0.2
5700.00	0.25	S 87.00 W	100.00	5699.35	1.65 S	54.49 E	-19.95	54.51	S 88.26 E	0.05
5800.00	0.25	S 75.00 W	100.00	5799.35	1.72 S	54.06 E	-19.71	54.09	S 88.18 E	0.05
5900.00	0.25	S 78.00 W	100.00	5899.34	1.82 S	53.63 E	-19.45	53.67	S 88.05 E	0.01
6000.00	0.25	S 51.00 W	100.00	5999.34	2.00 S	53.25 E	-19.14	53.29	S 87.84 E	0.17
6100.00	0.00	S 0.00 E	100.00	6099.34	2.14 S	53.08 E	-18.94	53.13	S 87.69 E	0.25
6200.00	0.00	S 0.00 E	100.00	6199.34	2.14 S	53.08 E	-18.94	53.13	S 87.69 E	0.00
6300.00	0.25	S 73.00 W	100.00	6299.34	2.21 S	52.87 E	-18.80	52.92	S 87.61 E	0.25
6400.00	0.00	S 0.00 E	100.00	6399.34	2.27 S	52.66 E	-18.66	52.71	S 87.53 E	0.25

D.I.G., INC.

GECKO, INCORPORATED
GECKO STATE 26 #1
LEA COUNTY, NEW MEXICO

Calculated by Minimum Curvature Method
Vert Sect Plane: S 23.20 W

- RECORD OF SURVEY -

MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)		VERTICAL SECTION (FT)	C L O S U R E DISTANCE (FT)		DOGLE SEVERI (DG/100)
6500.00	0.25	S 50.00 W	100.00	6499.34	2.41 S	52.50 E	-18.47	52.55	S 87.37 E	0.2
6600.00	0.25	S 65.00 W	100.00	6599.34	2.64 S	52.13 E	-18.11	52.20	S 87.10 E	0.0
6700.00	0.25	S 42.00 W	100.00	6699.34	2.90 S	51.79 E	-17.74	51.87	S 86.80 E	0.1
6800.00	0.25	S 71.00 W	100.00	6799.34	3.13 S	51.44 E	-17.39	51.53	S 86.52 E	0.13
6900.00	0.00	S 0.00 E	100.00	6899.34	3.20 S	51.23 E	-17.24	51.33	S 86.42 E	0.25
7000.00	0.25	N 58.00 W	100.00	6999.34	3.09 S	51.05 E	-17.27	51.14	S 86.54 E	0.25
7100.00	0.25	N 41.00 W	100.00	7099.34	2.80 S	50.72 E	-17.40	50.80	S 86.83 E	0.07
7200.00	0.50	N 36.00 W	100.00	7199.33	2.29 S	50.32 E	-17.72	50.37	S 87.40 E	0.2
7300.00	0.50	N 43.00 W	100.00	7299.33	1.62 S	49.76 E	-18.12	49.79	S 88.14 E	0.0
7400.00	0.50	N 49.00 W	100.00	7399.33	1.01 S	49.14 E	-18.43	49.15	S 88.82 E	0.0
7500.00	0.75	N 42.00 W	100.00	7499.32	0.24 S	48.37 E	-18.84	48.37	S 89.72 E	0.1
7600.00	1.00	N 53.00 W	100.00	7599.31	0.77 N	47.24 E	-19.32	47.24	N 89.06 E	0.30
7700.00	1.00	N 45.00 W	100.00	7699.29	1.92 N	45.92 E	-19.85	45.96	N 87.61 E	0.14
7800.00	1.00	N 47.00 W	100.00	7799.28	3.13 N	44.67 E	-20.47	44.78	N 85.99 E	0.03
7900.00	1.00	N 45.00 W	100.00	7899.26	4.34 N	43.41 E	-21.09	43.63	N 84.29 E	0.03
8000.00	1.25	N 33.00 W	100.00	7999.24	5.87 N	42.20 E	-22.02	42.61	N 82.08 E	0.34
8100.00	1.50	N 33.00 W	100.00	8099.22	7.89 N	40.89 E	-23.36	41.65	N 79.09 E	0.25
8200.00	1.50	N 37.00 W	100.00	8199.18	10.03 N	39.39 E	-24.74	40.65	N 75.72 E	0.10
8300.00	1.50	N 35.00 W	100.00	8299.15	12.15 N	37.85 E	-26.08	39.75	N 72.21 E	0.05
8400.00	1.75	N 38.00 W	100.00	8399.11	14.42 N	36.16 E	-27.50	38.93	N 68.26 E	0.26
8500.00	1.75	N 42.00 W	100.00	8499.06	16.76 N	34.20 E	-28.88	38.09	N 63.89 E	0.12
8600.00	1.75	N 56.00 W	100.00	8599.01	18.75 N	31.91 E	-29.80	37.01	N 59.57 E	0.43
8700.00	1.75	N 54.00 W	100.00	8698.97	20.50 N	29.41 E	-30.43	35.85	N 55.13 E	0.06
8800.00	1.75	N 55.00 W	100.00	8798.92	22.27 N	26.93 E	-31.08	34.94	N 50.40 E	0.07
8900.00	2.00	N 45.00 W	100.00	8898.87	24.38 N	24.44 E	-32.04	34.52	N 45.07 E	0.4
9000.00	2.50	N 47.00 W	100.00	8998.79	27.10 N	21.61 E	-33.43	34.67	N 38.57 E	0.51
9100.00	3.00	N 56.00 W	100.00	9098.67	30.05 N	17.85 E	-34.65	34.95	N 30.70 E	0.66
9200.00	3.00	N 52.00 W	100.00	9198.54	33.13 N	13.62 E	-35.81	35.82	N 22.34 E	0.21
9211.00	3.25	S 84.00 W	11.00	9209.52	33.27 N	13.08 E	-35.73	35.75	N 21.46 E	21.38
9304.00	4.00	S 47.00 W	93.00	9302.35	30.78 N	8.08 E	-31.48	31.83	N 14.71 E	2.59
9397.00	3.00	S 49.00 W	93.00	9395.17	26.98 N	3.88 E	-26.32	27.25	N 8.18 E	1.08
9490.00	3.00	S 45.00 W	93.00	9488.05	23.66 N	0.32 E	-21.87	23.66	N 0.77 E	0.27
9584.00	3.25	S 33.00 W	94.00	9581.91	19.68 N	2.87 W	-15.96	19.89	N 8.30 W	0.74

D.I.G., INC.


GECKO, INCORPORATED
GECKO STATE 26 #1
LEA COUNTY, NEW MEXICO

Calculated by Minimum Curvature Method
Vert Sect Plane: S 23.20 W

- RECORD OF SURVEY -

MEASURED DEPTH (FT)	INCL ANGLE (DEG)	D R I F T DIRECTION (DEG)	COURSE LENGTH (FT)	TRUE VERTICAL DEPTH	T O T A L RECTANGULAR COORDINATES (FT)		VERTICAL SECTION (FT)	C L O S U R E DISTANCE (FT)		DOGLE DIRECTION (DEG)	SEVERITY (DG/100')
9677.00	3.00	S 35.00 W	93.00	9674.77	15.48 N	5.70 W	-11.98	16.50	N 20.23 W	0.29	
9770.00	3.00	S 39.00 W	93.00	9767.64	11.60 N	8.63 W	-7.26	14.46	N 36.66 W	0.23	
9863.00	3.00	S 39.00 W	93.00	9860.51	7.81 N	11.69 W	-2.57	14.06	N 56.25 W	0.00	
9956.00	3.00	S 36.00 W	93.00	9953.39	3.95 N	14.66 W	2.14	15.18	N 74.91 W	0.17	
10049.00	3.25	S 43.00 W	93.00	10046.25	0.06 N	17.88 W	6.99	17.88	N 89.82 W	0.49	
10142.00	2.75	S 55.00 W	93.00	10139.12	3.15 S	21.51 W	11.37	21.74	S 81.66 W	0.86	
10235.00	2.50	S 43.00 W	93.00	10232.02	5.92 S	24.72 W	15.18	25.42	S 76.54 W	0.65	
10328.00	2.25	S 45.00 E	93.00	10324.97	8.69 S	24.81 W	17.76	26.29	S 70.70 W	3.55	
10421.00	2.00	S 41.00 E	93.00	10417.91	11.21 S	22.46 W	19.15	25.10	S 63.48 W	0.31	
10514.00	1.75	S 31.00 E	93.00	10510.86	13.65 S	20.66 W	20.68	24.76	S 56.55 W	0.44	
10608.00	1.75	S 26.00 E	94.00	10604.81	16.17 S	19.29 W	22.46	25.17	S 50.04 W	0.16	
10701.00	1.75	S 22.00 E	93.00	10697.77	18.76 S	18.14 W	24.39	26.10	S 44.03 W	0.13	
10794.00	2.00	S 12.00 E	93.00	10790.72	21.67 S	17.27 W	26.72	27.71	S 38.56 W	0.44	
10887.00	1.50	S 4.00 W	93.00	10883.68	24.47 S	17.02 W	29.19	29.80	S 34.82 W	0.75	
10980.00	2.75	S 15.00 W	93.00	10976.61	27.84 S	17.68 W	32.55	32.98	S 32.42 W	1.4	
11073.00	2.00	S 39.00 W	93.00	11069.53	31.25 S	19.28 W	36.32	36.72	S 31.67 W	1.32	
11166.00	1.25	S 51.00 W	93.00	11162.50	33.15 S	21.09 W	38.78	39.29	S 32.46 W	0.88	
11259.00	2.00	S 48.00 W	93.00	11255.46	34.88 S	23.08 W	41.15	41.82	S 33.50 W	0.81	
11352.00	1.75	S 34.00 W	93.00	11348.41	37.14 S	25.08 W	44.02	44.82	S 34.03 W	0.56	
11445.00	1.50	S 35.00 W	93.00	11441.37	39.31 S	26.57 W	46.60	47.45	S 34.06 W	0.27	
11539.00	1.75	S 31.00 W	94.00	11535.33	41.55 S	28.02 W	49.23	50.12	S 33.99 W	0.29	
11632.00	2.50	S 38.00 W	93.00	11628.27	44.37 S	30.00 W	52.60	53.56	S 34.07 W	0.81	
11725.00	2.50	S 45.00 W	93.00	11721.18	47.40 S	32.68 W	56.44	57.58	S 34.59 W	0.37	
11756.00	2.50	S 45.00 W	31.00	11752.15	48.36 S	33.64 W	57.70	58.91	S 34.82 W	0.00	

GECKO, INCORPORATED
GECKO STATE 26 #1
LEA COUNTY, NEW MEXICO



HORIZONTAL PLAN
SCALE: 20 FEET/DIVISION

