APPROVED BY ___

State of New Mexico

Form C-103

to Appropriate	English & Financia & Matural Decourage Department	Revised 1-1-89		
District Office	Energy, Minerals & Natural Resources Department	1107		
DISTRICT	OIL CONSERVATION DIVISION	WELL API NO.		
<u>DISTRICT I</u> P. O. Box 1980, Hobbs, NM 88240		30-025-33083		
	P. O. Box 2088	5. Indicate Type of Lease		
DISTRICT II P. O. Drawer DD, Artesia, NM 88210	Santa Fe, NM 87504-2088	STATE, FEE		
P. O. Drawer DD, Artesia, NW 86210		6. State Oil & Gas Lease No.		
DISTRICT III		B-2148		
1000 Rio Brazos Rd., Aztec, NM 87410	TICES AND REPORTS ON WELLS			
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A		7. Lease Name or Unit Agreement Name		
DIFFERENT RES (FORM	ERVOIR, USE "APPLICATION FOR PERMIT" M C-101) FOR SUCH PROPOSALS.)	Caprock Maljamar Unit		
1 Type of Well:				
OIL GAS WELL WELL	OTHER			
		8. Well No.		
2. Name of Operator The Wiser Oil Company		175		
The Wiser Oil Company 3. Address of Operator		9. Pool name or Wildcat		
P.O. Box 2568 Hobbs,	New Mexico 88241 (505) 392-9797	Maljamar Grayburg San Andres		
4. Well Location	THE TAXABLE COLLIE (COL) TO THE			

Unit Letter D : 1	302 Feet From The North Line and 1367	Feet From The West ine		
		T		
Section 19	Township 17S Range 33E	NMPM Lea County		
	10. Elevation (Show whether DF, RKB, RT, GR, etc.)			
	4105' GR			
	heck Appropriate Box to Indicate Nature of Notice,	Report, or Other Data		
NOTICE OF I	NTENTION TO SUB	SEQUENT REPORT OF:		
	PILIG AND ABANDON REMEDIAL WORK	ALTERING CASING		
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING —		
TEMPORARILY ABANDON	CHANGE PLANS COMMENCE DRILLIN	IG OPNS. PLUG AND ABANDONMENT		
PULL OR ALTER CASING	CASING TEST AND CI	MENT JOB		
OTHER:	OTHER: Return to	production		
OTHER:	OTHER: Return to	production		
OTHER: 12. Describe Proposed or Completed Complete Compl		production		
12. Describe Proposed or Completed Cowork) SEE RULE 1103.	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent details)	production ates, including estimated date of starting any proposed		
12. Describe Proposed or Completed Cowork) SEE RULE 1103.	OTHER: Return to	production ates, including estimated date of starting any proposed		
12. Describe Proposed or Completed Cowork) SEE RULE 1103.5/04/01 MIRU Tyler Well Service	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent	production ates, including estimated date of starting any proposed		
 12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Services 5/07/01 RIH w/4-5/8" impression 	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent details)	production ates, including estimated date of starting any proposed S. Slight impression of 3/4" rod body break.		
 12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Services 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w 	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	production ates, including estimated date of starting any proposed. Slight impression of 3/4" rod body break. tbg. to 3500'.		
 12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Services 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w 	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	production ates, including estimated date of starting any propose. Slight impression of 3/4" rod body break. tbg. to 3500'.		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w 5/08/01 RIH w/3500' to 3891'. w/tbg. DC's & wash pij	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	production ates, including estimated date of starting any propose. Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w 5/08/01 RIH w/3500' to 3891'. w/tbg. DC's & wash pip	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	production ates, including estimated date of starting any propose. Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w 5/08/01 RIH w/3500' to 3891'. w/tbg. DC's & wash pip	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	production ates, including estimated date of starting any propose. Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w/5/08/01 RIH w/3500' to 3891'. w/tbg. DC's & wash pip 5/09/01 RIH w/overshot, bumpe 2-7/8" tbg. to 3935'. Completed Coworks and the complete Compl	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	s. Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH ed up 6'. POH w/tbg. & tools. RIH w/tools &		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w/4-5/8 RIH w/3500' to 3891'. w/tbg. DC's & wash pip 5/09/01 RIH w/overshot, bumpe 2-7/8" tbg. to 3935'. Completed Cowork Proposed Service Service Service Proposed Service Service Proposed Service Propo	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	Slight impression of 3/4" rod body break. Slight of 3500'. Washed over to 3933', fell to 3935'. POH ed up 6'. POH w/tbg. & tools. RIH w/tools & dashed over fish to 3947'. POH w/2-7/8" tbg.,		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w/4-5/8 RIH w/3500' to 3891'. w/tbg. DC's & wash pip 5/09/01 RIH w/overshot, bumpe 2-7/8" tbg. to 3935'. Completed Cowork Proposed Service See See See RULE 1103.	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	Slight impression of 3/4" rod body break. Slight of 3500'. Washed over to 3933', fell to 3935'. POH ed up 6'. POH w/tbg. & tools. RIH w/tools & dashed over fish to 3947'. POH w/2-7/8" tbg.,		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w/5/08/01 RIH w/3500' to 3891'. w/tbg. DC's & wash pip 5/09/01 RIH w/overshot, bumpe 2-7/8" tbg. to 3935'. C 5/10/01 RIH w/4-1/2" cutrite sh DC's, wash pipe & sho	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH ed up 6'. POH w/tbg. & tools. RIH w/tools & /ashed over fish to 3947'. POH w/2-7/8" tbg., 3/4" rod. LD shoe & fish.		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w/10/2 RIH w/3500' to 3891'. w/tbg. DC's & wash pip 5/09/01 RIH w/000 to 3935'. Complete Strain	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH ed up 6'. POH w/tbg. & tools. RIH w/tools & /ashed over fish to 3947'. POH w/2-7/8" tbg., 3/4" rod. LD shoe & fish.		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w/4-5/8 and RIH w/3500' to 3891'. w/tbg. DC's & wash pip 5/09/01 RIH w/overshot, bumpe 2-7/8" tbg. to 3935'. Complete Signal State of Signal Right W/4-1/2" cutrite shoc's, wash pipe & shock the state of the state	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH ed up 6'. POH w/tbg. & tools. RIH w/tools & //ashed over fish to 3947'. POH w/2-7/8" tbg., 3/4" rod. LD shoe & fish.		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w/5/08/01 RIH w/3500' to 3891'. w/tbg. DC's & wash pip 5/09/01 RIH w/overshot, bumpe 2-7/8" tbg. to 3935'. C 5/10/01 RIH w/4-1/2" cutrite shoe, wash pipe & shoes to shoe wash pipe & shoes the property of the shoe, wash pipe & shoes the property of the prope	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH ed up 6'. POH w/tbg. & tools. RIH w/tools & dayshed over fish to 3947'. POH w/2-7/8" tbg., a 3/4" rod. LD shoe & fish. to 3953.5'. POH to 4000'.		
12. Describe Proposed or Completed Cowork) SEE RULE 1103. 5/04/01 MIRU Tyler Well Service 5/07/01 RIH w/4-5/8" impression RU reverse unit. RIH w/10/2 RIH w/3500' to 3891'. w/tbg. DC's & wash pip 5/09/01 RIH w/000 to 3935'. Complete Strain	OTHER: Return to Operations (Clearly state all pertinent details, and give pertinent d	Slight impression of 3/4" rod body break. tbg. to 3500'. Washed over to 3933', fell to 3935'. POH ed up 6'. POH w/tbg. & tools. RIH w/tools & dashed over fish to 3947'. POH w/2-7/8" tbg., a 3/4" rod. LD shoe & fish. to 3953.5'. POH to 4000'.		

TITLE _____

Submit 3 Copies to Appropriate District Office	State of New Mexico Energy, Minerals & Natural Resources Department	Form C-103 Revised 1-1-89		
DISTRICT I P. O. Box 1980, Hobbs, NM 88240	OIL CONSERVATION DIVISION P. O. Box 2088	WELL API NO. 30-025-33083 5. Indicate Type of Lease		
DISTRICT II P. O. Drawer DD, Artesia, NM 88210	Santa Fe, NM 87504-2088	STATE STATE FEE 6. State Oil & Gas Lease No.		
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410	TIOTO AND DEPODITE ON WELL C	B-2148		
(DO NOT USE THIS FORM FOR I DIFFERENT RES (FOR)	PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A SERVOIR, USE "APPLICATION FOR PERMIT" M C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name Caprock Maljamar Unit		
1 Type of Well: OIL GAS WELL WELL	OTHER			
2. Name of Operator The Wiser Oil Company		8. Well No. 175		
3. Address of Operator P.O. Box 2568 Hobbs, New Mexico 88241 (505) 392-9797		9. Pool name or Wildcat Maljamar Grayburg San Andres		
4. Well Location Unit Letter :	1302 Feet From The North Line and 1367	Feet From The West ine		
10	17C p. 22E	ALLED L. County		
Section 19	Township 17S Range 33E 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR	NMPM Lea County		
11. C	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR heck Appropriate Box to Indicate Nature of Notice, R.			
11. C	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR heck Appropriate Box to Indicate Nature of Notice, R	eport, or Other Data		
11. C NOTICE OF I	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR heck Appropriate Box to Indicate Nature of Notice, R NTENTION TO SUBS	eport, or Other Data SEQUENT REPORT OF: ALTERING CASING		
NOTICE OF I	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR heck Appropriate Box to Indicate Nature of Notice, R NTENTION TO SUBS	eport, or Other Data SEQUENT REPORT OF: ALTERING CASING OPNS. PLUG AND ABANDONMENT		
PULL OR ALTER CASING OTHER:	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR heck Appropriate Box to Indicate Nature of Notice, R NTENTION TO SUBS PLUG AND ABANDON CHANGE PLANS CASING TEST AND CEM OTHER: Return to pr	eport, or Other Data SEQUENT REPORT OF: ALTERING CASING OPNS. PLUG AND ABANDONMENT MENT JOB Toduction		
PULL OR ALTER CASING OTHER:	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR heck Appropriate Box to Indicate Nature of Notice, R NTENTION TO PLUG AND ABANDON CHANGE PLANS CASING TEST AND CEM	eport, or Other Data SEQUENT REPORT OF: ALTERING CASING OPNS. PLUG AND ABANDONMENT MENT JOB Toduction		
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 12. Describe Proposed or Completed (10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR heck Appropriate Box to Indicate Nature of Notice, R NTENTION TO SUBS PLUG AND ABANDON CHANGE PLANS CASING TEST AND CEM OTHER: Return to pr	eport, or Other Data SEQUENT REPORT OF: ALTERING CASING OPNS. PLUG AND ABANDONMENT MENT JOB Toduction		
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 12. Describe Proposed or Completed Complet	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4105' GR heck Appropriate Box to Indicate Nature of Notice, R NTENTION TO PLUG AND ABANDON CHANGE PLANS CASING TEST AND CEM OTHER: Return to pr Operations (Clearly state all pertinent details, and give pertinent data	eport, or Other Data SEQUENT REPORT OF: ALTERING CASING OPNS. PLUG AND ABANDONMENT MENT JOB Toduction es, including estimated date of starting any proposed 'tbg. LD DC's, wash pipe & shoe. Fish was		

I hereby certify that the information above is true and complete to the best of my knowledge and belief.							
SIGNATURE Mary Jo Turner TYPE OR PRINT NAME Mary Jo Turner	TITLE	Production Tech II TELI	DATE September EPHONE NO. 392-9797	14, 1999			
(This space for State Use)							
APPROVED BY	TITLE		DATE				

