

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-33302

5. Indicate Type of Lease

STATE ☐

FED ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Burnett-Fort

8. Well No.

1

9. Pool name or Wildcat

SE Denton (Penn)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil
WELL ☐

Gas
WELL ☐

OTHER

2. Name of Operator

TMBR/Sharp Drilling, Inc.

3. Address of Operator

P. O. Drawer 10970, Midland, TX 79702

4. Well Location

Unit Letter N : 660 Feet From The South Line and 2310 Feet From The West

Section 9

Township 15S

Range 37E

NMPM Lea

Co:

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3813'

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDON ☐

CASING TEST AND CEMENT JOB ☒

OTHER: Plug & Abandon

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

See attached.

Approved as to plugging of the Well Bore.
Liability under this report is retained until
surface restoration is completed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Production Manager

DATE 5/16/96

TYPE OR PRINT NAME

Jeff Phillips

(915) 699-5050

TELEPHONE NO.

(This space for State Use)

GARY W. WINK
OC FIELD REPRESENTATIVE II/STAFF MANAGER

JAN 23 2003

TMBR/SHARP DRILLING, INC.

Burnett-Fort No. 1

2310' FWL & 660' FSL

Sec. 9, T-15S, R-37E

Lea County, NM

TMBR/Sharp Rig #24

DRILLING

Spud: 03/19/96

PTD: 12,200' (Strawn)

Csg: 13-3/8" @ 419'

8-5/8" @ 4609'

03/19/96 Spudded 17-1/2" hole @ 6:00 PM. Ran 9 jts (424') 13-3/8" 48# H-40 ST&C 8rd csg & set @ 419'. Cmt w/400 sx PBCZ + 1/4#/sk Flocele mixed @ 13.5 ppg, 1.62 cu.ft./sx yield. PD @ 5:30 AM 03/20/96. Circ 25 sx.

03/26/96 Ran 108 jts (4626') 8-5/8" 32#J-55 & FS-80 STC & LTC 8rd csg & set @ 4609'. Cmt w/ Lead: 870 sx Filler 1 + 1/4#/sk Flocele mixed @ 11.4 ppg, 2.82 cu.ft./sx yield, Tail: 300 sx Premium Plus + 2% CaCl + 1/4 #/sx Flocele mixed at 14.8 ppg 1.32 cu.ft./sx yield. PD @ 8:30 PM 03/26/96. Circ 95 sx to reserve.

04/20/96 TD 12,120'.

04/24/96 Set the following plugs:

Plug #1: 12,120-12,000' (120') 40 sx CI "H"

Plug #2: 10,980-10,851' (129') 40 sx CI "H"

Plug #3: 8,340- 8,240' (100') 40 sx CI "H"

Plug #4: 6,388- 6,288' (100') 40 sx CI "H"

Plug #5: 4,560- 4,660' (100') 65 sx CI "H" Tagged

Plug #6: 2,168- 2,068' (100') 50 sx CI "H"

Plug #7: 10- Surface 10 sx CI "H"

Rig released 12:01 AM 04/25/96. Well P&A'd.

