

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-33636
5. Indicate Type of Lease STATE ☐ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: "SV" Double Eagle
8. Well No. #1
9. Pool name or Wildcat Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
Concho Oil & Gas, Corp.

3. Address of Operator
110 W. Louisiana, Ste 410 Midland, TX 79701

4. Well Location
Unit Letter G : 1500 feet from the North line and 2148 feet from the East line
Section 11 Township 16S Range 36E NMPM County Lea

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPLETION ☐	CASING TEST AND CEMENT JOB ☐	
OTHER: ☐		OTHER: ☐	

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

- MIRU, POH, LD rods & pump. NU BOP and POH w/ tbg.
- RIH open ended to 10,500', plug #1 - spot 25 sxs cmt f/ 10,500' - 10,400'. PUH to 7100' & plug #2 - spot 25 sx f/ 7100' - 7000'. POH.
- Perf 5-1/2" csg 4396'. RIH, plug #3 - spot 35 sxs f/ 4396' - 4296', tag . PUH to 1900', plug #4 - spot 25 sxs f/ 1900' - 1800'. PUH to 455', plug #5 - spot 25 sxs f/ 455' - 355'. POH, plug #6 - spot 10 sx surface.
- Cut off csg heads, weld on plate & install P&A marker.

NOTE: Use 12-1/2 ppg gelled brine to displace with. If 5-1/2" csg is pulled, place 50' in/50' out on csg stump. Continue setting plugs.

TAG
THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kim Stewart TITLE Regulatory Analyst DATE 11/19/02

Type or print name Kim Stewart Telephone No. 915/ 683-7443
(This space for State use)

APPROVED BY GARY W. WINK TITLE OFFICE REPRESENTATIVE II/STAFF MANAGER DATE NOV 22 2002
Conditions of approval, if any:

Concho Oil Co

P: A

"AV" Double Eagle #1

API # 30-025-33636

Unit G 1500 FNL 2148 FEL

Sec 11 T16S R36E

Lea, N.M.

Wildcat Pool Code
Wolfcamp 96625

mt 350x35
Circ

33 1/2" 48"
7 1/2 hole

405'

mt w/ 1780x35
Circ

5 1/2 32"
10 hole

4346'

TOC
6200'

7059'

TOC
9200'

2 stages

mt'd w/ 640
3x5

1/2 17 1/8"
7/8 hole

Cent. Retainer

CIBP

12,000

10,586-590 > 25PF 34 holes
10,600-613 > Wolfcamp

10,700' 592 ports w/ 50x35 H

10,720-734' 25PF 28 holes
Wolfcamp

11,535-571 > 15PF 22 holes
11,580-11,602 > Strawn
11,609-627

Tbg. Detail

2 7/8 MA

2 7/8 Port Sub

S.N.

12 1/2 2 7/8 tbg

TAC

272 1/2 2 7/8 tbg.

Rod Detail

117 1"

111 7/8"

128 3/4"

3 K-Bars

2 1/2 x 1 3/4 x 20 x 24 RHBM

Concho OSG

P&A

SV Double Eagle #1


API # 30-025-33636

Unit G 1500 FNL 2148 FEL

Sec II T16S R36E

Wildcat Pool Code
Wolfcamp 96625

Lea, N.M.



Tbg. Detail

2 7/8 MA
2 7/8 Port Sub
S.N.
12 + 2 7/8 tbg
TAC
272 + 2 7/8 tbg.

Rod Detail

117 1"
111 7/8"
128 3/4"
3 K-Bars
2 1/2 x 1 3/4 x 20 x 24 PHBM

Formation Tops

Anhy = 2070
Yates = 3236
7 Rivers = 3482
Queen = 4092
San Andres = 4738
Glorieta = 6430
Tubb = 7620
Abo = 8454
Wolfcamp = 9720
Cisred (Boughc) = 11,036
Canyon = 11,067
Strawn = 11,540
Atoka = 11,678