

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE \*  
(Other Instructions on  
reverse side)

Budget Bureau No. 1004-0135  
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT - " for such proposals.)

1. <input type="checkbox"/> OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water Injection <u>N.M. Oil Con</u>		5. LEASE DESIGNATION AND SERIAL NO. LC-064150	
2. NAME OF OPERATOR The Wiser Oil Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P.O. Box 2568 Hobbs, New Mexico 88241		7. UNIT AGREEMENT NAME Maljamar Grayburg Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1880' FNL & 2080' FWL Sec. 10-T17S-R32E Unit F		8. API WELL NO. 30-025-33874	
14. PERMIT NO		9. WELL NO. 155	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4159'		10. FIELD AND POOL, OR WILDCAT Maljamar Grayburg San Andres	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 10-T17S-R32E	
		12. COUNTY OR PARISH Lea	13. STATE NM

16. Check Appropriate Box to indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT * <input checked="" type="checkbox"/>

(Other) Perforate & Acidize

(Note: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS: (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

05/05/97 Halliburton perforated Grayburg/San Andres f/3895', 96', 97', 3903', 04', 08', 27', 34', 35', 36', 37', 38', 53', 54', 61', 82', 93', 94', 4017', 30', 31', 32', 55', 60', 74', 86', 87', 4110', 11' & 13' w/2 SPF (60 holes).

05/15/97 RIH w/5-1/2" R-4 pkr. on 2-3/8" tbg. to 3853'. HES displaced 15 bbls. down csg. Set pkr. @ 3853'. Acidized perms. 3895'-4113' w/4500 gals. 15% NE-FE acid & 66 ball sealers. Formation broke @ 2960#. ATP 3100# @ 2.75 bpm. MTP 3656# @ 4.6 bpm. Some ball action. ISIP 2570#. 5 min. 2419#. 10 min. 2280#. 15 min. 2175#. POH. LD tbg. & pkr.

05/16/97 RIH w/5-1/2" Howco perma-latch pkr., on-off tool w/1.5" profile nipple & 124 jts. 2-3/8" lined tbg. to 3837'. ND BOP & installed WH. Pumped pkr. fluid. Set pkr. & tested to 500#. Held ok. RDMO.

06/20/97 NU WH. Initial injection rate of 400 BWPD @ 250#.

11/12/97 Ran chart.

ACCEPTED FOR RECORD

DEC 20 1997

acs

18. I hereby certify that the foregoing is true and correct.


SIGNED Mary Jo Tunney TITLE Completion Department DATE November 14, 1997

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

\*See Instruction On Reverse Side

JCS



DAY

NIGHT

PRINTED IN U.S.A.

ALIBRATED  
**CHARTS**  
CATALOGUE

WIND DIRECTION  
WIND FORCE  
WAVE PERIOD

WAVE DIRECTION  
WAVE PERIOD  
WAVE FORCE

BR-2221  
B 0-1000-S

1941 DEC 19 P 12:31

U.S. NAVY  
ROSWELL OFFICE

The Wiser Oil Company  
Maltaner Greyburg Unit #155  
1880' FWL + 2080' FWL  
Unit F Sec. 10 - T17S - R31E  
Lea Co. Nm

11-12-97

B.A.R. Treatins  
Ricky Glosopole  
11-12-97

