

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all specific tests conducted, including drill stem tests. All depths reported shall be measured depths. In the cas of directionally drilled wells, tri-vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	1437'	T. Canyon	T. Ojo Alamo
T. Salt	1620'	T. Strawn	T. Kirtland Fruidland
B. Salt	2580'	T. Atoka	T. Pictured Cliffs
T. Yates	2773'	T. Miss	T. Cliff House
T. 7 Rivers	3070'	T. Devonian	T. Menefee
T. Queen	3728'	T. Silurian	T. Point Lookout
T. Grayburg	4180'	T. Montoya	T. Mancos
T. San Andra	4482'	T. Simpson	T. Gallup
T. Glorieta		T. McKee	Base Greehorn
T. Paddock		T. Ellenburger	T. Dakota
T. Blinebry		T. Gr. Wash	T. Morrison
T. Tubb		T. Delaware Sand	T. Todilto
T. Dinkard		T. Bone Springs	T. Entrada
T. Abo		T.	T. Wingate
T. Wolfcamp		T.	T. Chinle
T. Penn		T.	T. Permian
T. Cisco (Bough C)		T.	T. Penn "A"
			T. Penn "B"
			T. Penn "C"
			T. Penn "D"
			T. Leadville
			T. Madison
			T. Elbert
			T. McCracken
			T. Ignacio Otzte
			T. Granite

OIL OR GAS SANDS OR ZONES

No. 1, from 4724'	to '4781'	No. 3, from	to
No. 2, from 4294'	to 4480'	No. 4, from	to

IMPORTANT WATER SNADS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	to	feet
No. 2, from	to	feet
No. 3, from	to	feet

LITHOLOGY RECORD (Attach additional sheet in necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lighology
0	300		300 surf sand, gravel & clay				
300	1437		1137 red beds				
1437	1620		183 anhydrite				
1620	2580		960 salt				
2580	2773		193 anhydrite & lime				
2773	4950		2177 dolomite & anhydrite w/sand stringers				